

Vitamin B12

:Selected References

- Ceyhan ST, et al. 2010. Serum vitamin B12 and homocysteine levels in pregnant women with neural tube defect. *Gynecol Endocrinol*. 26(8):578-581
- Dror DK, Allen LH. 2018. Vitamin B-12 in human milk: A systematic review. *Adv Nutr* 9:358s-66s
- Duggan C, et al. 2014. Vitamin B-12 supplementation during pregnancy and early lactation increases maternal, breast milk, and infant measures of vitamin B-12 status. *J Nutr*. 144(5):758-764
- Groenen PMW, et al. 2004. Marginal maternal vitamin B12 status increases the risk of offspring with spina bifida. *Am J Obstet Gynecol* 191(1):11-17
- Hampel D, Allen LH. 2016. Analyzing B-vitamins in human milk: Methodological approaches. *Crit Rev Food Sci Nutr* 56:494-511
- Lai JS, et al. 2019. Maternal plasma vitamin B12 concentrations during pregnancy and infant cognitive outcomes at 2 years of age. *Br J Nutr*. 121(11):1303-1312
- Munger RG, et al. 2021. Maternal vitamin B12 status and risk of cleft lip and cleft palate birth defects in Tamil Nadu State, India. *Cleft Palate Craniofac J* 58(5):567-576
- National Institute of Health Office of Dietary Supplements. 2024. Vitamin B12: Fact Sheet for Health Professionals. Available at: <https://ods.od.nih.gov/factsheets/VitaminB12-HealthProfessional/>. Accessed 6 Jun 2024
- Nelen WL, et al. 2000. Hyperhomocysteinemia and recurrent early pregnancy loss: a meta-analysis. *Fertil Steril*. 74(6):1196-1199
- Ray JG, Blom HJ. 2003. Vitamin B12 insufficiency and the risk of fetal neural tube defects. *QJM*. 96(4):289-295
- Ray JG, et al. 2007. Vitamin B12 and the risk of neural tube defects in a folic-acid-fortified population. *Epidemiology* 18(3):362-366
- Reznikoff-Etievant MF, et al. 2002. Low Vitamin B(12) level as a risk factor for very early recurrent abortion. *Eur J Obstet Gynecol Reprod Biol*. 104(2):156-159
- Senousy SM, et al. 2018. Association between biomarkers of vitamin B12 status and the risk of neural tube defects. *J Obstet Gynaecol Res*. 44(10):1902-1908
- Suarez L, et al. 2003. Maternal serum B12 levels and risk for neural tube defects in a Texas-Mexico border population. *Ann Epidemiol* 13(2):81-88
- Van Rooij IALM, et al. 2003. Vitamin and homocysteine status of mothers and infants and the risk of nonsyndromic orofacial clefts. *Am J Obstet Gynecol* 189(4):1155-1160
- Wilson A, et al. 1999. A common variant in methionine synthase reductase combined with low cobalamin (vitamin B12) increases risk for spina bifida. *Mol Genet Metab*. 67(4):317-323
- Zhang T, et al. 2009. Maternal serum vitamin B12, folate and homocysteine and the risk of neural tube defects in the offspring in a high-risk area of China. *Public Health Nutr*. 12(5):680-686

Disclaimer: MotherToBaby Fact Sheets are meant for general information purposes and should not replace the advice of your health care provider. MotherToBaby is a service of the non-profit Organization of Teratology Information Specialists (OTIS). Copyright by OTIS, 2025.

Vitamin B12

:Selected References

- Aleck KA & Bartley DL. 1997. Multiple malformation syndrome following fluconazole use in pregnancy: report of an additional patient. Am J Med Genet 72:253-6
- Alsaad AM, et al. 2015. Exposure to fluconazole and risk of congenital malformations in the offspring: a systematic review and meta-analysis. Reprod Toxicol 52: 78-82
- Bérard A, et al. 2019. Associations between low- and high-dose oral fluconazole and pregnancy outcomes: 3 nested case-control studies. CMA J 2019;191: E179-E187
- Budani, M. C., et al. 2021.. Maternal use of fluconazole and congenital malformations in the progeny: A meta-analysis of the literature. Reproductive toxicology, 100:42-51
- Diflucan® Drug Label. 2024. Available at: https://www.accessdata.fda.gov/drugsatfda_docs/label/2024/019949s072lbl.pdf. [Accessed 8/2025]
- Carey JC, et al. 2009. Determination of human teratogenicity by the astute clinician method: review of illustrative agents and a proposal of guidelines. Birth Defects Res A Clin Mol Teratol. 85(1):63-8
- Centers for Disease Control and Prevention (CDC). 2021. Vulvovaginal Candidiasis (VVC) STI Treatment Guidelines. Available at: <https://www.cdc.gov/std/treatment-guidelines/candidiasis.htm>
- el-Medany AH, Hagar HH. 2002. Effect of fluconazole on fertility of male rabbits. Arzneimittelforschung. 52:636-40
- Force RW. 1995. Fluconazole concentrations in breast milk. Pediatr Infect Dis J. 14:235-6
- Howley MM, et al, the National Birth Defects Prevention Study. 2016. Fluconazole use and birth defects in the National Birth Defects Prevention Study. Am J Obstet Gynecol 214:657.e1-9
- Inman W, et al. 1994. Safety of fluconazole in the treatment of vaginal candidiasis. A prescription-event monitoring study, with special reference to the outcome of pregnancy. Eur J Clin Pharmacol 46:115-8
- Jick SS. 1999. Pregnancy outcomes after maternal exposure to fluconazole. Pharmacotherapy 19:221-2
- Kaplan YC, et al. 2015. Fluconazole use during breastfeeding. Can Fam Phys. 61:875-6
- Latour M, et al. 2024. Risk of congenital malformations and miscarriages following maternal use of oral fluconazole during the first trimester of pregnancy: a systematic review and meta-analysis. Eur J Epidemiol. 39(12):1325-1340
- Lee BE, et al. 1992. Congenital malformations in an infant born to a woman treated with fluconazole. Pediatr Infect Dis J 11:1062-4
- Liu D, et al. 2020. Fetal outcomes after maternal exposure to oral antifungal agents during pregnancy: A systematic review and meta-analysis. Int J Gynaecol Obstet 148(1): 6-13
- Lopez-Rangel E & Van Allen MI. 2005. Prenatal exposure to fluconazole: an identifiable dysmorphic phenotype. Birth Defects Res A Clin Mol Teratol 73:919-23
- Mastroiacovo P, et al. 1996. Prospective assessment of pregnancy outcomes after first-trimester exposure to

- .fluconazole. Am J Obstet Gynecol 175:1645-50
- Mølgaard-Nielsen D, et al. 2013. Use of oral fluconazole during pregnancy and the risk of birth defects. N Engl J Med 369:830-9
- Mølgaard-Nielsen D, et al. 2016. Association between use of oral fluconazole during pregnancy and risk of spontaneous abortion and still birth. JAMA 315(1):58-67
- Moorhead AM, et al. 2011. A prospective study of fluconazole treatment for breast and nipple thrush. Breastfeed Rev 19:25-9
- Nørgaard M, et al. 2008. Maternal use of fluconazole and risk of congenital malformations: a Danish population-based cohort study. J Antimicrob Chemother 62:172-6
- Pasternak B, et al. 2018. Oral fluconazole in pregnancy and risk of stillbirth and neonatal death. JAMA. 319(22):2333-2335
- Pursley TJ, et al. 1996. Fluconazole-induced congenital anomalies in three infants. Clin Infect Dis 22:336-40
- Sorensen HT, et al. 1999. Risk of malformations and other outcomes in children exposed to fluconazole in utero. Br J Clin Pharmacol. 48(2):234-8
- US Food and Drug Administration (FDA). 2019. FDA Drug Safety Communication: FDA to review study examining use of oral fluconazole (Diflucan) in pregnancy. <https://www.fda.gov/Drugs/DrugSafety/ucm497482.htm>
- Zhang Z, et al. 2019. The safety of oral fluconazole during the first trimester of pregnancy: a systematic review and meta-analysis. BJOG. Aug 24. doi: 10.1111/1471-0528.15913
- Zhu Y, et al. 2020. Oral fluconazole use in the first trimester and risk of congenital malformations: population-based cohort study. BMJ 369: m1494

أستلة؟ اتصل بـ 866.626.6847 اقم بإرسال رسالة نصية 855.999.3525 البريد الإلكتروني أو الدردشة على MotherToBaby.org.

Disclaimer: MotherToBaby Fact Sheets are meant for general information purposes and should not replace the advice of your health care provider. MotherToBaby is a service of the non-profit Organization of Teratology Information Specialists (OTIS). Copyright by OTIS, 1 أغسطس، 2025.

Vitamin B12

:Selected References

- .Asadi L, Bunce PE. 2013. West Nile virus infection. CMAJ;185(18):E846 •

- Centers for Disease Control and Prevention. 2004. Interim Guidelines for the Evaluation of Infants Born to Mothers Infected with West Nile Virus During Pregnancy. MMWR 53(07):154-156
- Centers for Disease Control and Prevention. 2002. Intrauterine West Nile Virus Infection – New York, 2002. MMWR 51(50):1135-1136
- Centers for Disease Control and Prevention. 2002. Possible West Nile Virus Transmission to an Infant Through Breastfeeding – Michigan, 2002. MMWR 51(39):877-878
- Centers for Disease Control and Prevention. 2021. West Nile Virus Transmission. <https://www.cdc.gov/west-nile-virus/php/transmission>
- Centers for Disease Control and Prevention. 2022. West Nile Virus Symptoms, Diagnosis, & Treatment. <https://www.cdc.gov/westnile/symptoms/index.html>
- Committee on Infectious Disease, American Academy of Pediatrics: 2021 Red Book: Report of the Committee on Infectious Diseases, 32nd Edition, page 848
- Herring R, et al. 2019. Pediatric West Nile Virus-Associated Neuroinvasive Disease: A Review of the Literature. Pediatr Neurol 92(March):16-25
- Hinckley AF, et al. 2006. West Nile Virus Infection Among Pregnant Women in A Northern Colorado Community, 2003-2004. Am J Epidemiol 163(11Suppl): S55
- Hinckley AF, et al. 2007. Transmission of West Nile virus through human breast milk seems to be rare. Pediatrics 119(3):e666-671
- Mann TZ et al. 2018. Breast milk transmission of flaviviruses in the context of Zika virus: A systematic review. Paediatr Perinat Epidemiol 32(4):358-368
- O’Leary DR, et al. 2006. Birth outcomes following West Nile Virus infection of pregnant women in the United States: 2003-2004. Pediatrics 117(3):e537-545
- Paisley JE, et al. 2006. West Nile virus infection among pregnant women in a northern Colorado community, 2003 to 2004. Pediatrics 117(3):814-820
- Pridjian, et al. 2016. Prospective Study of Pregnancy and Newborn Outcomes in Mothers with West Nile Illness during Pregnancy. Birth Defects Res A Clin Mol Teratol 106(8):716-723
- Rasmussen SA, et al. 2017. Studying the Effects of Emerging Infections on the Fetus: Experience with West Nile and Zika Viruses. Birth Defects Res 109(5):363-371
- Sirois et, al. 2014. Developmental Outcomes in Young Children Born to Mothers with West Nile Illness during Pregnancy. Birth Defects Res A Clin Mol Teratol 100(10):792-796
- Stewart R, et al. 2013. West Nile Virus Infection in Pregnancy. Case Reports in Infectious Disease. V 2013, Article ID 351872
- Wesson DM. 2006. Is West Nile virus a teratogen? (abs) Birth Defects Research (Part A) 76:357

Vitamin B12

:Selected References

- Alwan S, et al. 2007. Use of selective serotonin-reuptake inhibitors in pregnancy and the risk of birth defects. N Engl J Med 356(26):2684-2692.
- Ames JL, et al. 2021. Maternal psychiatric conditions, treatment with selective serotonin reuptake inhibitors, and neurodevelopmental disorders. Biol Psychiatry. 90(4):253-262.
- Andersen JT, et al. 2014. Exposure to selective serotonin reuptake inhibitors in early pregnancy and the risk of miscarriage. Obstet Gynecol. 124(4):655-661.
- Anderson KN, et al. 2020. Maternal use of specific antidepressant medications during early pregnancy and the risk of selected birth defects. JAMA Psychiatry. 77(12):1246-1255.
- Andrade S, et al. 2009. Antidepressant use and risk of persistent pulmonary hypertension of the newborn. Pharmacoeconomics Drug Saf 18(3):246-252.
- Aynaoglu, Y., et al. 2021. Effect of diazepam, sertraline, and melatonin on the stress-induced reproductive in female rats. J Matern Fetal Neonatal Med. 34(24): 4103-4109.
- Berard A, et al. 2017. Antidepressant use during pregnancy and the risk of major congenital malformations in a cohort of depressed pregnant women: An updated analysis of the Quebec Pregnancy Cohort. BMJ Open;7:e013372.
- Bonari L, et al. 2004. Perinatal risks of untreated depression during pregnancy. Can J Psychiatry 49(11):726-735.
- Cantin C, et al. 2024. Neonates With In-Utero SSRI Exposure (NeoWISE): A retrospective cohort study examining the effect of newborn feeding method on newborn withdrawal. Int J Popul Data Sci 9:2458.
- Casper R, et al. 2003. Follow-up of children of depressed mothers exposed or not exposed to antidepressant drugs during pregnancy. J Pediatr 142:402- 408.
- Chambers C, et al. 2006. Selective serotonin-reuptake inhibitors and risk of persistent pulmonary hypertension of the newborn. N Engl J Med 354(6):579- 587.
- Cuomo A, et al. 2018. Using sertraline in postpartum and breastfeeding: balancing risks and benefits. Expert Opin Drug Saf. 17(7):719-725.
- Den Besten-Bertholee D, et al. 2024. Sertraline, citalopram and paroxetine in lactation: passage into breastmilk and infant exposure. Front Pharmacol. 15:1414677.
- Desaunay P, et al. 2023. Benefits and Risks of Antidepressant Drugs During Pregnancy: A Systematic Review of Meta-analyses. Paediatric drugs. 25(3): 247-265.
- De Vries C, et al. 2021. A systematic review and meta-analysis considering the risk for congenital heart defects of antidepressant classes and individual antidepressants. Drug Safety 44(3):291-312.
- Ericson A, et al. 1999. Delivery outcome after the use of antidepressants in early pregnancy. Eur J Clin Pharmacol 55:503-508.
- Furu K, et al. 2015. Selective serotonin reuptake inhibitors and venlafaxine in early pregnancy and risk of birth

- .defects: population based cohort study and sibling design. *BMJ*. 350:h1798
- Galbally, M., et al. 2023. Fetal SSRI antidepressant exposure and infant sleep: Findings from the MPEWS pregnancy cohort study. *Infant Behav Dev*. 72:101849
- Grigoriadis S, et al. 2013. The effect of prenatal antidepressant exposure on neonatal adaptation: a systematic review and meta-analysis. *J Clin Psychiatry*. 74(4):e309-20
- Grigoriadis et al. 2014. Prenatal exposure to antidepressants and persistent pulmonary hypertension of the newborn: systematic review and meta-analysis. *BMJ* 348:f6932
- Heinonen E, et al. 2021. Sertraline concentrations in pregnant women are steady and the drug transfer to their infants is low. *Eur J Clin Pharmacol*. 77(9):1323-1331
- Hendrick V, et al. 2001. Use of sertraline, paroxetine and fluvoxamine by nursing women. *Br J Psychiatry*. 179:163-166
- Hogue AN, et al. 2017. Effects of in-utero exposure to selective serotonin reuptake inhibitors and venlafaxine on term and preterm infants. *J Neonatal Perinatal Med*. 10(4):371-380
- Jordan S, et al. 2016. Selective serotonin reuptake inhibitor (SSRI) in pregnancy and congenital anomalies: Analysis of linked databases in Wales, Norway and Funen, Denmark. *PLoS One*. 11(12):e0165122
- Källén B, Olausson PO. 2008. Maternal use of selective serotonin re-uptake inhibitors and persistent pulmonary hypertension of the newborn. *Pharmacoepidemiol Drug Saf*. (8):801-806
- Kallen BA, et al. 2007. Maternal use of selective serotonin re-uptake inhibitors in early pregnancy and infant congenital malformations. *Birth Defects Res A Clin Mol Teratol* 79(4):301-308
- Kieler H, et al. 2011. Selective serotonin reuptake inhibitors during pregnancy and risk of persistent pulmonary hypertension in the newborn: a population based cohort study from five Nordic countries. *BMJ* 344:d8012
- Kieviet N, et al. 2015. Risk factors for poor neonatal adaptation after exposure to antidepressants in utero. *Acta Paediatr*. 104(4):384-91
- Kolding L et al. 2019. Sertraline use during pregnancy and effect on fetal cardiac function. *J Maternal Fetal Neonatal Med*. 12:1-8
- Kristensen JH, et al. 1998. Distribution and excretion of sertraline and N-desmethylsertraline in human milk. *Br J Clin Pharmacol* 45:453-457
- Levinson-Castiel R, et al. 2006. Neonatal abstinence syndrome after in utero exposure to selective serotonin reuptake inhibitors in term infants. *Arch Pediatr Adolesc Med* 160:173-176
- Leutritz AL, et al. 2023. Psychotropic medication in pregnancy and lactation and early development of exposed children. *Br J Clin Pharmacol*. 89(2):737-750
- Louik C, et al. 2007 First trimester use of selective serotonin-reuptake inhibitors and the risk of birth defects. *N Engl J Med* 356(26):2675-2683
- Mammen OK, et al. 1997. Sertraline and nortriptyline levels in three breastfed infants. *J Clin Psychiatry*. 58:100-103
- Marks C, et al. 2021. Comparing newborn outcomes after prenatal exposure to individual antidepressants: A retrospective cohort study. *Pharmacotherapy*. 41(11):907-914
- Masarwa R, et al. 2019. Prenatal exposure to selective serotonin reuptake inhibitors and serotonin norepinephrine reuptake inhibitors and risk for persistent pulmonary hypertension of the newborn: a systematic review, meta-analysis, and network meta-analysis. *Am J Obstet Gynecol*. 220(1):57
- Mattson S, et al. 1999. Neurobehavioral follow-up of children prenatally exposed to fluoxetine [abstract]. In: *Teratology* 59:376
- Misiri S, et al. 2006. Internalizing behaviors in 4-year-old children exposed in utero to psychotropic medications. *American Journal of Psychiatry*. 163(6): 1026-1032
- Nulman I, et al. 1997. Neurodevelopment of children exposed in utero to antidepressant drugs. *N Engl J Med* 336(4):258-262
- Oberlander TF, et al. 2008. Major congenital malformations following prenatal exposure to serotonin reuptake inhibitors and benzodiazepines using population based health data. *Birth Defects Res B Dev Reprod Toxicol*. 83(1):68-76

- Pedersen LH, et al. 2009. Selective serotonin reuptake inhibitors in pregnancy and congenital malformations: •
population based cohort study. *BMJ* 339:b3569
- Pinheiro E, et al. 2015. Sertraline and breastfeeding: review and meta-analysis. *Archives of Women's Mental •*
Health. 18(2):139-46
- Rommel A.-S., et al. 2020. Long-term effects of intrauterine exposure to antidepressants on physical, •
neurodevelopmental, and psychiatric outcomes: A systematic review. *J Clin Psychiatry* 81(3): 19r12965
- Sanz E, et al. 2005. Selective serotonin reuptake inhibitors in pregnant women and neonatal withdrawal •
syndrome: a database analysis. *Lancet* 365:482-487
- Semet M, et al. 2017. The impact of drugs on male fertility: a review. *Andrology* 5(4): 640-663 •
- Sjaarda LA, et al. 2020. Urinary selective serotonin reuptake inhibitors across critical windows of pregnancy •
establishment: A prospective cohort study of fecundability and pregnancy loss. *Fertility and Sterility,*
114(6):1278-1287
- Stika C, et al. 2022. Changes in sertraline plasma concentrations across pregnancy and postpartum. *Clin •*
Pharmacol Ther. 112(6):1280-1290
- Stowe ZN, et al. 1997. Sertraline and desmethylsertraline in human breast milk and nursing infants. *Am J •*
Psychiatry 154:1255-1260
- Suarez EA, et al. 2022. Association of antidepressant use during pregnancy with risk of neurodevelopmental •
disorders in children. *JAMA Intern Med.* 182(11):1149-60
- Sylvester C, et al. 2019. Selective serotonin reuptake inhibitors and fertility: Considerations for couples trying to •
conceive. *Harv Rev Psychiatry* 27(2):108-118
- Thomson, M, et al. 2021. Pharmacotherapeutic considerations for the treatment of posttraumatic stress disorder •
during and after pregnancy. *Expert Opinion Pharmacother.* 22(6):705-714
- Toh S, et al. 2009 Antidepressant use during pregnancy and the risk of preterm delivery and fetal growth •
restriction. *J Clin Psychopharmacol.* 29(6):555-60
- U.S. Food and Drug Administration. 2011 (current as of 2/13/2018). Available at: •
<https://www.fda.gov/drugs/drug-safety-and-availability/fda-drug-safety-communication-selective-serotonin-reuptake-inhibitor-ssri-antidepressant-use-during#data>. [Accessed 12/19
- U.S. Food and Drug Administration. 2023. Zoloft® Drug Label. Available at: •
[https://www.accessdata.fda.gov/drugsatfda_docs/label/2023/019839s108,20990s062lbl.pdf]. [Accessed 8/2025
- Wang S, et al. 2015. Selective serotonin reuptake inhibitors (ssris) and the risk of congenital heart defects: A •
meta-analysis of prospective cohort studies. *J Am Heart Assoc* 4(5):e001681
- Uguz, F. 2020. Selective serotonin reuptake inhibitors and the risk of congenital anomalies: A systematic review •
of current meta-analyses. *Expert Opin Drug Saf* 19(12):1595-1604
- Wisner KL, et al. 1998. Serum sertraline and N-desmethylsertraline levels in breastfeeding mother-infant pairs. •
Am J Psychiatry 155:690-692
- Womersely K, et al. 2017. What are the risks associated with different Selective Serotonin Re-uptake Inhibitors •
(SSRIs) to treat depression and anxiety in pregnancy? An evaluation of current evidence. *Psychiatr Danub.*
29(Suppl. 3):629-644
- Zheng L, et al. 2022. Antidepressants and antipsychotics in human pregnancy: Transfer across the placenta and •
opportunities for modeling studies. *J Clin Pharmacol* 62(Suppl. 1): S115-S128

Disclaimer: MotherToBaby Fact Sheets are meant for general information purposes and should not replace the advice of your health care provider. MotherToBaby is a service of the non-profit Organization of Teratology Information Specialists (OTIS). Copyright by OTIS, 2025.

Vitamin B12

:Selected References

- Bosworth, O. M., Padilla-Azain, M. C., Adgent, M. A., Spieker, A. J., Wiese, A. D., Pham, A., Leech, A. A., Grijalva, C. G., & Osmundson, S. S. (2024). Prescription Opioid Exposure During Pregnancy and Risk of Spontaneous Preterm Delivery. *JAMA network open*, 7(2), e2355990. <https://doi.org/10.1001/jamanetworkopen.2023.55990>
- Brogly SB, Velez MP, Werler MM, Li W, Camden A, Guttmann A. Prenatal Opioid Analgesics and the Risk of Adverse Birth Outcomes. *Epidemiology*. 2021 May 1;32(3):448-456. doi: 10.1097/EDE.0000000000001328. PMID: 33625160; PMCID: PMC8011506
- Broussard CS, et al. 2011. Maternal treatment with opioid analgesics and risk for birth defects. *American Journal of Obstetrics and Gynecology*, 204(4): 314.e1-314.e11
- Cobrinik RW et al. 1995. The effect of maternal narcotic addiction on the newborn infant. *Pediatrics* 24:288-304
- Collins LR, et al. 2005: Prolonged morphine exposure in utero causes fetal and placental vasoconstriction: a case report. *J Matern Fetal Neonatal Med*;17:417-21
- Daud AN, et al. 2015. P-glycoprotein-mediated drug interactions in pregnancy and changes in the risk of congenital anomalies: a case-reference study. *Drug Safety*, 38(7):651-659
- Feilberg FL, et al. Excretion of morphine in human breast milk. *Acta Anaesthesiol Scand*, 33(5):426-428
- Ghasemi-Esmailabad S, et al. 2022. The effects of morphine abuse on sperm parameters, chromatin integrity and apoptosis in men. *JBRA Assist Reprod*, 26(3):444-449
- Interrante JD, et al. 2017. Risk comparison for prenatal use of analgesics and selected birth defects, National Birth Defects Prevention Study 1997-2011. *Annals of Epidemiology*, 27(9):Epub ahead of print
- Ito, S. 2018. Opioids in breast milk: Pharmacokinetic principles and clinical implications. *J Clin Pharmacol*, 58 Suppl 10:S151-S163
- Larson, JJ, et al. 2019. Cognitive and behavioral impact on children exposed to opioids during pregnancy. *Pediatrics*, 142(2):e20190514
- Lind JN, et al. 2017. Maternal use of opioids during pregnancy and congenital malformations: A systematic review. *Pediatrics*, 139(6):e20164131
- Rothman KJ,, et al. 1979. Exogenous hormones and other drug exposures of children with congenital heart disease. *American Journal of Epidemiology*, 109(4):433-439
- Wang, Y., Berger, L., Durrance, C., Kirby, R. S., Kuo, D., Pac, J., & Ehrenthal, D. B. (2023). Duration and Timing of In Utero Opioid Exposure and Incidence of Neonatal Withdrawal Syndrome. *Obstetrics and gynecology*, 142(3), 603-611. <https://doi.org/10.1097/AOG.0000000000005289>

أسئلة؟ اتصل بـ 866.626.6847 اقم بإرسال رسالة نصية 855.999.3525 | البريد الإلكتروني أو الدردشة على MotherToBaby.org.

Disclaimer: MotherToBaby Fact Sheets are meant for general information purposes and should not replace the advice of your health care provider.
MotherToBaby is a service of the non-profit Organization of Teratology Information Specialists (OTIS). Copyright by OTIS, 1 أغسطس، 2025.