

Lead

Selected References:

- Agency for Toxic Substances and Disease Registry (ATSDR). 2007. Toxicological Profile for Lead. Atlanta, GA: U.S. Department of Health and Human Services, Public Health Service.
- American College of Obstetricians and Gynecologists (ACOG). 2023. Lead screening during pregnancy and lactation. Committee Opinion Number 533. *Obstet Gynecol*, 120(2, part 1):416-419
- Appleton AA, et al. 2021. Prenatal lead and depression exposures jointly influence birth outcomes and NR3C1 DNA methylation. *Int J Environ Res Public Health*, 18(22):12169.
- Araujo MSA, et al. 2022. Prenatal exposure to metals and neurodevelopment in infants at six months: Rio Birth Cohort Study of Environmental Exposure and Child Development (PIPA Project). *Int J Environ Res Public Health*, 19(7):4295.
- Ashley-Martin J, et al. 2019. Blood metal levels and early childhood anthropometric measures in a cohort of Canadian children. *Environ Res*, 179(Pt A):108736.
- Ashrap P, et al. 2020. Maternal blood metal and metalloid concentrations in association with birth outcomes in northern Puerto Rico. *Environ Int*, 138:105606.
- Bellinger DC. 2005. Teratogen update: Lead and pregnancy. *Birth Defects Research Part A: Clinical and Molecular Teratology*, 73: 409-420.
- Bellinger D. 2005. Lead. *Pediatrics*, 113:1016-1022.
- Bellinger D. 2008. Neurological and behavioral consequences of childhood lead exposure. *PLoS Med*, 5(5):e115.
- Bloom MS, Fujimoto V, et al. 2012(a). Background exposure to toxic metals in women adversely influences pregnancy during in vitro fertilization (IVF). *Reprod Toxicol*, 34(3):471-481.
- Bloom MS, Kim K, et al. 2012(b). Associations between toxic metals in follicular fluid and in vitro fertilization (IVF) outcomes. *Assist Reprod Genet*, 29(12):1369-1379. Bloom MS, Louis GMB, et al. 2011(a). Associations between blood metals and fecundity among women residing in New York State. *Reprod Toxicol*, 31(2):158-163.
- Bloom MS, Parsons PJ, et al. 2011(b). Toxic trace metals and embryo quality indicators during in vitro fertilization (IVF). *Reprod Toxicol*, 31(2):167-170.
- Borja-Aburto, VH. 1999. Blood lead levels measured prospectively and risk of spontaneous abortion. *Am J Epidemiol*, 150(6):590-597.
- Buck Louis GM, et al. 2016. Paternal exposures to environmental chemicals and time-to-pregnancy: overview of results from the LIFE study. *Andrology*, 4(4):639-47.
- Buck Louis GM, et al. 2017. Low-level environmental metals and metalloids and incident pregnancy loss. *Reprod Toxicol*, 69:68-74.
- Bui LTM, et al. 2022. Does short-term, airborne lead exposure during pregnancy affect birth outcomes? Quasi-experimental evidence from NASCAR's deleading policy. *Environ Int*, 166:107354.
- Butts CD, et al. 2021. Toxic elements in follicular fluid adversely influence the likelihood of pregnancy and live birth in women undergoing IVF. *Hum Reprod Open*, 2021(3):hoab023. Calamandrei, G, et al. 2020. Pregnancy exome and child psychomotor development in three European birth cohorts. *Environ Res*, 181:108856.
- Cantor AG, et al. 2019. Screening for elevated blood lead levels in childhood and pregnancy: Updated evidence report & systematic review for the US Preventive Services Task Force. *JAMA*, 321(15):1510-1526. Centers for Disease Control and Prevention (CDC). 2025. About Lead in Paint. Available at: <https://www.cdc.gov/lead-prevention/prevention/paint.html>. [Accessed November 2025].
- CDC. 2010. Guidelines for the Identification and Management of Lead Exposure in Pregnant and Lactating Women. Available at: https://www.cdc.gov/lead-prevention/media/pdfs/2025/03/cdc_147837_DS1.pdf [Accessed

1/2020].

- CDC. 2025. Lead and Breastfeeding. Available at: <https://www.cdc.gov/breastfeeding-special-circumstances/hcp/exposures/lead.html/> [Accessed November 2025].
- Chang SH, et al. 2006. Low blood lead concentration in association with infertility in women. *Environ Res*, 101(3):380-386.
- Cherkani-Hassani A, et al. 2021. Lead concentrations in breast milk of Moroccan nursing mothers and associated factors of exposure: CONTAMILK Study. *Environ Toxicol Pharmacol*, 85:103629.
- Cowell W, et al. 2021. Prenatal metal mixtures and sex-specific infant negative affectivity. *Environ Epidemiol*, 5(2):e14.
- Cowell W, et al. 2020. Prenatal toxic metal mixture exposure and newborn telomere length: Modification by maternal antioxidant intake. *Environ Res*, 190:110009.
- Dabeka RW, McKenzie AD. 1988. Lead and cadmium levels in commercial infant foods and dietary intake by infants 0-1 year old. *Food Addit Contam*, 5333-342.
- Dietrich K, et al. 1993. The developmental consequences of low to moderate prenatal and postnatal lead exposure: intellectual attainment in the Cincinnati lead study cohort following school entry. *Neurotoxicol Teratology*, 15:37-44.
- Disha S, et al. 2019. Association of raised blood lead levels in pregnant women with preeclampsia: A study at tertiary centre. *Taiwan J Obstet Gynecol*. 58(1):60-63.
- Dorea JG. 2019. Environmental exposure to low-level lead (Pb) co-occurring with other neurotoxicants in early life and neurodevelopment in children. *Environ Res*, 177:108641.
- Dorea JG. 2021. Exposure to environmental neurotoxic substances and neurodevelopment in children from Latin America and the Caribbean. *Environ Res*, 192:110199.
- Dutta S, et al. 2021. Environmental and occupational exposure to metals and female reproductive health. *Environ Sci Pollut Res Int*, doi:10.1007/s11356-021-16581-9.
- Ernhart CB. 1992. A critical review of low-level prenatal lead exposure in the human: effects on the fetus and newborn. *Reprod Toxicol* 6:9-91.
- Ernhart, CB, et al. 1986. Intrauterine exposure to low levels of lead: the status of the neonate. *Archives Environ Health*, 41:287-291.
- Ettinger AS, et al. 2004. Effect of breast milk lead on infant blood lead levels at 1 month of age. *Environ Health Perspect*, 112(14):1381-1385.
- Food and Drug Administration. Guidance for Industry: Lead in Candy Likely To Be Consumed Frequently by Small Children. Retrieved 2022 from: <https://www.fda.gov/regulatory-information/search-fda-guidance-documents/guidance-industry-lead-candy-likely-be-consumed-frequently-small-children>.
- Forsyth JE, et al. 2019. Sources of blood lead exposure in rural Bangladesh. *Environ Sci Technol*, 53(19):11429.
- Fruth V, et al. 2021. Prenatal exposure to a mixture of elements and neurobehavioral outcomes in mid-childhood: Results from Project Viva. *Environ Res*, 201:111540.
- Gardella, C. 2001. Lead exposure in pregnancy: a review of the literature and argument for routine prenatal screening. *Obstet Gynecol Surv*, 56:231-238.
- Gari M, et al. 2022. Prenatal exposure to neurotoxic metals and micronutrients and neurodevelopmental outcomes in early school age children from Poland. *Environ Res*, 204(Pt B):112049.
- Geng F, et al. 2014. Low-level prenatal lead exposure alters auditory recognition memory in 2-month-old infants: an event-related potentials (ERPs) study. *Dev Neuropsychol*, 39(7):516-528. Grossman D, et al. 2019. The impact of the
- Flint water crisis on fertility. *Demography* 45:2005-2031.
- Gulson BL, et al. 1999. Estimation of cumulative lead releases (lead flux) from the maternal skeleton during pregnancy and lactation. *J Lab Clin Med*, 134:631-640.
- Gulson B, et al. 2016. Revisiting mobilisation of skeletal lead during pregnancy based on monthly sampling and

cord/maternal blood lead relationships confirm placental transfer of lead. *Arch Toxicol*, 90(4):805-816.

- Guo J, et al. 2020. Prenatal exposure to mixture of heavy metals, pesticides and phenols and IQ in children at 7 years of age: The SMBCS study. *Environ Int*, 139:105692.
- Guo X, et al. 2022. Effects of single and combined exposure to lead and stress during pregnancy on offspring neurodevelopment. *Dev Cogn Neurosci*, 56:101124.
- Gustin K, et al. 2020. Low-level maternal exposure to cadmium, lead, and mercury and birth outcomes in a Swedish prospective birth-cohort. *Environ Pollut*, 265(Pt B):114986.
- Han I, et al. 2020. Characterization of urinary concentrations of heavy metals among socioeconomically disadvantaged black pregnant women. *Environ Monit Assess*, 192(3):200.
- Hertz-Picciotto I. 2000. The evidence that lead increases the risk for spontaneous abortion. *Am J Ind Med*, 38(3):300-309.
- Hong YC, et al. 2014. Postnatal growth following prenatal lead exposure and calcium intake. *Pediatrics*, 134(6):1151-1159
- Igra AM, et al. 2021. Environmental metal exposure and growth to 10 years of age in a longitudinal mother-child cohort in rural Bangladesh. *Environ Int*, 156:106738.
- Isaac CP, et al. 2012. Lead levels in breast milk, blood plasma and intelligence quotient: a health hazard for women and infants. *Bull Environ Contam Toxicol*, 88(2):145-149.
- Kabamba M, Tuakuila J. 2020. Toxic metal (Cd, Hg, Mn, Pb) partition in the maternal/foetal unit: A systematic mini-review of recent epidemiological studies. *Toxicol Lett*, 332:20-26.
- Karatela S, et al. 2020. Exposure to toenail heavy metals and child behavior problems in nine-year-old children: A cross-sectional study. *Int J Environ Res Public Health*, 17(11):4120.
- Kaur M, et al. 2022. Increased incidence of spontaneous abortions on exposure to cadmium and lead: a systematic review and meta-analysis. *Gynecol Endocrinol*, 38(1):16-21.
- Kim SS, et al. 2020. Birth outcomes associated with maternal exposure to metals from informal electronic waste recycling in Guiyu, China. *Environ Int*, 137:105580.
- Kortei NK, et al. 2020. Potential health risk assessment of toxic metals contamination in clay eaten as pica (geophagia) among pregnant women of Ho in the Volta Region of Ghana. *BMC Pregnancy Childbirth*. 20(1):160.
- Lamadrid-Figueroa H, et al. 2007. Association between the plasma/whole blood lead ratio and history of spontaneous abortion: A nested cross-sectional study. *BMC Pregnancy Childbirth*, 7:22.
- Lee S, et al. 2020. Female Infertility Associated with Blood Lead and Cadmium Levels. *Int J Environ Res Public Health*; 17(5):1794.
- Lee MS, et al. 2021. Umbilical cord blood metal mixtures and birth size in Bangladeshi children. *Environ Health Perspect*, 129(5):57006.
- Li J, et al. 2017. Maternal serum lead level during pregnancy is positively correlated with risk of preterm birth in a Chinese population. *Environ Pollut*, 227:484-489.
- Li S, et al. 2021. Relationship between maternal heavy metal exposure and congenital heart defects: a systematic review and meta-analysis. *Environ Sci Pollut Res Int*, doi:10.1007/s11356-022-21071-7.
- Lui C, et al. 2022. Association of both prenatal and early childhood multiple metals exposure with neurodevelopment in infant: A prospective cohort study. *Environ Res*, 205:112450.
- Liu J, et al. 2014. Lead exposure at each stage of pregnancy and neurobehavioral development of neonates. *Neurotoxicology*, 44:1-7.
- Liu M, et al. 2021. Associations between prenatal exposure to cadmium and lead with neural tube defect risks are modified by single-nucleotide polymorphisms of fetal *MTHFR* and *SOD2*: A case-control study. *Environ Health*, 20(1):66.
- Liu T, et al. 2019. Trace minerals, heavy metals, and preeclampsia: Findings from the Boston Birth Cohort. *J Am Heart Assoc*, 8(16):e012436.
- Ludvigsson J, et al. 2019. Toxic metals in cord blood and later development of Type 1 diabetes. *Pediatr Dimens*, 4(2):10.15761/PD.1000186.
- Ma J, et al. 2022. Exposure to metal mixtures and hypertensive disorders of pregnancy: A nested case-control

study in China. *Environ Pollut*, 306:119439.

- Margetaki K, et al. 2021. Associations of exposure to cadmium, antimony, lead and their mixture with gestational thyroid homeostasis. *Environ Pollut*, 289:117905.
- Minnesota Department of Public Health. Blood Lead Screening Guidelines for Pregnant Women in Minnesota. Available at: <https://www.leg.state.mn.us/docs/2008/other/080007.pdf> [Accessed 2022].
- Miyashita C, et al. 2021. Association between the concentrations of metallic elements in maternal blood during pregnancy and prevalence of abdominal congenital malformations: The Japan Environment and Children's Study. *Int J Environ Res Public Health*, 18(19):10103.
- Montrose L, et al. 2020. Neonatal Lead (Pb) exposure and DNA methylation profiles in dried bloodspots. *Int J Environ Res Public Health*, 17(18):6775.
- National Center for Environmental Health (NCEH)/Agency for Toxic Substances and Disease Registry (ATSDR)/CDC. 2010. Guidelines for the Identification and Management of Lead Exposure in Pregnant and Lactating Women. <https://www.atsdr.cdc.gov/index.html>
- Nyanza EC, et al. 2021. Effects of prenatal exposure and co-exposure to metallic or metalloid elements on early infant neurodevelopmental outcomes in areas with small-scale gold mining activities in Northern Tanzania. 149:106104.
- Osorio-Yáñez C, et al. 2021. Metal exposure and bone remodeling during pregnancy: Results from the PROGRESS cohort study. *Environ Pollut*, 282:116962.
- Ovayolu A, et al. 2020. Amniotic fluid levels of selected trace elements and heavy metals in pregnancies complicated with neural tube defects. *Congenit Anom (Kyoto)*, 60(5):136-141.
- Pérez-Debén S, et al. 2020. Copper and lead exposures disturb reproductive features of primary endometrial stromal and epithelial cells. *Reprod Toxicol*, 93:106-117.
- Pesce G, et al. 2020. Foetal exposure to heavy metals and risk of atopic diseases in early childhood. *Pediatr Allergy Immunol*, 32(3):242-250.
- Pollack AZ, et al. 2011. Cadmium, lead, and mercury in relation to reproductive hormones and anovulation in premenopausal women. *Environ Health Perspect*, 119(8):1156-1161.
- Poropat AE, et al. 2018. Blood lead and preeclampsia: A meta-analysis and review of implications. *Environ Res*, 160:12-19.
- Rabinowitz, M, et al. 1987. Pregnancy hypertension, blood pressure during labor, and blood lead levels. *Hypertension*, 10:447-451.
- Rabito FA, et al. 2014. Changes in low levels of lead over the course of pregnancy and the association with birth outcomes. *Reprod Toxicol*, 50: 138-144.
- Röllin HB, et al. 2020. In utero exposure to aluminium and other neurotoxic elements in urban coastal South African women at delivery: An emerging concern. *Int J Environ Res Public Health*, 17(5):1724.
- Rosa MJ, et al. 2022. Prenatal lead exposure and childhood lung function: Influence of maternal cortisol and child sex. *Environ Res.*, 205:112447.
- Rothenberg, S, et al. 2000. Maternal bone lead contribution to blood lead during and after pregnancy. *Environ Res*, 82:81-90.
- Rygiel CA, et al. 2021. Prenatal lead (Pb) exposure and peripheral blood DNA methylation (5mC) and hydroxymethylation (5hmC) in Mexican adolescents from the ELEMENT Birth Cohort. *Environ Health Perspect*, 129(6):67002.
- Sallmen M, et al. 1995. Time to pregnancy among women occupationally exposed to lead. *J Occup Environ Med*, 37(8):931-934.
- Shvachiy L, et al. 2020. Persistent effects on cardiorespiratory and nervous systems induced by long-term lead exposure: Results from a longitudinal study. *Neurotox Res*, 37(4):857-870.
- Silbergeld, EK 1991. Lead In bone: implications for toxicology during pregnancy and lactation. *Environ Health Perspect*, 91:63-70.
- Sukhn C, et al. 2021. Paternal exposure to non-essential heavy metal affects embryo cleavage and implantation in intracytoplasmic sperm injection (ICSI) cycles: Evidence for paradoxical effect. *Reprod Sci*, 28(9):2550-2561.

- Sun X, et al. Maternal heavy metal exposure, thyroid hormones, and birth outcomes: A prospective cohort study. *J Clin Endocrinol Metab*, 104(11):5043-5052.
- Taylor C, et al. 2015. Adverse effects of maternal lead levels on birth outcomes in the ALSPAC study: A prospective birth cohort study. *BJOG*, 122(3):322-328
- Tiwari AKM, et al. 2020. Effect of iron and folate supplementation on Pb levels in pregnant anemic women: a prospective study. *Free Radic Res*, 54(8-9):662-669. Tong, S, et al. 1996. Lifetime exposure to environmental lead and children's intelligence at 11-13 years: The Port Pirie Cohort Study. *BMJ*, 312:1569-1575.
- Tung PW, et al. 2022. Association between placental toxic metal exposure and NICU Network Neurobehavioral Scales (NNS) profiles in Rhode Island Child Health Study (RICHS). *Environ Res*, 204(Pt A):111939.
- United States Environmental Protection Agency (EPA). Learn about Lead. Available at: <https://www.epa.gov/lead/learn-about-lead>. [Accessed November 2025]
- Wang C, et al. 2022. Maternal exposure to heavy metals and risk for severe congenital heart defects in offspring. *Environ Res*, 212(Pt C):113432.
- Wang D, et al. 2020. Association between blood lead level during pregnancy and birth weight: A meta-analysis. *Am J Ind Med*, 63(12):1085-1094.
- Wang H, et al. 2017. High serum lead concentration in the first trimester is associated with an elevated risk of small-for-gestational-age infants. *Toxicol Appl Pharmacol*, 1;332:75-80.
- Wang R, et al. 2021. Something in the pipe: the Flint water crisis and health at birth. *J Popul Econ* 35:1723-1749.
- Xu S, et al. 2022. Maternal blood levels of toxic and essential elements and birth outcomes in Argentina: The EMASAR Study. *Int J Environ Res Public Health*, 19(6):3643.
- Zhang M, et al. 2021. *In Utero* exposure to heavy metals and trace elements and childhood blood pressure in a U.S. urban, low-income, minority birth cohort. *Environ Health Perspect*, 129(6):67005.
- Zhou F, et al. 2019. Toxicity assessment due to prenatal lactational exposure to lead, cadmium and mercury mixtures. *Environ Int*, 133(Pt B):105192.
- Zhou L, et al. 2021. Metal elements associate with *in vitro* fertilization (IVF) outcomes in 195 couples. *J Trace Elem Med Biol*, 68:126810.

¿Preguntas? Llame al 866.626.6847 | Texto 855.999.3525 | Correo electrónico o chat en [MotherToBaby.org](https://www.mothertobaby.org) .

Descargo de responsabilidad: las hojas informativas de MotherToBaby están destinadas a fines de información general y no deben reemplazar los consejos de su proveedor de atención médica. MotherToBaby es un servicio de la Organización sin fines de lucro de Especialistas en Información de Teratología (OTIS). Copyright de OTIS, 1 de enero de 2026.

Lead

Selected References:

- Abdelmaksoud A, et al. 2023. Isotretinoin and pregnancy termination: an overview. *Int J Dermatol*. 62(4):e255-e256.
- Adams J, et al. 1991. Relationship between dysmorphology and neuropsychological function in children exposed to isotretinoin "in utero". In: T. Fujii and G. J. Boer (eds), *Functional Neuroteratology of Short Term Exposure to Drugs*. Tokyo: Teikyo University Press, pp.159-170.
- Adams J, et al. 1993. Neurobehavioral teratology of isotretinoin. *Reprod Toxicol*. 7(2):175-177.
- Adams J. 1996. Similarities in genetic mental retardation and neuroteratogenic syndromes. *Pharmacol Biochem Behav*. 55(4):683-690.
- Alay MT, et al. 2023. A new perspective on isotretinoin in pregnancy: Pregnancy outcomes, evaluation of complex phenotypes, and importance of teratological counselling, *Eur J Obstet Gynecol Reprod Biol*. 291:148-155.
- Alshaalan ZD. 2022. Knowledge on the Use of Isotretinoin and Its Side Effects and Awareness towards Saudi FDA-Pregnancy Prevention Program among the Female Acne Patients: A Northern Saudi Study. *Medicina (Kaunas)*. 58(11):1609.
- Autret-Leca E, et al. 2010 Isotretinoin exposure during pregnancy: assessment of spontaneous reports in France. *Drug Saf*. 33(8):659-665.
- Cha EH, et al. 2022. Pregnancy and neonatal outcomes after periconceptional exposure to isotretinoin in Koreans. *Obstet Gynecol Sci*. 65(2):166-175.
- Chelliah P, et al. 2020. Comprehensive review of reports of menstrual irregularities associated with isotretinoin. *Int J Womens Dermatol*. 6(5):365-367.
- Choi EJ, et al. 2021. The rates of major malformations after gestational exposure to isotretinoin; a systemic review and meta-analysis. *Obstet Gynecol Sci*. 64(4):364-373.
- Coleman R, et al. 1994. Effects of isotretinoin on male reproductive system. *Lancet* 344:198.
- Committee on Drugs, American Academy of Pediatrics. 1992. Retinoid therapy for severe dermatological disorders. *Pediatrics*. 90:119-120.
- FDA. 2008 ACCUTANE® (isotretinoin capsules) https://www.accessdata.fda.gov/drugsatfda_docs/label/2008/018662s059lbl.pdf.
- Dai WS, et al. 1989. Safety of pregnancy after discontinuation of isotretinoin. *Arch Dermatol*. 125(3):362-365.
- Dai WS, et al. 1992. Epidemiology of isotretinoin exposure during pregnancy. *J Am Acad Dermatol*. 26(4):599-606.
- DiGiovanna JJ, et al. 1984. Etretnate: persistent serum levels of a potent teratogen. *Clin Res* 32:579A.
- Eun-Hwan C, et al. 2022. Pregnancy and neonatal outcomes after periconceptional exposure to isotretinoin in Koreans. *Obstet Gynecol Sci*. 65(2):166-175.
- Fallah H, et al. 2022. Isotretinoin for acne vulgaris - an update on adverse effects and laboratory monitoring. *J Dermatol Treat*. 33(5)2414-2424.
- Goldsmith LA, et al. 2004. American Academy of Dermatology Consensus Conference on the safe and optimal use of isotretinoin: summary and recommendations. *Journal of the American Academy of Dermatology*, 50(6), 900-906.
- Gurel A, et. Al 2023. Effect of systemic isotretinoin therapy on semen parameters. *Annals of medicine*, 55(1), 2207038.

- Jajoria H, et al. 2020. Washout Period for Pregnancy Post Isotretinoin Therapy. *Indian Dermatol Online J.* 11(2):239-242.
- Ivask M, et al. 2023. Compliance with Pregnancy Prevention Recommendations for Isotretinoin Following the Amendment of the European Union Pregnancy Prevention Program: A Repeat Study in Estonia. *Drugs Real World Outcomes.* 11(1):91-98.
- Lammer EJ, et al. 1985. Retinoic acid embryopathy. *New Engl J Med.* 313:837-841.
- Lammer EJ, et al. 1988. Isotretinoin dose and teratogenicity. *Lancet.* 2(8609):503-504.
- Lee SM, et al. 2009. A case of suspected isotretinoin-induced malformation in a baby of a mother who became pregnant one month after discontinuation of the drug. *Yonsei Med J.* 50(3):445-447.
- Loureiro KD, et al. 2005. Minor malformations characteristic of the retinoic acid embryopathy and other birth outcomes in children of women exposed to topical tretinoin during early pregnancy. *Am J Med Genet A.* 136(2):117-121.
- Mitchell AA. 1992. Oral retinoids. What should the prescriber know about their teratogenic hazards among women of child-bearing potential? *Drug Saf.* 7(2):79-85.
- Nulman I. 1998. Steady-state pharmacokinetics of isotretinoin and its 4-oxo metabolite: implications for fetal safety. *J Clin Pharmacol.* 38(10):926-930.
- No Author listed. 1991. Recommendations for isotretinoin use in women of childbearing potential. *Teratology.* 44(1):1-6.
- O'Malley S, et al. 2024. Isotretinoin prescribing and pregnancy prevention; insights from dispensing pharmacists in Ireland. *Int J Pharm Pract.* 32(5):426-427.
- You W, et al. 2024. Adverse Pregnancy and Child Outcomes in Oral Retinoid-Exposed Pregnancies: A Nationwide Population-Based Study. *J Korean Med Sci.* 39(26):e201.
- Zeynep Tirmikçioğlu Z, et al. 2024. Face-to-face: isotretinoin use and pregnancy outcome. *Int J Dermatol.* 63(2):232-238.
- Zhu Y, et al. 2025. Isotretinoin Risk Evaluation and Mitigation Strategy and Pregnancy Incidence. *JAMA Intern Med.* 185(10):1289-1291.

[¿Preguntas? Llame al 866.626.6847 | Texto 855.999.3525 | Correo electrónico o chat en MotherToBaby.org](#) .

Descargo de responsabilidad: las hojas informativas de MotherToBaby están destinadas a fines de información general y no deben reemplazar los consejos de su proveedor de atención médica. MotherToBaby es un servicio de la Organización sin fines de lucro de Especialistas en Información de Teratología (OTIS). Copyright de OTIS, 1 de enero de 2026.

Lead

Selected References:

- Andres RL, et al. 2000. Perinatal complications associated with maternal tobacco use. *Semin Neonatol*, 5:231-41.
- Anderson TM, et al. 2019. Maternal Smoking Before and During Pregnancy and the Risk of Sudden Unexpected Infant Death. *Pediatrics*, 143(4):e20183325.
- Baki Yıldırım S, et al. 2023. The Effect of Active and Passive Maternal Smoking During Pregnancy on the Uterine Artery Blood Flow and Obstetric Outcomes: A Prospective Study. *Cureus*; 15(2):e35270. Brand JS, et al. 2019. Associations of maternal quitting, reducing, and continuing smoking during pregnancy with longitudinal fetal growth: Findings from Mendelian randomization and parental negative control studies. *PLoS Med*, 16(11):e1002972.
- Briggs GG, et al. 2011. *Drugs in Pregnancy and Lactation*. 9th ed. Philadelphia : Lippincott Williams & Wilkins. P. 270-77.
- Buyun L, et al. 2020. Maternal cigarette smoking before and during pregnancy and the risk of preterm birth: A dose-response analysis of 25 million mother-infant pairs. *PLoS Med*, 17(8):e1003158.
- Cnattingius S. 2004. The epidemiology of smoking during pregnancy: smoking prevalence, maternal characteristics, and pregnancy outcomes. *Nicotine Tob Res*, 6(Suppl 2):S125-40.
- Dechanet C, et al. 2010. Effects of cigarette smoking on reproduction. *Hum Reprod Update*, 17(1):76-95. Deng K, et al. 2013. Periconceptional paternal smoking and the risk of congenital heart defects: A case-control study. *Birth Defects Res (Part A)*, 97:210-21
- Ellis LC, et al. 2012. Smoking during pregnancy and psychiatric disorders in preschoolers. *Eur Child Adolesc Psychiatry*.
- Einarson A, et al. 2009. Smoking in pregnancy and lactation : a review of risks and cessation strategies. *Eur J Clin Pharmacol*, 65:325-30.
- Fan S, et al. 2024. Associations between tobacco inhalation and semen parameters in men with primary and secondary infertility: a cross-sectional study. *Frontiers in endocrinology*, 15:1396793. Guo Q, et al. 2023. Mechanism of Human Tubal Ectopic Pregnancy Caused by Cigarette
- Smoking. *Reprod Sci*, 30(4):1074-1081.
- Han J. et al. 2024. Parental Smoking and the Risk of Birth Defects in Offspring in China: A Systematic Review and meta-Analysis. *Birth Defects Res*. 116(12):e2422.
- Harrod CS, et al. 2015. Exposure to prenatal smoking and early-life body composition: the healthy start study. *Obesity (Silver Spring)*, 23(1): 234-241.
- Hackshaw A, et al, 2011. Maternal smoking in pregnancy and birth defects: a systematic review based on 173 687 malformed cases and 11.7 million controls. *Hum Reprod Update*, 17(5):589-604.
- Hernandez-Martinez C, et al. 2016. Effects of prenatal nicotine exposure on infant language development: a cohort follow up study. *Matern Child Health J*. doi: 10.1007/s10995-016-2158-y.
- Huizink AC, et al. 2006. Maternal smoking, drinking or cannabis use during pregnancy and neurobehavioral and cognitive functioning in human offspring. *Neurosci Biobehav Rev*, 30:26-41.
- Karumai-Mori H, et al. & Japan Environment and Children's Study Group. 2025. Impact of maternal smoking and secondhand smoke exposure during singleton pregnancy on placental abruption: analysis of a prospective cohort study (the Japan Environment and Children's Study). *BMJ open*, 15(3):e089499.
- Keyes KM, et al. 2014. Associations of prenatal maternal smoking with offspring hyperactivity: causal or confounded? *Psychological Medicine*, 44: 857-867.

- Kia F, et al. 2018. Examining characteristics associated with quitting smoking during pregnancy and relapse postpartum. *Addict Behav*, 78:114-119.
- Ko T-J, et al. 2014. Parental smoking during pregnancy and its association with low birth weight, small for gestational age, and preterm birth offspring: a birth cohort study. *Pediatr Neonatol*, 55(1):20-7.
- Kwon JH, et al. 2015. The effects of prenatal exposure to alcohol and environmental tobacco smoke on the risk for ADHD: a large population-based study. *Psychiatry Res*, 225(1-2): 164-168.
- Lanari M, et al. & «Study Group of Italian Society of Neonatology on Risk Factors for RSV Hospitalization.» 2015. Prenatal tobacco smoke exposure increases hospitalizations for bronchiolitis in infants. *Respir Res*, 16:152.
- Leite M, et al. 2014. Maternal smoking in pregnancy and risk for congenital malformations: results of a Danish register-based cohort study. *Acta Obstet Gynecol Scand*, 93(8): 825-834.
- Little J, et al. 2004. Tobacco smoking and oral clefts : a meta-analysis. *Bull World Health Organ*, 82(3):213-8.
- Liu B, et al. 2020. Maternal cigarette smoking before and during pregnancy and the risk of preterm birth: A dose-response analysis of 25 million mother-infant pairs. *PLoS Med*, 17(8):e1003158.
- Lumley J, et al. 2009. Interventions for promoting smoking cessation during pregnancy. *Cochrane Database Syst Rev* : CD001055.
- Martin-Alonso R, et al. 2024. Association between Perinatal Outcomes and Maternal Risk Factors: A Cohort Study. *Medicina (Kaunas, Lithuania)*, 60(7):1071.
- Meyer MB, et al. 1977. Perinatal events associated with maternal smoking during pregnancy. *Am J Epidemiol*, 103:464-476.
- Meller SE, et al. 2014. Risk of childhood overweight after exposure to tobacco smoking in prenatal and early postnatal life. *PLoS One*, 9(10): e109184.
- Natacha M De Genna, et al. 2023. Trajectories of Return to Cigarette Smoking Up to 1 Year Postpartum Among People Who Quit Smoking During Pregnancy. *Nicotine & Tobacco Research*, 25(5):875-881.
- Nielsen A, et al. 2006. Maternal smoking predict the risk of spontaneous abortion. *Acta Obstet Gynecol Scand*, 85(9):1057-65.
- Oladipupo I, et al. 2022. Association between cigarette smoking and ovarian reserve among women seeking fertility care. *PLoS One*, 17(12):e0278998.
- Osborne JB, Bailey BA. 2022. Does it matter when I quit? Could I just cut down some? Links between trimester-specific smoking amount, preterm birth, and low birth weight. *Birth Defects Res*. 1;114(1):5-12.
- Philips EM, et al. 2020 Changes in parental smoking during pregnancy and risks of adverse birth outcomes and childhood overweight in Europe and North America: An individual participant data meta-analysis of 229,000 singleton births. *PLoS Med*, 17(8):e1003182.
- Practice Committee of the American Society for Reproductive Medicine. 2008. Smoking and infertility. *Fertil Steril*, 90(Suppl 3):S254-9.
- Rang NN, et al. 2020. Preterm birth and secondhand smoking during pregnancy: A case-control study from Vietnam. *PLoS One*. 15(10):e0240289.
- Ratnasiri AWG, et al, 2020. Smoking during Pregnancy and Adverse Birth and Maternal Outcomes in California, 2007 to 2016. *Am J Perinatol*, 37(13):1364-1376.
- Rogers JM. 2009. Tobacco and Pregnancy. *Reprod Toxicol*, 28:152-60.
- Schilling L, et al, 2021. Active and Passive Exposure to Tobacco and e-Cigarettes During Pregnancy. *Matern Child Health J*, 25(4):656-665.
- Salihu HM, et al. 2008. Prenatal tobacco use and risk of stillbirth: a case-control and bidirectional case-crossover study. *Nicotine Tob Res*, 10(1):159-66.
- Shenassa ED, et al. 2024. Feeding Method, Nicotine Exposure, and Growth during Infancy. *Journal of pediatrics. Clinical practice*, 14:200127.
- Soares SR, et al. 2007. Cigarette smoking affects uterine receptiveness. *Hum Reprod*, 22(2):543-7.
- Soesanti F, et al. 2019. Antenatal exposure to second hand smoke of non-smoking mothers and growth rate of their infants. *PLoS One*, 14(6):e0218577.
- Stick S. 2006. The effects on in-utero tobacco-toxin exposure on the respiratory system in children.

Curr Opin Allergy Clin Immunol, 6:312-6.

- Stroud LR, et al. 2009. Maternal smoking during pregnancy and newborn neurobehavior: effects at 10 to 27 days. J Pediatr, 154(1):10-6.
- Sun J, et al. 2023. Dose-response association between maternal smoking during pregnancy and the risk of infant death: a nationwide, population-based, retrospective cohort study. EClinicalMedicine, 57:101858.
- Timmermans SH, et al. 2014. Maternal smoking during pregnancy and childhood overweight and fat distribution: the KOALA Birth Cohort Study. Pediatric Obesity, 9: e14-e25.
- Tarasi B, et al. 2022. Cigarette smoking during pregnancy and adverse perinatal outcomes: a cross-sectional study over 10 years. BMC Public Health, 22(1):2403.
- Toppila-Salmi S, et al. 2020. Maternal smoking during pregnancy affects adult onset of asthma in offspring: a follow up from birth to age 46 years. Eur Respir J, 55(6):1901857.
- Tsinisizeli N, et al. 2015. Determination of nicotine and cotinine in meconium from Greek neonates and correlation with birth weight and gestational age at birth. Chemosphere, 119:1200-7.
- Varner MW, et al. & Eunice Kennedy Shriver National Institute of Child Health and Human Development Stillbirth Collaborative Research Network. 2014. Association between stillbirth and illicit drug use and smoking during pregnancy. Obstet Gynecol, 123(1):113-125.
- Wesselink AK, et al. 2019. Prospective study of cigarette smoking and fecundability. Hum Reprod, 34(3):558-567.
- Yang L, et al. 2024. Maternal cigarette smoking before or during pregnancy increases the risk of severe neonatal morbidity after delivery: a nationwide population-based retrospective cohort study. Journal of epidemiology and community health, 78(11):690-699.
- Zhang K, Wang X. 2013. Maternal smoking and increased risk of sudden infant death syndrome: a meta-analysis. Legal Medicine, 15:115-121.

¿Preguntas? Llame al 866.626.6847 | Texto 855.999.3525 | Correo electrónico o chat en MotherToBaby.org .

Descargo de responsabilidad: las hojas informativas de MotherToBaby están destinadas a fines de información general y no deben reemplazar los consejos de su proveedor de atención médica. MotherToBaby es un servicio de la Organización sin fines de lucro de Especialistas en Información de Teratología (OTIS). Copyright de OTIS, 1 de enero de 2026.

Lead

Selected References:

- American College of Obstetricians and Gynecologists. 2015. Practice Bulletin. Cytomegalovirus, parvovirus B19, varicella zoster, and toxoplasmosis in pregnancy. *Ob Gyn* 125(6): 1510-1525. Anderson LG. 1990. Human parvovirus B19. *Pediatric Annuals* 1990 19(9):509-513.
- Bascietto F, et al. 2018. Outcomes associated with fetal parvovirus B19 infection: A systematic review and meta-analysis. *Ultrasound Obstet Gynecol.* 2018 Nov;52(5):569-576.
- Bizjak G, et. al. 2009, Acute infection with parvovirus B19 in early pregnancy. *Ultrasound Obstet Gynecol*, 34: 234-235.
- Centers for Disease Control and Prevention. 2023. Parvovirus B19 and Pregnancy <https://www.cdc.gov/parvovirusb19/pregnancy.html>. Accessed 3/2024.
- Chisaka H, et al 2006. Clinical manifestations and outcomes of parvovirus B19 infection during pregnancy in Japan. *Tohoku J Exp Med.* 209(4):277-283. PMID: 16864949 DOI: 10.1620/tjem.209.277
- Committee on Infectious Disease. American Academy of Pediatrics: Parvovirus B 19, in 2003 Red Book: Report of the Committee on Infectious Disease, 26th edition, pp 459-461.
- Crane J, et al. 2014. Parvovirus B19 infection in pregnancy. *J Obstet Gynaecol Can.* 36(12):1107-16.
- Daniilidis A, et al. 2014. Association of fetal loss with recent parvovirus infection and other demographic prognostic risk factors. *J Obstet Gynaecol* 34(1): 40-44.
- DeJong EP, et. al. 2012. Intrauterine transfusion for parvovirus B19 infection: long-term neurodevelopmental outcome. *Am J Obstet Gynecol* 206(3):204.
- De Jong EP, et. al. 2011, Parvovirus B19 infection in pregnancy: new insights and management. *Prenat. Diagn.*, 31: 419-425.
- Dittmer FP, et al. 2024. Parvovirus B19 infection and pregnancy: review of the current knowledge. *Journal of Personalized Medicine* 14(2): 139.
- Fairley CK, et al. 1995. Observational study of effect of intrauterine transfusions on outcome of fetal hydrops after parvovirus B19 infection. *Lancet* 346(8986):1335-1337.
- Gilbert GL. 2000. Parvovirus B19 infection and its significance in pregnancy. *Commun Dis Intell.* 24 Suppl:69-71. PMID: 10846815
- Gillespie SM, et al. 1990. Occupational risk of human parvovirus B19 infection for school and daycare personnel during an outbreak of erythema infectiosum. *JAMA* 263:2061-2065.
- Iaccarino DA, et al. 2025. Successful management of parvovirus B19-associated maternal mirror syndrome: a case report and review of the literature. *Taiwanese Journal of Obstetrics and Gynecology* 64(6): 1076-1079.
- Jordan JA. 2001. Placental cellular immune response in women infected with human parvovirus B19 during pregnancy. *Clin Diagn. Lab Immunol* 8(2):288-292.
- Kailasam C. 2001. Congenital parvovirus B19 infection; experience of a recent epidemic. *Fetal Diagn Ther.* 16(1):18-22.
- Kawabe A, et al. 2016. Placental abruption possibly due to parvovirus B19 infection. *Springerplus* 5(1): 1280.
- Koga M. 2001. Human parvovirus B19 in cord blood of premature infants. *Am J Perinatol.* 18 (5):237-240.
- Kostolansky S, et al 2021. Erythema Infectiosum. In: StatPearls [Internet]. Treasure Island (FL): StatPearls Publishing. <https://www.ncbi.nlm.nih.gov/books/NBK513309/>. Accessed 01/2022.
- Lassen J et. al. 2013. Parvovirus B19 infection in pregnancy and subsequent morbidity and mortality in offspring. *Int. J. Epidemiol* 42 (4): 1070-1076.
- McCarter-Spaulding D. 2002. Parvovirus B19 in pregnancy. *JOGNN.* 31:107-112.
- Nagel H, et al. 2007. Long-term outcome after fetal transfusion for hydrops associated with parvovirus B19 infection, *Obstet Gynecol* 109(1):42-7.

- Ornoy A, et al. 2017. Parvovirus B19 infection during pregnancy and risks to the fetus. Birth Defects Res. 109(5):311-323. doi: 10.1002/bdra.23588.
- Sailer DN, et al. 1993. Maternal serum biochemical markers in pregnancies with fetal parvovirus B19 infection. Prenat Diagn 12(6):467-741. Soulie JC. 1995. Cardiac involvement in fetal parvovirus B19 infection. Pathol Biol Paris 43(5):416-419.
- Staroselsky A, et al. 2009. Exposure to fifth disease in pregnancy. Can Fam Physician;55(12):1195-8.
- Tolfvenstam T and Broliden K. 2009. Parvovirus B19 infection, Semin Fetal Neonatal Med 14(4):218-21.
- Williams EJ, et al. 2013. Viral infections: contributions to late fetal death, stillbirth, and infant death. J Pediatr. 2013 Aug;163(2):424-8.

[¿Preguntas? Llame al 866.626.6847 | Texto 855.999.3525 | Correo electrónico o chat en MotherToBaby.org .](#)

Descargo de responsabilidad: las hojas informativas de MotherToBaby están destinadas a fines de información general y no deben reemplazar los consejos de su proveedor de atención médica. MotherToBaby es un servicio de la Organización sin fines de lucro de Especialistas en Información de Teratología (OTIS). Copyright de OTIS, 1 de enero de 2026.

Lead

Selected References:

- Attarchi MS, et al. 2012. Assessment of time to pregnancy and spontaneous abortion status following occupational exposure to organic solvents mixture. Int Arch Occup Environ Health, 85(3):295-303.
- Arora H & Tosti A. 2017. Safety and efficacy of nail products. Cosmetics, 4(3):24.
- Centers for Disease Control and Prevention (CDC). 2008. Update on Overall Prevalence of Major Birth Defects, 1978-2005. MMWR Morb Mortal Wkly Rep. 57(1):1-5.
- Ferguson KK, et al. 2014. Environmental phthalate exposure and preterm birth. JAMA Pediatr, 168(1):61-67.
- Freeland C, et al. 2021. Understanding knowledge and barriers related to hepatitis B for Vietnamese nail salon workers in the city of Philadelphia and some of its environs. J Community Health, 46(3):502-508.
- Gallicchio L, et al. 2009. Cosmetologists and reproductive outcomes. Obstet Gynecol, 113(5):1018-1026.
- Gallicchio L, et al. 2010. Health outcomes of children born to cosmetologists compared to children of women in

- other occupations. *Reprod Toxicol*, 29(3):361-365.
- Gallicchio L, et al. 2010. Menstrual cycle abnormalities among cosmetologists: the Reproductive Outcomes in Salon Employees (ROSE) study. *Reprod Sci*, 17(1):20-28.
 - Garcia E, et al. 2015. Evaluating a county-based healthy nail salon recognition program. *Am J Ind Med*, 58(2):193-202.
 - Halliday-Bell JA, et al. 2009. Work as a hairdresser and cosmetologist and adverse pregnancy outcomes. *Occup Med (Lond)*, 59(3):180-184.
 - Herdt-Losavio ML et al. 2009. The risk of congenital malformations and other neonatal and maternal health outcomes among licensed cosmetologists. *Am J Perinatol*, 26(9):625-631.
 - Herdt-Losavio ML, et al. 2009. The risk of having a low birth weight or preterm infant among cosmetologists in New York State. *Matern Child Health J*,13(1):90-97.
 - Hines CJ, et al. 2009. Urinary phthalate metabolite concentrations among workers in selected industries: a pilot biomonitoring study. *Ann Occup Hyg*, 53(1):1-17.
 - Kwapniewski R, et al. 2008. Occupational exposure to dibutyl phthalate among manicurists. *J Occup Environ Med*, 50(6):705-711.
 - Lamplugh A, et al. 2019. Occupational exposure to volatile organic compounds and health risks in Colorado nail salons. *Environ Pollut*, 249:518-526.
 - Reinecke JK, et al. 2020. Nail health in women. *Int J Womens Dermatol*, 6(2):73-79..
 - OSHA publication OSHA 3542-05 2012. Stay Healthy and Safe While Giving Manicures and Pedicures: A Guide for Nail Salon Workers. <https://www.osha.gov/sites/default/files/publications/3542nail-salon-workers-guide.pdf> available in other languages at <https://www.osha.gov/nail-salons>.
 - Pak VM, et al. 2013. Occupational chemical exposures among cosmetologists: risk of reproductive disorders. *Workplace Health Saf*, 61(12):522-529.
 - Pavilonis B, et al. 2018. Assessing indoor air quality in New York City nail salons. *J Occup Environ Hyg*, 1:1-23.
 - Quach T, et al. 2015. Adverse birth outcomes and maternal complications in licensed cosmetologists and manicurists in California. *Int Arch Occup Environ Health*, 88(7):823-833.
 - Siegel, M. R., et al. 2022. Maternal occupation as a nail technician or hairdresser during pregnancy and birth defects, National Birth Defects Prevention Study, 1997–2011. *Occup Environ Med*, 79(1):17-23
 - Tomar S, et al. 2020. Occupational respiratory morbidity among hair and beauty salon workers in Udipi taluk, Karnataka, India. *Am J Ind Med*, 63(10):902-906.
 - Varshavsky JR, et al. 2020. A pilot biomonitoring study of cumulative phthalates exposure among Vietnamese American nail salon workers. *Int J Environ Res Public Health*, 17(1):325.

¿Preguntas? Llame al 866.626.6847 | Texto 855.999.3525 | Correo electrónico o chat en [MotherToBaby.org](https://www.MotherToBaby.org) .

Descargo de responsabilidad: las hojas informativas de MotherToBaby están destinadas a fines de información general y no deben reemplazar los consejos de su proveedor de atención médica. MotherToBaby es un servicio de la Organización sin fines de lucro de Especialistas en Información de Teratología (OTIS). Copyright de OTIS, 1 de enero de 2026.