Reproductive Hazards of the Workplace Tips for Job Safety

Selected References:

- American College of Obstetricians and Gynecologists (ACOG). 2018. ACOG Committee Opinion No. 733: Employment Considerations During Pregnancy and the Postpartum Period. Obstet Gynecol; 131(4):e115-e123, reaffirmed 2023.
- Centers for Disease Control and Prevention (CDC). 2025. Breastfeeding and special circumstances- occupational exposures. Available at URL: https://www.cdc.gov/breastfeeding-special-circumstances/hcp/exposures/occupational.html [Last accessed May 2026].
- Charkiewicz AE, et al. 2020. Lead Toxicity and Pollution in Poland. Int J Environ Res Public Health. 17(12):4385.
- Dietz M, et al. 2023. The relevance of oral exposure in the workplace: a systematic review and meta-analysis. Front Public Health.11:1298744.
- Goede H, et al. 2024. Meta-analysis of the quantitative effectiveness of risk management measures (RMM) in the workplace. Annals of Work Exposures and Health; 68(5), 495–509.
- Grajewski B, et al. 2005. Occupational exposures and reproductive health: 2003 Teratology Society Meeting Symposium summary. Birth Defects Res B Dev Reprod Toxicol; 74(2):157-63.
- Günal A, Demirtürk F. 2022. Occupational hazards, sleep quality and musculoskeletal problems of pregnant workers. J Obstet Gynaecol; 42(2):215-219.
- Holland MG, et al. 2016. Workplace Lead Exposure. J Occup Environ Med. 58(12):e371-e374.
- Occupational Safety and Health (OSHA) Reproductive Hazards Overview: https://www.osha.gov/reproductive-hazards [Last accessed May 2026].
- Ohlander J, et al. 2020. Interventions to Reduce Exposures in the Workplace: A Systematic Review of Intervention Studies Over Six Decades, 1960-2019. Front Public Health. 8:67.
- Paul M. 1997. Occupational reproductive hazards. Lancet; 349(9062):1385-8.
- Rice HR, Baker BA. 2007. Workplace hazards to women's reproductive health. Minn Med; 90(9):44-7.
- U.S. Centers for Disease Control National Institute for Occupational Safety and Health (NIOSH). 2024. Reproductive Health and The Workplace. About Reproductive Health in the Workplace. https://www.cdc.gov/niosh/reproductive-health/about/. [Last accessed May 2026].
- US Department of Health and Human Services, Cincinnati (OH), 1995NIOSH. The National Institute for Occupational Safety and Health (2024). Hierarchy of Controls https://www.cdc.gov/niosh/hierarchy-of-controls/about/. [Last accessed May 2026].

¿Preguntas? Llame al 866.626.6847 | Texto 855.999.3525 | Correo electrónico o chat en MotherToBaby.org .

Descargo de responsabilidad: las hojas informativas de MotherToBaby están destinadas a fines de información general y no deben reemplazar los consejos de su proveedor de atención médica. MotherToBaby es un servicio de la Organización sin fines de lucro de Especialistas en Información de Teratología (OTIS). Copyright de OTIS, 1 de mayo de 2026.

Reproductive Hazards of the Workplace Tips for Job Safety

Selected References:

- Al-Saleh I, et al. 2020. Effects of early and recent mercury and lead exposure on the neurodevelopment of children with elevated mercury and/or developmental delays during lactation: A follow-up study. Int J Hyg Environ Health 230:113629.
- Ashrap P, et al. 2020. Maternal blood and metalloid concentrations in association with birth outcomes in Northern Puerto Rico. Environ Int 138:105606.
- Buck Louis GM, et al. 2017. Low-level environmental metals and metalloids and incident pregnancy loss. Reprod Toxicol 69:68-74.
- Byeong-Jin Y, et al. 2016. Evaluation of mercury exposure level, clinical diagnosis and treatment for mercury intoxication. Ann Occup Environ Med 28:5.
- Choy CMY, et al. 2002. Relationship between semen parameters and mercury concentration in blood and in seminal fluid from subfertile males in Hong Kong. Fertil Steril 78(2):426-428.
- Choy CM, et al. 2002. Infertility, blood mercury concentrations and dietary seafood consumption: a case-control study. BJOG: an international journal of obstetrics and gynaecology; 109(10), 1121–1125.
- Cox C, et al. 199. Prenatal and postnatal methyl mercury exposure and neurodevelopmental outcomes. JAMA 282:1333-1334.
- Crump KS, et al. 1998. Influence of prenatal mercury exposure upon scholastic and psychological test performance: Benchmark analysis of a New Zealand cohort. Risk Anal 18:701-713.
- Davidson PW, et al. 1998. Effects of prenatal and postnatal methyl mercury exposure from fish consumption on neurodevelopment. JAMA 280:701-707.
- Davidson PW, et al. 2006. Prenatal methylmercury exposure from fish consumption and child development: A review of evidence and perspectives from the Seychelles Child Development Study. Neurotoxicology 27:1106-1109.
- Debes F, et al. 2016. Cognitive deficits at age 22 years associated with prenatal exposure to methylmercury. Cortex 74:358-69.
- Dorea JG, 2004. Mercury and Lead during breast-feeding. British J of Nutr 92(1):21-40.
- Dorea JG. 2021. Exposure to environmental neurotoxic substances and neurodevelopment in children from Latin America and the Caribbean. Environ Res 192:110199.
- Food and Drug Administration (FDA). 2017. Mercury levels in commercial fish and shellfish (1990–2012). Available at: https://www.fda.gov/food/foodborneillnesscontaminants/metals/ucm115644.htm
- Golding J, et al. 2017. Maternal prenatal blood mercury is not adversely associated with offspring IQ at 8 years provided the mother eats fish: A British prebirth cohort study. Int J Hyg Environ Health 220(7): 1161-1167.

- Golding J, et al. 2022. The benefits of fish intake: Results concerning prenatal mercury exposure and child outcomes from the ALSPAC prebirth cohort. Neurotoxicology 91:22-30.
- Gokoel AR, et al. 2020. Influence of prenatal exposure to mercury, perceived stress and depression on birth outcomes in Suriname: Results from the MeKiTamara Study. Int J Environ Res Public Health 17(12):4444.
- Grandjean P, et al. 1997. Cognitive deficit in 7-year-old children with prenatal exposure to methyl mercury. Neurotoxicol Teratol 19:417-428.
- Grandjean P, et al. 1999. Methylmercury exposure biomarkers as indicators of neurotoxicity in children aged 7 years. Am J Epidemiol 149:301-305.
- Grandjean P, et al. 2003. Attenuated growth of breast-fed children exposed to increased concentrations of methylmercury and polychlorinated biphenyls. FASEB J 17(6):699-701.
- Henriques MC, et al. 2019. Exposure to mercury and human reproductive health: a systematic review. Reprod Toxicol; 85:93-103.
- Hibbeln J, et al. 2018. Total mercury exposure in early pregnancy has no adverse association with scholastic ability of the offspring particularly if the mother eats fish. Environ Int 116:108-115.
- Hibbeln JR, et al. 2019. Relationship between seafood consumption during pregnancy and childhood neurocognitive development: Two systematic reviews. Prostaglandins Leuko Essent Fatty Acids 151:14-36.
- Howe CG, et al. 2021. Prenatal metal mixtures and birth weight for gestational age in a predominately lower-income Hispanic pregnancy cohort in Los Angeles. Environ Health Perspect 128(11):117001.
- Hsi HC, et al. 2014. The neurological effects of prenatal and postnatal mercury/methylmercury exposure on three-year-old children in Taiwan. Chemosphere; 100:71-76.
- Hu Y, et al. 2016. Prenatal low-level mercury exposure and infant neurodevelopment at 12 months in rural northern China. Environ Sci Pollut Res Int 23(12): 12050-12059.
- Iwai-Shimada M, et al. 2015. Methylmercury in the breast milk of Japanese mothers and lactational exposure of their infants. Chemosphere; 126:67-72.
- Jensen TK, et al. 2005. Effects of breast feeding on neuropsychological development in a community with methylmercury exposure from seafood. J Expo Anal Environ Epidemiol; 15(5):423-430.
- Jin L, et al. 2016. Exposure of methyl mercury in utero and the risk of neural tube defects in a Chinese population. Reprod Toxicol; 61:131-135
- Jin L, et al. 2013. Placental concentrations of mercury, lead, cadmium, and arsenic and the risk of neural tube defects in a Chinese population. Reprod Toxicol; 35:25-31.
- Kim B, et al. 2020. Adverse effects of prenatal mercury exposure on neurodevelopment during first 3 years of life modified by early growth velocity and prenatal maternal folate level. Environ Res 191:109909.
- Klus JK, et al. 2023. Postnatal methylmercury exposure and neurodevelopmental outcomes at 7 years of age in the Seychelles Child Development Study Nutrition Cohort 2, NeuroToxicology; 99: 115-119,
- Koos BJ & Longo LD. 1976. Mercury toxicity in the pregnant woman, fetus, and newborn infant. Am J Obstet Gynecol; 390(5):390-409.
- Kopylev L, & Segal D. 2025. Relationship of prenatal methylmercury exposure and language/verbal function: a meta-analysis. Environmental health : a global access science source; 24(1), 68.
- Kushawaha B, et al. 2025. The impact of mercury exposure on male reproduction: mechanistic insights. J Trace Elem Med Biol; 87:127598.
- Lamoureux-Tremblay V, et al. 2021. Altered functional activations of prefrontal brain areas during emotional processing of fear in Inuit adolescents exposed to environmental contaminants. Nurotoxicol Teratol; 85:106973.
- Li S, et al. 2022. Relationship between maternal heavy metal exposure and congenital heart defects: a systematic review and meta-analysis. Environ Sci Pollut Res Int; 29(37):55348-55366.
- Maeda E, et al. 2019. Associations of environmental exposures to methylmercury and selenium with female infertility: A case-control study. Environmental research; 168,357–363.
- Minguez-Alarcon L et al; Earth Study Team. 2017. Hair mercury (Hg) levels, fish consumption and semen parameters among men attending a fertility center. Int J Hyg Environ

Health; pii:S1438-4639(17)30315-2.Myers GJ, et al. 2003. Prenatal methyl mercury exposure from ocean fish consumption in the Seychelles child development study. Lancet 361:1686-1692.

- Myers, et al. 2009. Postnatal exposure to methyl mercury from fish consumption: a review and new data from the Seychelles Child Development Study. Neurotoxicology; 30(3):338-349
- Myers GJ, et al. 2007. Nutrient and methyl mercury exposure from consuming fish. J Nutr; 137(12):2805-2808.
- Nišević RJ, et al. 2019. Combined prenatal exposure to mercury and LCUPUFA on newborn's brain measures and neurodevelopment at the age of 18 months. Environ Res; 178:108682.
- O'Connor LE, et al. 2025. Mercury exposure and childhood outcomes: an overview of systematic reviews. Environ Res; 274:121196.
- Oken E and Bellinger DC.2008. Fish consumption, methylmercury and child neurodevelopment. Curr Opin Pediatr 20(2):178-183.
- Papadopoulou E, et al. 2021. Maternal seafood intake during pregnancy, prenatal mercury exposure and child body mass index trajectories up to 8 years. Int J Epidemiol; 50(4):1134-1146.
- Polevoy C, et al. 2020. Prenatal exposure to legacy contaminants and visual acuity in Canadian infants: a maternal-infant research on environmental chemicals study. Environ Health; 19(1):14.
- Rignell-Hydbom A, et al. 2007. Dietary exposure to methyl mercury and PCB and the associations with semen parameters among Swedish fishermen. Environmental health : a global access science source; *6*,14.
- Rothenberg SE, et al. 2021. Maternal methylmercury exposure through rice ingestion and child neurodevelopment in the first three years; a prospective cohort study in rural China. Environ Health; 20(1):50.
- Saavedra S, et al. 2021. Impact of dietary mercury intake during pregnancy on the health of neonates and children: a systematic review. Nut Rev; 80(2):317-328.
- Saito, H. 2020 (Reproduction from 2004). Congenital Minamata disease: a description of two cases in Niigata. Neurotoxicology; 81:360-363.
- Sarzo B, et al.2024. The impact of prenatal mercury on neurobehavioral functioning longitudinally assessed from a young age to pre-adolescence in a Spanish birth cohort. Environmental research; 252(Pt 2)118954.
- Schaefer C, et al 2007. Industrial Chemicals and environmental contaminants: Mercury In Drugs During Pregnancy and Lactation, pgs 816-817. Amsterdam.
- Shamlaye C, et al. 2020. The Seychelles Child Development Study: Two decades of collaboration. Reproduction in Neurotoxicology. 81:315-322.
- Skerfving & Copplestone. 1976. Poisoning caused by the consumption of organomercury-dressed seed in Iraq. Bull World Health Organ; 1976;54(1):101-112.
- Sloane-Reeves J, et al. 2020. Scholastic achievement among children enrolled in the Seychelles Child Development Study. Neurotoxicology; 81:347-352.
- Small V, et al. 2025. Through the Eye: Retinal Changes of Prenatal Mercury Exposure in Grassy Narrows First Nation, Canada. International journal of environmental research and public health; 23(1)1.
- Smith JC, et al. 1997. Hair methylmercury levels in U.S. women. Arch Environ Health. 52(6):476-80.
- Spiller P, et al. 2019. An abundance of seafood consumption studies presents new opportunities to evaluate effects on neurocognitive development. Prostaglandins Leukot Essent Fatty Acids; 151:8-13.
- Strain J. 2014. Eating fish for two. Nutr Bull; 39(2):181-186.
- Strain JJ, et al. 2015. Prenatal exposure to methyl mercury from fish consumption and polyunsaturated fatty acids: associations with child development at 20 mo of age in an observational study in the Republic of Seychelles. Am J Clin Nutr; 101(3):530-537.
- Strain JJ, et al. 2021. Associations of prenatal methylmercury exposure and maternal polyunsaturated fatty acid status with neurodevelopmental outcomes at 7 years of age: results from the Seychelles Child Development Study Nutrition Cohort 2. Am J Clin Nutr; 113(2):304-313.
- Tian T, et al. 2021. Single and mixed effects of metallic elements in maternal serum during pregnancy on risk for fetal neural tube defects: A Bayesian kernel regression approach. Environ Pollut; 285:117203.
- Tong M, et al. 2021. Total mercury concentration in placental tissue, a good biomarker of prenatal mercury exposure, is associated with risk for neural tube defects in offspring. Environ Int; 150:106425.

- Ulloa AC, et al. 2021. Prenatal methylmercury exposure and DNA methylation in seven-year-old children in the Seychelles Child Development Study. Environ Int; 147:106321.
- US DHHS: Mercury Toxicity, Monograph 17. ATSDR Case Studies in Environmental Medicine, 1992.
- United States Environmental Protection Agency (EPA). 2026. Choose Fish and Shellfish Wisely. https://www.epa.gov/choose-fish-and-shellfish-wisely.
- United States Environmental Protection Agency (EPA). 2014. Estimated Fish Consumption Rates for the U.S. Population and Selected Subpopulations (NHANES 2003–2010). Final report. EPA-820-R-14-002. https://www.epa.gov/sites/production/files/2015-01/documents/fish-consumption-rates-2014.pdf.
- United States Environmental Protection Agency (EPA). 2013. Trends in Blood Mercury Concentrations and Fish Consumption Among U.S. Women of Reproductive Age (EPA NHANES, July 2013).
- United States Environmental Protection Agency (EPA) 2026. National Biomonitoring Program. Mercury Factsheet. https://www.epa.gov/americaschildrenenvironment/biomonitoring-mercury
- United States Food and Drug Administration (FDA). 2022. Eating Fish for Those Who Might Become or Are Pregnant or Breastfeeding and Children Ages 1 to 11 Years. https://www.fda.gov/food/consumers/questions-answers-fdaepa-advice-about-eating-fish-those-who-might-become-or-are-pregnant-or.
- United States Food and Drug Administration (FDA) & United States Environmental Protection Agency (EPA). 2024. Advice About Eating Fish. https://www.fda.gov/food/consumers/advice-about-eating-fish
- van Wijngaarden E, et al. 2017. Methyl mercury exposure and neurodevelopmental outcomes in the Seychelles Child Development study main cohort at age 22 and 24 years. Neurotoxicol Teratol; 59:35-42.
- Vigeh M, et al. 2018. Prenatal mercury exposure and birth weight. Reprod Toxicol; 76:78-83.
- Weichselbaum E, et al. 2013. Fish in the diet: a review. Nutrition Bulletin; 38: 128-177.
- Xiang H, et al. 2019. Protective effect of high zinc levels on preterm birth induced by mercury exposure during pregnancy: A birth cohort study in China. J Trace Elem Med Biol; 55:71-77.
- Yorifuji T, et al. 2025. Prenatal methylmercury poisoning and neurocognitive impairment in Minamata. The Science of the total environment, 985, 179743.
- Yorifuji T, et al. 2026. Long-term neurological and neurocognitive deficits in adults prenatally exposed to methylmercury: Minamata disease. Neurotoxicology and teratology; 115,107590.
- Young EC, et al. 2020 (Reproduction from 2004). Association between prenatal dietary methyl mercury and developmental outcomes on acquisition of articulatory-phonologic skills in children in the Republic of Seychelles. Neurotoxicology; 81:353-357.

Descargo de responsabilidad: las hojas informativas de MotherToBaby están destinadas a fines de información general y no deben reemplazar los consejos de su proveedor de atención médica. MotherToBaby es un servicio de la Organización sin fines de lucro de Especialistas en Información de Teratología (OTIS). Copyright de OTIS, 1 de mayo de 2026.

Reproductive Hazards of the Workplace Tips for Job Safety

Selected References:

- Agency for Toxic Substances and Disease Registry (ATSDR). 2020. Toxicological Profile for Tetrachloroethylene. https://wwwn.cdc.gov/TSP/ToxFAQs/ToxFAQsDetails.aspx?faqid=264&toxid=48. Accessed 29 July 2025.
- Aschengrau A, et al. 2020. Reproductive and developmental health effects of prenatal exposure to tetrachloroethylene-contaminated drinking water. Environ Sci Process Impacts; 22(3):555-566.
- Aschengrau A, et al. 2018. Modeled exposure to tetrachloroethylene-contaminated drinking water and the occurrence of birth defects: a case-control study from Massachusetts and Rhode Island. Environ Health; 17(1):75.
- Aschengrau A, et al. 2015. Long-term health effects of early life exposure to tetrachloroethylene (PCE)-contaminated drinking water: a retrospective cohort. Environ Health; 14:36.
- Aschengrau A, et al. 2009. Prenatal exposure to tetrachloroethylene-contaminated drinking water and the risk of congenital anomalies: a retrospective cohort study. Environ Health; 8:44.
- Bagnell PC and Ellenberger HA. 1977. Obstructive jaundice due to a chlorinated hydrocarbon in breast milk. Can Med Assoc J; 117:1047–1104.
- Bosco MG, et al. 1987. Health and reproductive status of female workers in dry cleaning shops. Int Arch Occup Environ Health; 59:295-301.
- Brown Dzubow R, et al. 2010. Early life stage exposure and potential developmental susceptibility to tetrachloroethylene. Birth Defects Res B Dev Reprod Toxicol; 89(1):50-65.
- Bukowski JA. 2011. Review of the epidemiologic literature on residential exposure to perchloroethylene. Crit Rev Toxicol; 41(9):771-82.
- Ceballos DM, et al. 2021. Perchloroethylene and Dry Cleaning: It's Time to Move the Industry to Safer Alternatives. Front Public Health; 9:638082.
- Centers for Disease Control and Prevention (CDC). 2025. Breastfeeding and special circumstances- occupational exposures. Available at URL: https://www.cdc.gov/breastfeeding-special-circumstances/hcp/exposures/occupational.html. Accessed May 2026.
- Centers for Disease Control and Prevention. (CDC). 2019. NIOSH Pocket Guide to Chemical Hazards: Tetrachloroethylene. https://www.cdc.gov/niosh/npg/npgd0599.html Accessed May 2026.
- Doyle P, et al. 1997. Spontaneous abortion in dry cleaning workers potentially exposed to perchloroethylene. Occup Environ Med; 54(12):848-853. Eskenazi B, et al.
- 1991. A study of the effect of perchloroethylene exposure on semen quality in dry cleaning workers. Am J Ind Med; 20:575-591.
- Fisher J, et al. 1997. Lactational transfer of volatile chemicals in breast milk. Am Ind Hyg Ass J; 58:425-431.
- Forand SP, et al. 2012. Adverse birth outcomes & maternal exposure to trichloroethylene & tetrachloroethylene through soil vapor intrusion in New York State. Env Health Persp; 120(4):616-621.
- Ghahri A, et al. 2022. The perchloroethylene-induced toxicity in dry cleaning workers lymphocytes through induction of oxidative stress. J Biochem Mol Toxicol; 36(4):e23000.
- Getz KD, et al. 2012. Prenatal and early childhood exposure to tetrachloroethylene and adult vision. Environ Health Perspect; 120:1327-1332.

- Janulewicz PA, et al. 2008. Risk of learning and behavioral disorders following prenatal and early postnatal exposure to tetrachloroethylene (PCE)-contaminated drinking water. Neurotoxicol Teratol; 30(3):175-185.
- Januelewicz PA, et al. 2012. Adult neuropsychological performance following prenatal and early postnatal exposure to tetrachloroethylene (PCE)-contaminated drinking water. Neurotoxicol Teratol; 34(3):350-359.
- Kyyrönen P, et al. 1989. Spontaneous abortions and congenital malformations among women exposed to tetrachloroethylene in dry cleaning. J Epidemiol Community Health; 43(4):346-351.
- Laumon B, et al. 1996. Exposure to organic solvents during pregnancy and oral clefts: a case-control study. Reprod Toxicol; 10:15-19.
- Mirazi N, et al. 2023. Maternal long-term inhalation exposure to perchloroethylene and prenatal teratogenicity: morphometric, hormonal, and histological study. Toxicol Mech Methods; 33(3):206-214.
- Modenese A, et al 2019. Evaluation of occupational exposure to perchlorethylene in a group of Italian dry cleaners using noninvasive exposure indices. Int J Environ Res Public Health; 16(16):2832.
- Nijhuis N, et al. 2010. Tetrachloroethylene. In: WHO Guidelines for Indoor Air Quality: Selected Pollutants. Geneva: World Health Organization; https://www.who.int/publications/i/item/9789289002134. [Last Accessed May 2026]
- Nickerson K. 2006. Environmental contaminants in breast milk. J Midwifery Womens Health, 51(1):26-34.
- Occupational Safety and Health Administration (OSHA). 2005. Reducing Worker Exposure to Perchloroethylene in Dry Cleaning. https://www.osha.gov/sites/default/files/publications/OSHA3253.pdf Accessed May 2026.
- Ruckart PZ, et al. 2013. Evaluation of exposure to contaminated drinking water and specific birth defects and childhood cancers at Marine Corps Base Camp Lejeune, North Carolina: a case-control study. Environ Health; 12:104.
- Sallmen M, et al. 1995. Reduced fertility among women exposed to organic solvents. Am J Ind Med; 27:699-713.
- United States Environmental Protection Agency (EPA). 2023. Final Risk Evaluation for Perchloroethylene (PCE). https://www.epa.gov/assessing-and-managing-chemicals-under-tsca/final-risk-evaluation-perchloroethylene-pce. [Last accessed May 2026].
- United States Environmental Protection Agency (EPA). 2012. Toxicological review of tetrachloroethylene (perchloroethylene). [EPA/6363/R-08/011F Feb 2012]. https://cfpub.epa.gov/ncea/iris/iris_documents/documents/toxreviews/0106tr.pdf [Last accessed May 2026].
- Zielhuis GA, et al. 1989. Menstrual disorders among dry-cleaning workers. Scand J Work Environ Health; 15:238.

Descargo de responsabilidad: las hojas informativas de MotherToBaby están destinadas a fines de información general y no deben reemplazar los consejos de su proveedor de atención médica. MotherToBaby es un servicio de la Organización sin fines de lucro de Especialistas en Información de Teratología (OTIS). Copyright de OTIS, 1 de mayo de 2026.

Reproductive Hazards of the Workplace Tips for Job Safety

Selected References:

- Carmichael SL, et al. 2007. Maternal corticosteroid use & orofacial clefts. Am J Obstet Gynecol; 197(6):585.e1-585.e7.
- Constantinescu S, et al. 2014. Breast-feeding after transplantation. Best Pract Res Clin Obstet Gynaecol; 28(8):1163-1173.
- Fitzsimons R, et al. 1986. Outcome of pregnancy in women requiring corticosteroids for severe asthma. J Allergy Clin Immunol; 78(2):349-353.
- Florentien D, et al. 2023. Does prednisone use in pregnant women with rheumatoid arthritis induce insulin resistance in the offspring? Clin Rheumatol; 42(1):47-54.
- Gomaa MF, et al. 2014. Combined oral prednisolone and heparin versus heparin: the effect on peripheral NK cells and clinical outcome in patients with unexplained recurrent miscarriage. A double-blind placebo randomized controlled trial. Arch Gynecol Obstet; 290:757–762.
- Gur C, et al. 2004. Pregnancy outcome after first trimester exposure to corticosteroids: a prospective controlled study. Reprod Toxicol; 18(1):93-101.
- Hendry WF, et al. 1990. Comparison of prednisolone and placebo in subfertile men with antibodies to spermatozoa. Lancet; 335:85-88.
- Ito S, et al. 1993. Prospective follow-up of adverse reactions in breast-fed infants exposed to maternal medication. Am J Obstet Gynecol; 168:1393-1399.
- Liauw J, 2025. Antenatal Corticosteroids and Child Neurodevelopment: A Systematic Review and Meta-analysis. Obstetrics and gynecology; 146(3), 360–376.
- Ma N, et al. 2022. Oral immunosuppressants improve pregnancy outcomes in women with idiopathic recurrent miscarriage: A meta-analysis. J Clin Pharm Ther; 47:870–878.
- Man YA, et al. 2009. Association of higher rheumatoid arthritis disease activity during pregnancy with lower birth weight: results of a national prospective study. Arthritis Rheum; 60(11):3196-3206.
- Marzec I, et al. 2021. Pregnancy after liver transplant: maternal and perinatal outcomes. BMC Pregnancy Childbirth; 21: 627.
- McGuire E. 2012. Sudden loss of milk supply following high-dose triamcinolone (Kenacort) injection. Breastfeed Rev; 20:32–34.
- National Institute of Child Health and Human Development. 2024. Prednisolone. Drugs and Lactation Database (LactMed).
- Nørgård B, et al. 2007. Therapeutic drug use in women with Crohn's disease and birth outcomes: a Danish nationwide cohort study. Am J Gastroenterol; 102:1406-1413. Nyberg
- G, et al. 1998. Breast-feeding during treatment with cyclosporine. Transplantation; 65:253-255.
- Ost L, et al. 1985. Prednisolone excretion in human milk. J Pediatr; 106:1008-1011.
- Palmsten K, et al. 2020. Oral corticosteroid use during pregnancy and risk of preterm birth. Rheumatology (Oxford); 59(6):1262-1271.
- Park-Wyllie L, et al. 2000. Birth defects after maternal exposure to corticosteroids: prospective cohort study and meta-analysis of epidemiological studies. Teratology; 62(6):385-392.
- Petri M, et al. 1992. The Hopkins Lupus Pregnancy Center: 1987-1991 update. Am

J Reprod Immunol; 28(3-4):188-191.

- Pradat P, et al. 2003. First trimester exposure to corticosteroids & oral clefts. Birth Defects Res A Clin Mol Teratol; 67(12):968-970.
- Rodríguez-Pinilla E & Martínez-Frías ML. 1998. Corticosteroids during pregnancy & oral clefts: a case-control study. Teratology; 58(1):2-5.
- Ryu RJ, et al. 2018. Prednisone pharmacokinetics during pregnancy & lactation. J Clin Pharmacol; 58(9):1223-1232.
- Silver RK, et al. 1993. Comparative trial of prednisone plus aspirin versus aspirin alone in the treatment of anticardiolipin antibody – positive obstetrics patients. Am J Obstet Gynecol; 169(6):1411-1417.
- Skuladottir H, et al. 2014. Corticosteroid use and risk of orofacial clefts. Birth Defects Res (Part A); 100: 499-506.
- Slob E, et al. 2023. Safety of antenatal predniso(lo)ne and dexamethasone on fetal, neonatal and childhood outcomes: a systematic review. The J of Clin Endocr & Metab; 109(4):e1328-e1335.
- Tata LJ, et al. 2008. Effects of maternal asthma, exacerbations and asthma medication use on congenital malformations in offspring: a UK population-based study. Thorax; 63(11):981-987.
- Van Zutphen AR, et al, National Birth Defects Prevention Study. 2015. Maternal asthma medication use during pregnancy and risk of congenital heart defects. Birth Defects Res A Clin Mol Teratol; 103(11):951-961.
- Viktil KK, et al. 2012. Outcomes after anti-rheumatic drug use before and during pregnancy: a cohort study among 150,000 pregnant women and expectant fathers. Scand J Rheumatol; 41(3):196-2012.
- Xu L, et al. 2009. The influence of immunosuppressants on the fertility of males who undergo renal transplantation and on the immune function of their offspring. Transpl Immunol; 22(1-2):28-31

Descargo de responsabilidad: las hojas informativas de MotherToBaby están destinadas a fines de información general y no deben reemplazar los consejos de su proveedor de atención médica. MotherToBaby es un servicio de la Organización sin fines de lucro de Especialistas en Información de Teratología (OTIS). Copyright de OTIS, 1 de mayo de 2026.

Reproductive Hazards of the Workplace Tips for Job Safety

Selected References:

- Alano MA, et al. 2001. Analysis of nonsteroidal anti-inflammatory drugs in meconium and its relation to persistent pulmonary hypertension of the newborn. Pediatrics; 107:519-523.
- Center for Drug Evaluation and Research. (n.d.). NSAIDs may cause rare kidney problems in unborn babies. Retrieved October 16, 2020, from https://www.fda.gov/drugs/drug-safety-and-availability/fda-recommends-avoiding-use-nsaids-pregnancy-20-weeks-or-later-because-they-can-result-low-amniotic
- Chen X, et al. 2024. Pregnancy outcomes and birth defects in offspring following non-steroidal anti-inflammatory drugs exposure during pregnancy: A systematic review and meta-analysis. Reproductive Toxicology; 125, 108561.
- Choi EY, et al. 2023. Neonatal and maternal adverse outcomes and exposure to nonsteroidal anti-inflammatory drugs during early pregnancy in South Korea: A nationwide cohort study, PLoS Med; 20(2):1-19.
- Delker E, et al. 2023. Associations of prenatal exposure to non-steroidal anti-inflammatory drugs with preterm birth and small for gestational age infants among women with autoimmune disorders, Pharmacoepidemiol Drug Saf; 32:225–237.
- Ericson A & Kallen BA. 2001. Nonsteroidal anti-inflammatory drugs in early pregnancy. Reproductive Toxicology; 15:371-375.
- Esposito DB, et al. 2021. Periconceptional nonsteroidal anti-inflammatory drug use, folic acid intake, and the risk of spina bifida. Birth Defects Res; 113(17):1257-1266.
- Hernandez RK, et al. 2012. Nonsteroidal antiinflammatory drug use among women and the risk of birth defects. Am J Obstet Gynecol; 206(3):228.e1-8.
- Hultzsch S, et al. 2021. First trimester naproxen exposure and outcome of pregnancy – a German case series. Reprod Toxicol; 103:51-57.
- Ito S, et al. 1993. Prospective follow-up of adverse reactions in breast-fed infants exposed to maternal medication. Am J Obstet Gynecol; 168(5):1393-1399.
- Janssen NM & Genta MS. 2000. The effects of immunosuppressive and anti-inflammatory medications on fertility, pregnancy, and lactation. Arch Intern Med; 160(5):610-619.
- Kabir Chowdhury MA, et al. 2023. Relationship of nonsteroidal anti-inflammatory drug use during pregnancy with autism spectrum disorder and intellectual disability among offspring. Journal of Women's Health;32(3):356-365.
- Kallen BA. 2003. Maternal drug use and infant cleft lip/palate with special reference to corticoids. Cleft Palate Craniofac J; 40(6):624-628.
- Kallen BA & Olausson PO. 2003. Maternal drug use in early pregnancy and infant cardiovascular defect. Reprod Toxicol; 17(3):255-261.
- Koren G et al. 2006. Nonsteroidal antiinflammatory drugs during third trimester and the risk of premature closure of the ductus arteriosus: a meta-analysis. The Annals of Pharmacotherapy; 40:824-829.
- Malm H & Borish C. 2015. Non-steroidal anti-inflammatory drugs and antirheumatic drugs. In C Schaefer, P Peters, R Miller (Eds.), Drugs During Pregnancy and Lactation: Treatment Options and Risk Assessment, 3rd ed. P. 41-45. London: Elsevier.
- Markovic M, et al. 2019. Prenatal exposure to non-steroidal anti-inflammatory drugs (NSAIDs) and neurodevelopmental outcomes in children. Pharmacoepidemiology and Drug Safety; 28(4):452-459.
- McInerney KA, et al. 2017. Preconception use of pain-relievers and time-to-pregnancy: a prospective cohort study. Hum Reprod; 32(1):103-111.

- Nakhai-Pour HR, et al. 2011. Use of nonaspirin nonsteroidal anti-inflammatory drugs during pregnancy and the risk of spontaneous abortion. CMAJ; 183(15):1713-1720.
- Nielsen GL, et al. 2001. Risk of adverse birth outcome and miscarriage in pregnant users of non-steroidal anti inflammatory drugs: population based observational study and case control study. BMJ; 322(7281):266-270.
- Li D, et al. 2003. Exposure to non-steroidal anti-inflammatory drugs during pregnancy and risk of miscarriage: population based cohort study. BMJ; 327:1-5.
- Li DK, et al. 2018. Use of non-steroidal anti-inflammatory drugs during pregnancy and the risk of miscarriage. Am J Obstet Gynecol; 219(3):275.e1-275.e8.
- Ofori B, et al. 2006. Risk of congenital anomalies in pregnant users of non-steroidal anti-inflammatory drugs: a nested case-control study. Birth Defects Res B Dev Reprod Toxicol; 77(4):268-279.
- Ostensen M & Ostensen H. 1996. Safety of nonsteroidal antiinflammatory drugs in pregnant patients with rheumatic disease. J Rheumatol; 23(6):1045-1049.
- Spencer JP, et al. 2001. Medications in the breast-feeding mother. Am Fam Physician; 64(1):119-127.
- Tanaka S, et al. 2016. Prediction of fetal ductus arteriosus constriction by systemic and local dermatological formulations of NSAIDs based on PK/PD analysis. In J Clin Pharmacol Ther; 54(10):782-794.

¿Preguntas? Llame al 866.626.6847 | Texto 855.999.3525 | Correo electrónico o chat en MotherToBaby.org .

Descargo de responsabilidad: las hojas informativas de MotherToBaby están destinadas a fines de información general y no deben reemplazar los consejos de su proveedor de atención médica. MotherToBaby es un servicio de la Organización sin fines de lucro de Especialistas en Información de Teratología (OTIS). Copyright de OTIS, 1 de mayo de 2026.