

Laxatives

Selected References:

- Acs N, et al. 2009. Senna treatment in pregnant women and congenital abnormalities in their offspring- a population-based case-control study. *Reproductive Toxicology* Jul 28(1):100-104.
- Avery GS, et al. 1972. Lactulose: a review of its therapeutic and pharmacologic properties with particular reference to ammonia metabolism and its mode of action in portal systemic encephalopathy. *Drugs* 4:7-48.
- Baldwin WF. 1963. Clinical study of senna administration to nursing mothers: assessment of effects on infant bowel habits. *Canadian Medical Association Journal* 89:566-568.
- Body C, et al. 2016. Gastrointestinal Diseases in Pregnancy: Nausea, Vomiting, Hyperemesis Gravidarum, Gastroesophageal Reflux Disease, Constipation, and Diarrhea. *Gastroenterol Clin North Am.* 45(2):267-83.
- Concini N, et al. 2008. Mineral oil paraffins in human body fat and milk. *Food and Chemical Toxicology* 46(2):544-552.
- Danhof IE. 1982. Pharmacology, toxicology, clinical efficacy, and adverse effects of calcium polycarbophil, an enteral hydrosorptive agent. *Pharmacotherapy* 2:18-28.
- Friedrich C, et al. 2011. Lack of excretion of the active moiety of bisacodyl and sodium picosulfate into human breast milk: an open-label, parallel group, multiple dose study in healthy lactating women. *Drug Metab Pharmacokinet* 26(5):458-464.
- Gattuso JM, Kamm MA. 1994. Adverse effects of drugs used in the management of constipation and diarrhoea. *Drug Safety* 10:47-65.
- Hagemann TM. 1998. Gastrointestinal medications and breastfeeding. *Journal of Human Lactation* 14:259-262.
- Rude RK, Singer FR. 1981. Magnesium deficiency and excess. *Annual Review of Medicine* 32:245-259.
- Samavati R, et al. 2017. Herbal laxatives and antiemetics in pregnancy. *Reprod Toxicol.* 72:153-158. doi: 10.1016/j.reprotox.2017.06.041
- Schindler AM. 1984. Isolated neonatal hypomagnesaemia associated with maternal overuse of stool softener. *Lancet* 2:822.
- The WHO Working Group, Bennet PN (ed). 1988. *Drugs and Human Lactation*. Elsevier, Amsterdam, New York, Oxford, 88-89.
- Trottier M, et al. 2012. Treating constipation during pregnancy. *Canadian Family Physician* 58:836-838.
- Werthmann MW, Jr., Krees SV. 1973. Quantitative excretion of Senokot in human breast milk. *The Medical Annals of the District of Columbia* 42(1):4-5.

¿Preguntas? Llame al 866.626.6847 | Texto 855.999.3525 | Correo electrónico o chat en MotherToBaby.org .

Descargo de responsabilidad: las hojas informativas de MotherToBaby están destinadas a fines de información general y no deben reemplazar los consejos de su proveedor de atención médica. MotherToBaby es un servicio de la Organización sin fines de lucro de Especialistas en Información de Teratología (OTIS). Copyright de OTIS, 1 de abril de 2026.

Laxatives

Selected References:

- Amir LH, et al. 2006. A case-control study of mastitis: nasal carriage of *Staphylococcus aureus*. *BMC Family Practice*; 7:57.
- Behari P, et al. 2004. Transmission of methicillin-resistant *Staphylococcus aureus* to preterm infants through breast milk. *Infect Control Hosp Epidemiol*; 25(9):778-780.
- Briggs G. 2005. *Drugs in Pregnancy and Lactation, a reference guide to fetal and neonatal risk*. 7th Ed. Baltimore, MD: Williams & Williams.
- De Rose, et al. 2023. Staphylococcal infections and neonatal skin: data from literature and suggestions for the clinical management from four challenging patients. *Antibiotics*; 12(4):632.
- Elston DM. 2007. Community acquired methicillin-resistant *Staphylococcus aureus*. *J Am Acad Dermatol*; 56(1):1-16.
- Farsimadan M, Motamedifar M. 2020. Bacterial infection of the male reproductive system causing infertility. *J Reprod Immunol*; 142:103183.
- Frank A, et al. 1999. Community-acquired and clindamycin-susceptible methicillin-resistant *Staphylococcus aureus* in children. *Ped Inf Dis J*; 18:993-1000.
- Gastelum DT, et al. 2005. Transmission of community-associated methicillin-resistant *Staphylococcus aureus* from breast milk in the neonatal intensive care unit. *Pediatr Infect Dis J*; 24(12):1122-1124. 2
- Goto H, et al. 2003. Susceptibilities of bacteria isolated from patients with lower respiratory infectious diseases to antibiotics. *Jpn J Antibiot*. 58(3):326-58.
- Inukai K, et al. 2025. Infective endocarditis caused by methicillin-resistant *Staphylococcus epidermidis* in the infant of a mother with diabetes: a case report. *Tokai J Exp Clin Med*; 50(1): 21-24.
- Kawada M, et al. 2003. Transmission of *Staphylococcus aureus* between healthy, lactating mothers and their infants by breastfeeding. *J Hum Lact*; 19(4):411- 417.
- Kriebs JM. 2016. *Staphylococcus Infections in Pregnancy: Maternal and Neonatal Risks*. *J Perinat Neonatal Nurs*; 30(2):115-23.
- Laibl V, et al. 2005. Clinical Presentation of Community-Acquired Methicillin-Resistant *Staphylococcus aureus* in Pregnancy. *Obstet Gynecol*; 106 (3):461- 5.
- Leshem E et al. 2012. Transmission of *Staphylococcus aureus* from mothers to newborns. *Pediatr Infect Dis J*; 31(4):360-3.
- Lazenby GB, et al. 2012. Methicillin-resistant *Staphylococcus aureus* colonization among women admitted for preterm delivery. *Am J Obstet Gynecol*; 206(4):329.e1-5.
- Maglio D, et al. 2005. Simulation of antibiotic pharmacodynamic exposure for the empiric treatment of nosocomial bloodstream infections: a report from the OPTAMA program. *Clin Ther*; 27(7):1032-42.
- Piva S, Mariella J, et al 2021. Epidemiologic case investigation on the zoonotic transmission of *Staphylococcus*

aureus infection from goat to veterinarians. Zoonoses Public Health; 68(6):684-690.

- Price M, et al. 1998. Prevalence of methicillin-resistant Staphylococcus aureus in a dermatology outpatient population. South Med J; 91:369-71.
- Salmanov AG, et al. 2021. Bacterial infection causes of pregnancy loss and premature birth in the women in Ukraine. Wiad Lek; 74(6):1355-1359.
- Saravolatz L, et al. 1982. Methicillin-resistant Staphylococcus aureus: epidemiologic observations during a community-acquired outbreak. Ann Intern Med; 96:11-16.
- Sheffield JS. 2013. Methicillin-resistant Staphylococcus aureus in obstetrics. Am J Perinatol; 30(2):125-9.
- The Centers for Disease Control and Prevention (CDC). 2024. About Staph food poisoning. <https://www.cdc.gov/staph-food-poisoning/about/index.html> [Accessed 4/2026].
- The Centers for Disease Control and Prevention (CDC). 2026. Preventing Methicillin-resistant Staphylococcus aureus (MRSA): Prevent MRSA in higher risk settings. https://www.cdc.gov/mrsa/prevention/index.html#cdc_prevention_when_traveling-prevent-mrsa-in-higher-risk-settings [Accessed 4/2026].
- The Centers for Disease Control and Prevention (CDC). 2024. Strategies to prevent hospital-onset Staphylococcus aureus bloodstream infections in acute care facilities. <https://www.cdc.gov/staphylococcus-aureus/hcp/prevent-in-acute-care-facilities/index.html> [Accessed 4/2026].
- Tong SY, et al. 2015. Staphylococcus aureus infections: epidemiology, pathophysiology, clinical manifestations, and management. Clin Microbiol Rev; 28(3):603-61.
- Younger Meek, American Academy of Pediatrics, et al. 2022. Policy Statement: Breastfeeding and the Use of Human Milk. Pediatrics; 150(1):e2022057988.

¿Preguntas? Llame al 866.626.6847 | Texto 855.999.3525 | Correo electrónico o chat en MotherToBaby.org .

Descargo de responsabilidad: las hojas informativas de MotherToBaby están destinadas a fines de información general y no deben reemplazar los consejos de su proveedor de atención médica. MotherToBaby es un servicio de la Organización sin fines de lucro de Especialistas en Información de Teratología (OTIS). Copyright de OTIS, 1 de abril de 2026.

Laxatives

Selected References:

- Abraham K, 2021. Maternal and Perinatal Outcomes of Influenza in Pregnancy after Treatment with Oseltamivir. *J Glob Infect Dis.* 13(1):20-26.
- American College of Obstetricians and Gynecologists (ACOG). 2018. Committee Opinion No. 753: Assessment and treatment of pregnant women with suspected or confirmed influenza. *Obstet Gyn*, 132(4):e169-e173.
- Antiviral drugs for influenza for 2023-2024. 2023. *Med Lett Drugs Ther.* 65(1689):177-182.
- Aoki FY, et al. 2013. The use of antiviral drugs for influenza: A foundation document for practitioners. *Can J Infect Dis Med Microbiol*, 24(Suppl C):1-15.
- Beau A-B, et al. 2014. Safety of oseltamivir during pregnancy: a comparative study using the EFEMERIS database. *BJOG*; 121(7):895-900.
- Centers for Disease Control and Prevention. 2011. Antiviral agents for the treatment and chemoprophylaxis of influenza. *MMWR*; 60(No. RR-1):1-25.
- Chambers CD, et al, OTIS Collaborative Research Group. 2019. Oseltamivir use in pregnancy: Risk of birth defects, preterm delivery, and small for gestational age infants. *Birth Defects Res*; 111(19):1487-1493.
- Chow EJ, et al. Clinical Effectiveness and Safety of Antivirals for Influenza in Pregnancy. *Open Forum Infect Dis*; 8(6):ofab138.
- Cizeron A, et al. 2021. Low rate of oseltamivir prescription among adults and children with confirmed influenza illness in France during the 2018-19 influenza season. *J Antimicrob Chemother*; 76(4):1057-1062.
- Dunstan H, et al. 2014. Pregnancy outcome following maternal use of zanamivir or oseltamivir during the 2009 influenza A/H1N1 pandemic: a national prospective surveillance study. *BJOG*; 121(7):901-906.
- Fodor E, et al. 2023. An Observational Study on the Pharmacokinetics of Oseltamivir in Lactating Influenza Patients. *Clin Pharmacol Ther*; 115(2):318-323.
- Graner S, et al. 2017. Neuraminidase inhibitors during pregnancy and risk of adverse neonatal outcomes and congenital malformations: population based European register study. *BMJ*; 356:j629.
- Greer LG, et al. 2010. Maternal and neonatal outcomes after antepartum treatment of influenza with antiviral medications. *Obstet Gynecol*; 115(4):711-716.
- Greer LG, et al. 2011. Pharmacokinetics of oseltamivir in breast milk and maternal plasma. *Am J Obstet Gynecol*; 204: 524.e1-4.
- Laibl VR and Sheffield JS. 2005. Influenza and pneumonia in pregnancy. *Clinics in Perinatology*; 32:727-738.
- Lian J, et al. 2022. Neonatal outcomes after neuraminidase inhibitor use during pregnancy: A meta-analysis of cohort studies. *Br J Clin Pharmacol*; 88(3):911-918.
- Mancilla-Galindo J, et al. 2021. All-cause mortality among patients treated with repurposed antivirals and antibiotics for COVID-19 in Mexico City: A real-world observational study. *EXCLI J*; 20:199-222.
- Saito S, et al. 2013. Outcomes of infants exposed to oseltamivir or zanamivir in utero during pandemic (H1N1) 2009. *Am J Obstet Gynecol*; 209 (2): 130.e1-9.
- Siston A, et al. 2010. Pandemic 2009 influenza A (H1N1) virus illness among pregnant women in the United States. *JAMA*; 303(15):1517-1525.
- Svensson T, et al. 2011. Birth outcomes among women exposed to neuraminidase inhibitors during pregnancy. *Pharmacoepidemiol Drug Saf*; 20(10): 1030-1034.
- Tanaka T, et al. 2009. Safety of neuraminidase inhibitors against novel influenza A (H1N1) in pregnant and breastfeeding women. *CMAJ*; 181(1-2):55-58.
- The Centers for Disease Control and Prevention (CDC). 2025. Treating flu with antiviral drugs. <https://www.cdc.gov/flu/treatment/antiviral-drugs.html>.
- The CDC. 2026. Influenza antiviral medications: Summary for

clinicians. <https://www.cdc.gov/flu/hcp/antivirals/summary-clinicians.html> [Accessed April 2026].

- Van Bennekom CM, Kerr SM, Mitchell AA. 2019. Oseltamivir exposure in pregnancy and the risk of specific birth defects. *Birth Defects Res*; 111(19):1479-1486.
- Wentges-van Holthe N, et al. 2008. Oseltamivir and breastfeeding. *Int J Infect Dis*; 12:451.
- Wollenhaupt M, et al. 2014. The safety of oseltamivir in pregnancy: an updated review of post-marketing data. *Pharmacoepidemiol Drug Saf*; 23(10):1035-1042.
- Xie H-Y, et al. 2013. Infant outcomes among pregnant women who used oseltamivir for treatment of influenza during the H1N1 epidemic. *Am J Obstet Gynecol*; 208:293.e1-7.

¿Preguntas? Llame al 866.626.6847 | Texto 855.999.3525 | Correo electrónico o chat en MotherToBaby.org .

Descargo de responsabilidad: las hojas informativas de MotherToBaby están destinadas a fines de información general y no deben reemplazar los consejos de su proveedor de atención médica. MotherToBaby es un servicio de la Organización sin fines de lucro de Especialistas en Información de Teratología (OTIS). Copyright de OTIS, 1 de abril de 2026.

Laxatives

Selected References:

- American College of Obstetricians and Gynecologists. 2020. Prelabor Rupture of Membranes: ACOG Practice Bulletin, Number 217. *Obstetrics & Gynecology*, 135(3):e80-e97.
- Baklouti S, et al. 2025. Population pharmacokinetic modelling of amoxicillin in human breast milk-a contribution from the ConcePTION project. *Br J Clin Pharmacol*, doi: 10.1002. Epub ahead of print.
- Benyamini L, et al. 2005. The safety of amoxicillin/clavulanic acid and cefuroxime during lactation. *Ther Drug Monit*; 27:499-502.
- Berkovitch M, et al. 2004. First-trimester exposure to amoxicillin/clavulanic acid: a prospective controlled study. *Br J Clin Pharmacol*; 58:298-302.
- Boissiere-O'Neill T, et al. 2025. Exposure to systemic antimicrobials during pregnancy and risk of miscarriage: a population-based registry study. *BJOG*; doi: 10.1111/1471-0528.18155. Epub ahead of print.

- Campbell AC, et al. 1991. The excretion of amoxicillin in breastmilk and its effect on the suckling infant. *Br J Clin Pharmacol*; 31:230.
- Czeizel AE, et al. 2001. Augmentin treatment during pregnancy and the prevalence of congenital abnormalities: a population-based case-control teratologic study. *Eur J Obstet Gynecol Reprod Biol*; 97:188-192.
- Daniel S, et al. 2019. The safety of amoxicillin and clavulanic acid use in the first trimester of pregnancy. *Br J Clin Pharmacol*; 85:2856-2863.
- Grantham J, et al. 2002. Association between co-amoxiclav used antenatally with necrotising enterocolitis in the neonate. *Am J Obstet Gynecol*; 187:S90.
- Jepsen P, et al. 2003. A population-based study of maternal use of amoxicillin and pregnancy outcome in Denmark. *Br J Clin Pharmacol*; 55:216-221.
- Kafetzis D, et al. 1981. Passage of cephalosporins and amoxicillin into the breast milk. *Acta Paediatr Scand*; 70:285-288.
- Kenyon SL, et al. 2001. ORACLE Collaborative Group. Broad-spectrum antibiotics for preterm, prelabour rupture of fetal membranes: the ORACLE I randomised trial. ORACLE Collaborative Group. *Lancet*; 357:979-988.
- Kenyon SL, et al. 2001. ORACLE Collaborative Group. Broad-spectrum antibiotics for spontaneous preterm labour: the ORACLE II randomised trial. ORACLE Collaborative Group. *Lancet*; 357:989-994.
- Kenyon S, et al. 2002. ORACLE-antibiotics for preterm prelabour rupture of the membranes: short-term and long-term outcomes. *Acta Paediatr Suppl*; 437:12-15.
- Kenyon S, et al. 2008. Childhood outcomes after prescription of antibiotics to pregnant women with spontaneous preterm labour: 7-year follow-up of the ORACLE II trial. *Lancet*; 372 (9646):1319-1327.
- Kenyon S, et al. 2013. Preterm Labour, Antibiotics and Cerebral Palsy. Scientific Impact Paper No.33, Royal College of Obstetrics and Gynaecologists.
- Kwasniewski M, et al. 2025. Identification and characterization of anaerobic bacteria in human semen: a retrospective study. *Anaerobe*, 94:102977.
- Laspro M, et al. 2024. Association of commonly prescribed antepartum medications and incidence of orofacial clefting. *Sage Journals*, 62(7):1164-1174.
- Lin KJ, et al. 2012. Maternal exposure to amoxicillin and the risk of oral clefts. *Epidemiology*; 23(5):699-705. Marlow N, et al. 2017. The ORACLE Children Study: educational outcomes at 11 years of age following antenatal prescription of erythromycin or co-amoxiclav. *Arch Dis Child Fetal Neonatal Ed*; 102(2):F131-F135.
- Meeraus WH, et al. 2015. Association between antibiotic prescribing in pregnancy and cerebral palsy or epilepsy in children born at term: a cohort study using the health improvement network. *PLoS ONE*; 10(3):e0122034.
- Mercer BM, et al. 1997. Antibiotic therapy for reduction of infant morbidity after preterm premature rupture of the membranes. A randomized controlled trial. *JAMA*; 278:989-995.
- Merkel TA, et al. 2014. Predicting disease severity of necrotizing enterocolitis: how to identify infants for future novel therapies. *J Clin Neonatol*; 3(1):1-9.
- Morawiec E, et al. 2022. Semen dysbiosis-just a male problem? *Front Cell Infect Microbiol*; 12:815786.
- Padberg, S. 2015. Anti-infective Agents. In C Schaefer, P Peters, R Miller (Eds.), *Drugs During Pregnancy and Lactation: Treatment Options and Risk Assessment*. Pg 116. London: Elsevier.
- Puho EH, et al. 2007. Drug treatment during pregnancy and isolated orofacial clefts in Hungary. *Cleft Palate Craniofac J*; 44:194-202.
- Trahan J, et al. 2025. Antibiotic regimens for the management of preterm prelabour rupture of membranes: a multicenter retrospective cohort study. *J Obstet Gynaecol Can*, 47(7):102922.
- Tran A, et al. 2025. First-trimester exposure to macrolides and risk of major congenital malformations compared with amoxicillin: a French nationwide cohort study. *PLoS Med*, 22(4):e1004576.

¿Preguntas? Llame al 866.626.6847 | Texto 855.999.3525 | Correo electrónico o chat en MotherToBaby.org .

Descargo de responsabilidad: las hojas informativas de MotherToBaby están destinadas a fines de información general y no deben reemplazar los consejos de su proveedor de atención médica. MotherToBaby es un servicio de la Organización sin fines de lucro de Especialistas en Información de Teratología (OTIS). Copyright de OTIS, 1 de abril de 2026.

Laxatives

Selected References:

- Anderson CA, Lieser C. 2015. Prenatal depression: Early intervention. *Nurse Pract*; 40(7):38-46.
- Bennett HA, et al. 2004. Depression during Pregnancy. *Clin Drug Invest*; 24 (3): 157-179.
- Bennett HA, et al. 2004. Prevalence of Depression during Pregnancy: Systematic Review. *Obstet Gynecol*; 103: 698-709
- Berard A, et al. 2017. Antidepressant use during pregnancy and the risk of major congenital malformation in a cohort of depressed pregnant women: an updated analysis of the Quebec Pregnancy Cohort. *BMJ Open* 7:e013372.
- Björvang R, et al. 2024. Association of Diabetes Mellitus in Pregnancy and Perinatal Depression. *Psychosomatic Medicine* 86(1):52-58.
- Bonari L et al. 2004. Perinatal Risks of Untreated Depression during Pregnancy. *Can J Psychiatry*; 49:726-735. Bränn E, et al. 2024 Perinatal depression and its health impact. *BMJ*; 384: p2777.
- Braverman A, et al. 2024. Depression, anxiety, quality of life, and infertility: A global lens on the last decade of research. *Fertility and Sterility*, 121(3), 379-383.
- Burt VK & Stein K. 2002. Epidemiology of Depression throughout the female life cycle. *J Clin Psych*; 63 (suppl 7): 9-15.
- Centers for Disease Control and Prevention. 2018. Depression Among Women of Reproductive Age: <https://www.cdc.gov/reproductivehealth/Depression/> Chisolm MS, Payne JL. 2016. Management of psychotropic drugs during pregnancy. *BMJ*; 532:h5918.
- Chan J, et al. 2014. Risks of untreated depression in pregnancy. *Can Fam Physician*. 60(3):242-3.
- Coburn SS, et al. 2018. Prenatal Maternal Depressive Symptoms Predict Early Infant Health Concerns. *Matern Child Health J*; 22(6):786-793.
- Cohen LS, et al. 2006. Relapse of Major Depression During Pregnancy in Women Who Maintain or Discontinue Antidepressant Treatment. *JAMA*; 295: 499-507.
- Committee on Obstetric Practice. 2015. The American College of Obstetricians and Gynecologists Committee Opinion no. 630. Screening for perinatal depression. *Obstet Gynecol*; 125(5):1268-71. Dalke KB, et al. 2016. Depression and Anxiety during Pregnancy: Evaluating the Literature in Support of Clinical Risk-Benefit Decision-

- Making. Curr Psychiatry Rep; 18(6):59.
- Depression in pregnant women and mothers: How children are affected, Paediatrics & Child Health, Volume 9, Issue 8, October 2004, Pages 584-586.
- Dias CC, et al. 2015. Breastfeeding and Depression. A systematic review of the literature. J Affect Disord; 171:142-54.
- Einarson A. 2005. The Safety of Psychotropic Drug Use during Pregnancy. Medscape General Medicine; 7 (4): 3.
- Evans-Hoeker et al. 2018. Major depression, antidepressant use and male and female fertility. Fertility and Sterility Vol 109 Issue 5, pp 879-887.
- Galbally M, et al. 2017. Neonatal adaption following intrauterine antidepressant exposure: assessment, drug assay levels, and infant development outcomes. Ped Res; 82(5): 806-813.
- Gavin NI, et al. 2005. Perinatal Depression: A Systematic Review of Prevalence and Incidence. Obstet Gynecol; 106 (5 pt 1): 1071-83.
- Glasser S, Lerner-Geva L. 2018. Focus on fathers: paternal depression in the perinatal period. Perspect Public Health. 2018 Jul 25;1757913918790597. doi: 10.1177/1757913918790597. [Epub ahead of print] Gustafsson HC, et al. 2018.
- Major depressive disorder during pregnancy: Psychiatric medications have minimal effects on the fetus and infant yet development is compromised. Dev Psychopathol. 2018 Aug;30(3):773-785.
- Hagatulah N, et al. 2024. Perinatal depression and risk of mortality: nationwide, register based study in Sweden. BMJ (Clinical research ed.), 384, e075462.
- Hahn-Holbrook J, et al. 2013. Does Breastfeeding Offer Protection Against Maternal Depressive Symptomatology? Arch Women's Ment Health; 16:411-422.
- Hermans A, et al. 2026. Prenatal maternal depression and child behavioural and developmental outcomes: An individual participant data meta-analysis in 76,514 children from the EU Child Cohort Network. The Lancet Regional Health - Europe, 63, Article 101595
- Jablensky AV, et al. 2005. Pregnancy, Delivery, and Neonatal Complications in a Population Cohort of Women with Schizophrenia and Major Affective Disorders. Am J Psychiatry; 162: 79-91.
- Jahan N, et al. 2021. Untreated Depression During Pregnancy and Its Effect on Pregnancy Outcomes: A Systematic Review. Cureus, 13(8), e17251.
- Jiang W, et al. 2018. The relationship of dietary diversity score with depression and anxiety among prenatal and post-partum women. J Obstet Gynaecol Res. doi: 10.1111/jog.13728. [Epub ahead of print]
- Kelly RH, et al. 2002. Psychiatric and Substance Use Disorders as Risk factors for low birth weight and Preterm Delivery. Obstet Gynecol; 100 (2): 297-304.
- Kurki T, et al. 2000. Depression and Anxiety in Early Pregnancy and Risk for Pre-eclampsia. Obstet Gynecol; 95 (4): 487-490.
- Liu Y, et al. 2021. Postpartum depression and postpartum post-traumatic stress disorder: prevalence and associated factors. BMC Psychiatry; 21(1):487.
- McLearn KT, et al. 2006. Maternal Depressive Symptoms at 2 to 4 Months Post-Partum and Early Parenting Practices. Arch Pediatr Adolesc Med; 160: 279-284.
- Mughal S, et al. Postpartum Depression. [Updated 2022 Oct 7]. In: StatPearls [Internet]. Treasure Island (FL): StatPearls Publishing; 2024 Jan-. Available from: <https://www.ncbi.nlm.nih.gov/books/NBK519070/>
- Muzik M, Hamilton SE. 2016. Use of Antidepressants during Pregnancy? What to consider when weighing treatment with Antidepressants against Untreated Depression. Matern Child Health J.
- National Institute of Mental Health. Perinatal Depression. U.S. Department of Health and Human Services, National Institutes of Health. Retrieved January 24, 2024, from <https://www.nimh.nih.gov/health/publications/perinatal-depression>
- Nillni YI, et al. 2016. Depression, anxiety, and psychotropic medication use and fecundability. Am J Obstet Gynecol.;215(4):453.e1-453.e4538.
- Nillni YI, et al. 2022. The association between time-to-pregnancy and postpartum depressive symptoms in a North American prospective cohort study. Ann Epidemiol.;74:51-57.

- Okun ML. 2016. Disturbed Sleep and Postpartum Depression. *Curr Psychiatry Rep*; 18(7):66.
- Ogunyemi D, et al. 2018. The Contribution of Untreated and Treated Anxiety and Depression to Prenatal, Intrapartum, and Neonatal Outcomes. *AJP Rep*; 8(3):e146-e157.
- Pan J, et al. 2025. Effects of sleep quality, anxiety, and depression on miscarriage among pregnant women: a multi-center prospective observational study. *Transl Psychiatry* 15, 131.
- Pajulo M, et al. 2001. Antenatal Depression, Substance Dependency and Social Support. *J Aff Disorders*; 65:9-17.
- Pao C, et al. 2019. Postpartum depression and social support in a racially and ethnically diverse population of women. *Archives of women's mental health*, 22(1), 105-114. Rath K, & Mv S. 2025. Association Between Gestational
- Robertson E, et al. 2004. Antenatal Risk Factors for Postpartum Depression: A Synthesis of Recent Literature. *Gen Hosp Psychiatry*; 26 (4): 289-95.
- Romero-Gonzalez B, et al. 2018. Newborn infants' hair cortisol levels reflect chronic maternal stress during pregnancy. *PLoS One*; 13(7):e0200279.
- Sanz EJ, et al. 2005. Selective Serotonin Reuptake Inhibitors in Pregnant Women and Neonatal Withdrawal Syndrome: A Database Analysis. *Lancet*; 365: 482-487.
- Stewart AL, Payne JL. 2023. Perinatal Depression: A Review and an Update. *Psychiatr Clin North Am*; 46(3):447-461.
- Vigod SN, et al. 2016. Depression in pregnancy. *BMJ*; 352:i1547.
- Vintzileos AM, et al. 2002. The Impact of Prenatal Care in the United States on Preterm Births in the Presence and Absence of Antenatal High-Risk Conditions. *Am J Obstet Gynecol*; 187: 1254-1257.
- Wdowik A et al 2017. Impact of emotional disorders on semen quality in men treated for infertility. *Neuro Endocrin Lett*. Feb; 38(1):50-58.
- Xu F, et al. 2014. Does Infant Feeding Method Impact on Maternal Mental Health? *Breastfeeding Medicine*; 9(4).
- Zielińska M, et al. 2023. Dietary Nutrient Deficiencies and Risk of Depression (Review Article 2018-2023). *Nutrients*, 15(11), 2433.

¿Preguntas? Llame al 866.626.6847 | Texto 855.999.3525 | Correo electrónico o chat en [MotherToBaby.org](https://www.MotherToBaby.org) .

Descargo de responsabilidad: las hojas informativas de MotherToBaby están destinadas a fines de información general y no deben reemplazar los consejos de su proveedor de atención médica. MotherToBaby es un servicio de la Organización sin fines de lucro de Especialistas en Información de Teratología (OTIS). Copyright de OTIS, 1 de abril de 2026.