Hidradenitis Suppurativa (HS)

Selected References:

- Althagafi H, et al. 2022. Effect of hidradenitis suppurativa on obstetric and neonatal outcomes. J Matern Fetal Neonatal Med; 35(25):8388-8393.
- Chellappan B, et al. 2022. Dermatologic Management of Hidradenitis Suppurativa and Impact on Pregnancy and Breastfeeding. Cutis; 109(3):160-162.
- Collier E, et al. 2020. Special considerations for women with hidradenitis suppurativa. Int J Womens Dermatol; 6(2):85-88.
- Fitzpatrick L, et al. 2022. Adverse pregnancy and maternal outcomes in women with hidradenitis suppurativa. J Am Acad Dermatol; 86(1):46-54.
- Li K, et al. 2024. Hidradenitis Suppurativa and Maternal and Offspring Outcomes. JAMA Dermatol. 160(12):1297-1303.
- Lotan P, et al. 2023. Association between Hidradenitis Suppurativa and Abnormalities in Semen Parameters and Sexual Function: A Pilot Study. Acta Derm Venereol; 103:adv11603.
- Lyons AB, et al. 2020. Evaluation of Hidradenitis Suppurativa Disease Course During Pregnancy and Postpartum. JAMA Dermatol; 156(6):681-685.
- Lyons AB, et al. 2020. Retrospective cohort study of pregnancy outcomes in hidradenitis suppurativa. Br J Dermatol; 183(5):945-947.
- Oumeish OY, Al-Fouzan AW. 2006. Miscellaneous diseases affected by pregnancy. Clin Dermatol; 24(2):113-7.
- Özbek L, et al. 2025. Hidradenitis Suppurativa Treatment During Pregnancy and Lactation: Navigating Challenges. Int J Dermatol; 64(7):1173-1185.
- Prens LM, et al. 2021. Hidradenitis suppurativa disease course during pregnancy and postpartum: a retrospective survey study. Br J Dermatol; 185(5):1072-1074.
- Sakya SM, et al. 2022. Outcomes of pregnancy and childbirth in women with hidradenitis suppurativa. J Am Acad Dermatol; 86(1):61-67.
- Seivright JR, et al. 2022. Impact of Pregnancy on Hidradenitis Suppurativa Disease Course: A Systematic Review and Meta-Analysis. Dermatology; 238(2):260-266.
- Tzur Bitan D, et al. 2021. The association between hidradenitis suppurativa and male and female infertility: A population-based study. Australas J Dermatol; 62(2):e223-e227.
- Vossen AR, et al. 2017. Menses and pregnancy affect symptoms in hidradenitis suppurativa: A cross-sectional study. J Am Acad Dermatol; 76(1):155-156.
- Walsh DP. 2025. Pregnancy Outcomes in Hidradenitis Suppurativa Patients. AMIA Annu Symp Proc; 2024:1169-1175.

Descargo de responsabilidad: las hojas informativas de MotherToBaby están destinadas a fines de información general y no deben reemplazar los consejos de su proveedor de atención médica. MotherToBaby es un servicio de la Organización sin fines de lucro de Especialistas en Información de Teratología (OTIS). Copyright de OTIS, 1 de septiembre de 2025.

Hidradenitis Suppurativa (HS)

Selected References:

- Abboud TK, et al. 1983. Lack of adverse neonatal neurobehavioral effects of lidocaine. Anesth Analg; 62:473-475.
- Abboud TK, et al. 1984. Continuous infusion epidural analgesia in parturients receiving bupivacaine, chloroprocaine, or lidocaine – maternal, fetal, and neonatal effects. Anesth Analg; 63:421-428.
- Actavis Pharma, Inc. 2019. Lidocaine and Prilocaine Cream Drug Label. Available at: https://dailymed.nlm.nih.gov/dailymed/drugInfo.cfm?setid=1972d657-2d5a-4697-bba9-80caffc2f2d7. Accessed 29 July 2025.
- Baradari AG, et al. 2017. Bolus administration of intravenous lidocaine reduces pain after an elective caesarean section: Findings from a randomised, double-blind, placebo-controlled trial. J Obstet Gynaecol. 37(5):566-570.
- da Cunha YGM et al. 2025. The Use of Different Local Anesthetics in Pregnant Women in Dentistry: A Systematic Review. Curr Rev Clin Exp Pharmacol. Apr 21. doi: 10.2174/0127724328349965250407082245. Online ahead of print.
- Demeulemeester V, et al. 2018. Transplacental lidocaine intoxication. J Neonatal-Perinatal Med; 11:439-441.
- Dryden RM, Lo MW. 2000. Breast milk lidocaine levels in tumescent liposuction. Plast Reconstr Surg; 105:2267-2268.
- Favero V, et al. 2021. Pregnancy and Dentistry: A Literature Review on Risk Management during Dental Surgical Procedures. Dent J (Basel). 9(4):46.
- Fujinaga M, Mazze RI. 1986. Reproductive and teratogenic effects of lidocaine in Sprague-Dawley rats. Anesthesiology. 65:626-632.
- Heinonen OP. et al. 1977. Birth Defects and Drugs in Pregnancy. Publishing Sci Group, Littleton, MA.
- Kuhnert BR, et al. 1984. Effects of maternal epidural anesthesia on neonatal behavior. Anesth Analg; 63:301-308.
- Kuhnert BR, et al. 1986. Lidocaine disposition in mother, fetus, and neonate after spinal anesthesia. Anesth Analg 65:139-144.
- Lebedevs TH, et al. 1993. Excretion of lignocaine and its metabolite monoethylglycinexylidide in breast milk following its use in a dental procedure. A case report. J Clin Periodontol 20: 606-608.
- Li JE, et al. 2019. Cutaneous Surgery in Patients Who Are Pregnant or Breastfeeding. Dermatol Clin. 37(3):307-317. Murzaku EC, et al. 2021. Surgical management and practices in pregnancy and lactation: A survey of United States dermatologic surgeons. J Am Acad Dermatol. 84(4):1134-1136.
- Ortega D, et al. 1999. Excretion of lidocaine and bupivacaine in breast milk following epidural anesthesia for cesarean delivery. Acta Anaesthesiol Scand; 43:394-397.
- Silveira MPT, et al. 2020. Breastfeeding and risk classification of medications used during hospitalization for delivery: 2015 Pelotas Birth Cohort. Rev Bras Epidemiol. 23:e200026.

- Watson PD, Ott MA. 1982. Lidocaine and mepivacaine in cord blood. Ped Pharm; 2:341-348.
- Wikland, M., Evers, H., Jakobsson, A.-H., Sandqvist, U., & Sjöblom, P. (1990). The concentration of lidocaine in follicular fluid when used for paracervical block in a human IVF-ET programme. *Human Reproduction, 5*(8), 920–923
- Zeisler JA, et al. 1986. Lidocaine excretion in breast milk. Drug Intell Clin Pharm; 20:691-693.

Descargo de responsabilidad: las hojas informativas de MotherToBaby están destinadas a fines de información general y no deben reemplazar los consejos de su proveedor de atención médica. MotherToBaby es un servicio de la Organización sin fines de lucro de Especialistas en Información de Teratología (OTIS). Copyright de OTIS, 1 de septiembre de 2025.

Hidradenitis Suppurativa (HS)

Selected References:

- Dentsply Pharmaceutical, Inc. 2021. Prilocaine injection drug label. Available at: https://dailymed.nlm.nih.gov/dailymed/drugInfo.cfm?setid=db23a56f-1e41-4843-9220-1b2e3059db41. [Accessed 8/2025].
- Fougera & Co. 2024. Lidocaine and prilocaine cream drug label. Available at: https://dailymed.nlm.nih.gov/dailymed/drugInfo.cfm?setid=833cd52c-6470-49c4-937f-1393971f4db9. [Accessed 8/2025].
- Erol S, et al. 2017. Transient methemoglobinemia in three neonates due to maternal pudendal anesthesia. J Coll Physicians Surg Pak. 27(12):783-784.
- Guay J. 2009. Methemoglobinemia related to local anesthetics: a summary of 242 episodes. Anesth Analg. 108(3):837-45.
- Kirschbaum M, et. al. 1991. [Fetal methemoglobinemia caused by prilocaine–is use of prilocaine for pudendal block still justified?]. Geburtshilfe Frauenheilkd. 51(3):228-30.
- Uslu S, Comert S. 2013. Transient neonatal methemoglobinemia caused by maternal pudendal anesthesia in

delivery with prilocaine: report of two cases. Minerva Pediatr. 65(2):213-7.

Descargo de responsabilidad: las hojas informativas de MotherToBaby están destinadas a fines de información general y no deben reemplazar los consejos de su proveedor de atención médica. MotherToBaby es un servicio de la Organización sin fines de lucro de Especialistas en Información de Teratología (OTIS). Copyright de OTIS, 1 de septiembre de 2025.

Hidradenitis Suppurativa (HS)

Selected References:

- Gilboa SM, et al. 2009. National Birth Defects Prevention Study: Use of antihistamine medications during early pregnancy and isolated major malformations. Birth Defects Res A Clin Mol Teratol 85(2):137-150.
- Gilboa SM, et al. 2014. Antihistamines and birth defects: a systematic review of the literature. Expert opinion on drug safety. 13.12: 1667-98.
- Hansen Craig, et al. 2020. Use of antihistamine medications during early pregnancy and selected birth defects: The National Birth Defects Prevention Study, 1997–2011. ***Birth defects research***16: 1234-52.
- Ito S, et al. 1993. Prospective follow-up of adverse reactions in breast-fed infants exposed to maternal medication. Am J Obstet Gynecol 168:1393-9.
- Kallen B, Mottet I. 2003. Delivery outcome after the use of meclozine in early pregnancy. Eur J Epidemiol. 18:665-669.
- Katselou M, et al. 2018. A fully validated method for the simultaneous determination of 11 antihistamines in breast milk by gas chromatography-mass spectrometry. Biomed Chromatogr 32(8):e4260.
- Lenz W. 1966. Malformations caused by drugs in pregnancy. Am J Dis Child 112:99-106.
- Messinis IE, et al. 1985. Histamine H1 receptor participation in the control of prolactin secretion in postpartum. J Endocrinol Investig 8:143-6.
- Michaelis J, et al. 1983. Prospective study of suspected associations between certain drugs administered during early pregnancy and congenital malformations. Teratology 27:57-64.
- Mondillo C, et al. 2018. Potential negative effects of anti-histamines on male reproductive function. ***Reproduction***. 155.5: R221-7.

¿Preguntas? Llame al 866.626.6847 | Texto 855.999.3525 | Correo electrónico o chat en MotherToBaby.org .

Descargo de responsabilidad: las hojas informativas de MotherToBaby están destinadas a fines de información general y no deben reemplazar los consejos de su proveedor de atención médica. MotherToBaby es un servicio de la Organización sin fines de lucro de Especialistas en Información de Teratología (OTIS). Copyright de OTIS, 1 de septiembre de 2025.

Hidradenitis Suppurativa (HS)

Selected References:

- Ceyhan ST, et al. 2010. Serum vitamin B12 and homocysteine levels in pregnant women with neural tube defect. Gynecol Endocrinol. 26(8):578-581.
- Dror DK, Allen LH. 2018. Vitamin B-12 in human milk: A systematic review. Adv Nutr 9:358s-66s.
- Duggan C, et al. 2014. Vitamin B-12 supplementation during pregnancy and early lactation increases maternal, breast milk, and infant measures of vitamin B-12 status. J Nutr. 144(5):758-764.
- Groenen PMW, et al. 2004. Marginal maternal vitamin B12 status increases the risk of offspring with spina bifida. Am J Obstet Gynecol 191(1):11-17.
- Hampel D, Allen LH. 2016. Analyzing B-vitamins in human milk: Methodological approaches. Crit Rev Food Sci Nutr 56:494-511.
- Lai JS, et al. 2019. Maternal plasma vitamin B12 concentrations during pregnancy and infant cognitive outcomes at 2 years of age. Br J Nutr. 121(11):1303-1312.
- Munger RG, et al. 2021. Maternal vitamin B12 status and risk of cleft lip and cleft palate birth defects in Tamil Nadu State, India. Cleft Palate Craniofac J 58(5):567-576.
- National Institute of Health Office of Dietary Supplements. 2024. Vitamin B12: Fact Sheet for Health Professionals. Available at: https://ods.od.nih.gov/factsheets/VitaminB12-HealthProfessional/. Accessed 6 Jun 2024.
- Nelen WL, et al. 2000. Hyperhomocysteinemia and recurrent early pregnancy loss: a meta-analysis. Fertil Steril. 74(6):1196-1199.

- Ray JG, Blom HJ. 2003. Vitamin B12 insufficiency and the risk of fetal neural tube defects. QJM. 96(4):289-295.
- Ray JG, et al. 2007. Vitamin B12 and the risk of neural tube defects in a folic-acid-fortified population. Epidemiology 18(3):362-366.
- Reznikoff-Etievant MF, et al. 2002. Low Vitamin B(12) level as a risk factor for very early recurrent abortion. Eur J Obstet Gynecol Reprod Biol. 104(2):156-159.
- Senousy SM, et al. 2018. Association between biomarkers of vitamin B12 status and the risk of neural tube defects. J Obstet Gynaecol Res. 44(10):1902-1908.
- Suarez L, et al. 2003. Maternal serum B12 levels and risk for neural tube defects in a Texas-Mexico border population. Ann Epidemiol 13(2):81-88.
- Van Rooij IALM, et al. 2003. Vitamin and homocysteine status of mothers and infants and the risk of nonsyndromic orofacial clefts. Am J Obstet Gynecol 189(4):1155-1160.
- Wilson A, et al. 1999. A common variant in methionine synthase reductase combined with low cobalamin (vitamin B12) increases risk for spina bifida. Mol Genet Metab. 67(4):317-323.
- Zhang T, et al. 2009. Maternal serum vitamin B12, folate and homocysteine and the risk of neural tube defects in the offspring in a high-risk area of China. Public Health Nutr. 12(5):680-686.

¿Preguntas? Llame al 866.626.6847 | Texto 855.999.3525 | Correo electrónico o chat en MotherToBaby.org .

Descargo de responsabilidad: las hojas informativas de MotherToBaby están destinadas a fines de información general y no deben reemplazar los consejos de su proveedor de atención médica. MotherToBaby es un servicio de la Organización sin fines de lucro de Especialistas en Información de Teratología (OTIS). Copyright de OTIS, 1 de septiembre de 2025.