Hydroxyzine (Vistaril®, Atarax®)

Selected References:

- Bryant Ranch Prepack. 2024. Hydroxyzine Hydrochloride Product Label. Available at: https://www.accessdata.fda.gov/spl/data/897a39b6-65b1-4e52-85e9-2650d23a4dc0/897a39b6-65b1-4e52-85e9-2650d23a4dc0.xml. Accessed 14 April 2025.
- Calderon-Margalit, R., Qiu, C., Ornoy, A., Siscovick, D. S., & Williams, M. A. 2009. Risk of preterm delivery and other adverse perinatal outcomes in relation to maternal use of psychotropic medications during pregnancy. American journal of obstetrics and gynecology, ***201***(6), 579.e1–579.e5798.
- Diav-Citrin O, et al. 2003. Pregnancy outcome after gestational exposure to loratidine or antihistamines: a prospective controlled cohort study. J Allergy Clin Immunol 111:1239-1243.
- Earl FL, et al. 1973. Teratogenic research in beagle dogs and miniature swine. Lab Anim Drug Test Symp Int Comm Lab Anim, 5th Fischer, Stuttgart pp. 233-247.
- Einarson A, et al. 1997. Prospective controlled study of hydroxyzine and cetirizine in pregnancy. Ann Allergy Asthma Immunol 78:183-186.
- Erez S, et al. 1971. Double-blind evaluation of hydroxyzine as an antiemetic in pregnancy. J Reprod Med 7:57-59.
- Ito S, et al. 1993. Prospective follow-up of adverse reactions in breast-fed infants exposed to maternal medication. Am J Obstet Gynecol 168:1393-1399.

Descargo de responsabilidad: las hojas informativas de MotherToBaby están destinadas a fines de información general y no deben reemplazar los consejos de su proveedor de atención médica. MotherToBaby es un servicio de la Organización sin fines de lucro de Especialistas en Información de Teratología (OTIS). Copyright de OTIS, 1 de mayo de 2025.

Hydroxyzine (Vistaril®, Atarax®)

Selected References:

- Andersen JT, et al. 2016. Diclofenac/misoprostol during early pregnancy and the risk of miscarriage: a Danish nationwide cohort study. Arch Gynecol Obstet 294(2): 245-250.
- Cassina M, et al. 2010. First trimester diclofenac exposure and pregnancy outcome. Reprod Toxicol 30:401-404.
- Choi E-Y, et al. 2023. Neonatal and maternal adverse outcomes and exposure to nonsteroidal anti-inflammatory drugs during early pregnancy in South Korea: a nationwide cohort study. PLoS Med, 20(2):e1004183.
- Dawood MY. 1993. Nonsteroidal anti-inflammatory drugs and reproduction. Am J Obstet Gynecol, 169(5):1255-1265.
- Daniel S, et al. 2012. Major malformations following exposure to Nonsteroidal anti-inflammatory drugs during the first trimester of pregnancy. J Rheumatol 39(11): 2163-2169.
- Daniel S, et al. 2014. Fetal exposure to nonsteroidal anti-inflammatory drugs and spontaneous abortion. Can Med Assoc J 186(5):E177-E182.
- Daniel S, et al. 2015. NSAIDs and spontaneous abortions – true effect or an indication bias? Br J Clin Pharmacol, 80(4):750-754.
- Dathe K, et al. 2018. No evidence of adverse pregnancy outcome after exposure to ibuprofen in the first trimester—Evaluation of the national Embryotox cohort. Reproductive Toxicology, 79: 32-38.
- Ericson A and Kallen BA. 2001. Nonsteroidal anti-inflammatory drugs in early pregnancy. Reprod Toxicol, 15:371-
- Janssen NM and Genta MS. 2000. The effects of immunosuppressive and anti-inflammatory medication on fertility, pregnancy, and lactation. Arch Intern Med, 160:610-619.
- Nakhai-Pour HR, et al. 2011. Use of nonaspirin nonsteroidal anti-inflammatory drugs during pregnancy and the risk of spontaneous abortion. CMAJ. 183(15):1713-1720.
- Nezvalova-Henriksen K et al. 2013. Effects of ibuprofen, diclofenac, naproxen, and piroxicam on the course of pregnancy and pregnancy outcome: a prospective study. BJOG, 120(8):948-959.
- Nielsen GL, et al. 2001. Risk of adverse birth outcome and miscarriage in pregnant users of non-steroidal anti-inflammatory drugs: population based observational study and case-control study. BMJ, 322(7281):266-270.
- Nielsen GL, et al. 2004. Danish group reanalyses miscarriage in NSAID users. BMJ, 328(7431):109.
- Ofori B, et al. 2006. Risk of congenital anomalies in pregnant users of non-steroidal anti-inflammatory drugs: a nested case-control study. Birth Defects Res B Dev Reprod Toxicol 77:268-279.
- Padberg S, et al. 2018. Safety of diclofenac use during early pregnancy: A prospective observational cohort study. Reprod Toxicol. 77:122-129.
- Phadke V, et al. 2012. Maternal ingestion of diclofenac leading to renal failure in newborns. Pediatr Nephrol. 27(6):1033-1036.
- S. Food and Drug Administration. 2020. FDA Warns that Using a Type of Pain and Fever Medication in Second Half of Pregnancy Could Lead to Complications.Available at: https://www.fda.gov/news-events/press-announcements/fda-warns-using-type-pain-and-fever-medication-second-half-pregnancy-could-lead-complications?utm_medium=email&utm_source=govdelivery Accessed 2 Dec 2024.
- Scherneck S, et al. 2015. Reversible oligohydramnios in the second trimester of pregnancy in two patients with long-term diclofenac exposure. Reprod Toxicol. 58:61-64.

¿Preguntas? Llame al 866.626.6847 | Texto 855.999.3525 | Correo electrónico o chat en MotherToBaby.org .

Descargo de responsabilidad: las hojas informativas de MotherToBaby están destinadas a fines de información general y no deben reemplazar los consejos de su proveedor de atención médica. MotherToBaby es un servicio de la Organización sin fines de lucro de Especialistas en Información de Teratología (OTIS). Copyright de OTIS, 1 de mayo de 2025.

Hydroxyzine (Vistaril®, Atarax®)

Selected References:

- Andersen HJ. 1983. Excretion of verapamil in human milk. Eur J Clin Pharmacol, 25:279-80.
- Anderson P, et al. 1987. Verapamil and norverapamil in plasma and breast milk during breast feeding. Eur J Clin Pharmacol, 31:625-627.
- Belfort MA, et al. 1990. Hemodynamic changes associated with intravenous infusion of the calcium antagonist verapamil in the treatment of severe gestational proteinuric hypertension. Obstet Gynecol, 75:970-974.
- Benoff S, et al. 1994. The effect of calcium ion channel blockers on sperm fertilization potential. Fertil Steril, 62:606-617.
- Byerly WG, et al. 1991. Verapamil in the treatment of maternal paroxysmal supraventricular tachycardia. Ann Emerg Med, 20(5):552-554.
- Czeizel AE, Rockenbauer M. 1997. Population-based case-control study of teratogenic potential of corticosteroids. Teratology, 56:335-340.
- Czeizel AE, Toth M. 1998. Birth weight, gestational age and medications during pregnancy. Int J Gynaecol Obstet, 60:245-249.
- Fearrington EL, et al. 1983. Hyperprolactinemia-galactorrhea induced by verapamil. Am J Cardiol, 51:1466-1467.
- Gluskin LE, et al. 1981. Verapamil-induced hyperprolactinemia and galactorrhea. Ann Intern Med, 95:66-67.
- Inoue H. 1984. Excretion of verapamil in human milk. Br Med J, 288:645-646.
- Joglar JA, et al. 2023. HRS expert consensus statement on the management of arrhythmias during pregnancy. Heart Rhythm. 20: e175–264.
- Katsoff D, Check JH. 1997. A challenge to the concept that the use of calcium channel blockers causes reversible male infertility. Hum Reprod, 12(7):1480-482.
- King BD, et al. 1983. Impotence during therapy with verapamil. Arch Intern Med, 143:1248-1249.
- Magee LA, et al. 1996. The safety of calcium channel blockers in human pregnancy: a prospective, multicenter cohort study. Am J Obstet Gynecol, 174(3):823-828.
- Miller MR, et al. 1986. Verapamil and breast-feeding. Eur J Clin Pharmacol, 30:125-126.
- Murad SHN, et al. 1985. Effects of verapamil on uterine blood flow and maternal cardiovascular function in the awake pregnant ewe. Anesth Analg, 64:7-10.

- Spelger G, et al. 1980. Kardiale Parameter beim Neugeborenen nach Tokolyse [Cardiac parameters of the newborn after tocolysis (author's transl)]. Klin Padiatr, 192(4):319-324. German.
- Tamirisa KP, 2022. Arrhythmias and Heart Failure in Pregnancy: A Dialogue on Multidisciplinary Collaboration. J Cardiovasc Dev Dis, 9:199.
- Tektemur A, et al. 2020. Verapamil-induced ion channel and miRNA expression changes in rat testis and/or spermatozoa may be associated with male infertility. Andrologia, 52(10):e13778.
- Weber-Schoendorfer C, et al. 2008. The safety of calcium channel blockers during pregnancy: a prospective, multicenter, observational study. Reprod Toxicol, 2008;26:24-30.
- 2025. Product labeling. https://dailymed.nlm.nih.gov/dailymed/drugInfo.cfm?setid=3283bba6-05dd-3766-e063-6394a90ada69

Descargo de responsabilidad: las hojas informativas de MotherToBaby están destinadas a fines de información general y no deben reemplazar los consejos de su proveedor de atención médica. MotherToBaby es un servicio de la Organización sin fines de lucro de Especialistas en Información de Teratología (OTIS). Copyright de OTIS, 1 de mayo de 2025.

Hydroxyzine (Vistaril®, Atarax®)

Selected References:

- An Y, et al. 2014. The use of berberine for women with polycystic ovary syndrome undergoing IVF treatment. Clin Endocrinol (Oxf), 80(3):425-431.
- Chan E. 1993. Displacement of bilirubin from albumin by berberine. Biol Neonate, 63:201-208.
- Di Pierro F, et al. 2023. Effect of Berberine Phytosome on reproductive, dermatologic, and metabolic characteristics in women with polycystic ovary syndrome: a controlled, randomized, multi-centric, open-label clinical trial. Frontiers in pharmacology, 14:1269605.
- Ha S & Song X. 2024. Berberine as adjuvant therapy for treating reduced fertility potential in women with polycystic ovary syndrome: A meta-analysis of randomized controlled trials. Explore (New York, N.Y.),

20(6):103040

- Imanshahidi M, et al. 2008. Pharmacological and therapeutic effects of Berberis vulgaris and its active constituent, berberine. Phytother Res, 22:999–1012.
- Lampe KF. 1999. Berberine. In DeSmet PAGM, Keller K, Hnsel R, Chandler RF. Adverse effects of herbal drugs, vol 1: 97-103. Springer-Verlag, Berlin.
- Zhao S, et al. 2021. Effect and mechanism of berberine against polycystic ovary syndrome. Biomedicine & Pharmacotherapy, 138:111468.

¿Preguntas? Llame al 866.626.6847 | Texto 855.999.3525 | Correo electrónico o chat en MotherToBaby.org .

Descargo de responsabilidad: las hojas informativas de MotherToBaby están destinadas a fines de información general y no deben reemplazar los consejos de su proveedor de atención médica. MotherToBaby es un servicio de la Organización sin fines de lucro de Especialistas en Información de Teratología (OTIS). Copyright de OTIS, 1 de mayo de 2025.

Hydroxyzine (Vistaril®, Atarax®)

Selected References:

- Deucravacitinib product label. 2022. https://dailymed.nlm.nih.gov/dailymed/medguide.cfm?setid=ff4d7258-5068-4cdf-9692-8cae04c3198e / https://dailymed.nlm.nih.gov/dailymed/drugInfo.cfm?setid=ff4d7258-5068-4cdf-9692-8cae04c3198e#ID_b041cd9b-7e1e-45e1-907a-35e03e510ae3
- No authors listed. 2023. Deucravacitinib (Sotyktu) for plaque psoriasis. Med Lett Drugs Ther; 65(1670):29-31.

¿Preguntas? Llame al 866.626.6847 | Texto 855.999.3525 | Correo electrónico o chat en MotherToBaby.org .

Descargo de responsabilidad: las hojas informativas de MotherToBaby están destinadas a fines de información general y no deben reemplazar los consejos de su proveedor de atención médica. MotherToBaby es un servicio de la Organización sin fines de lucro de Especialistas en Información de Teratología (OTIS). Copyright de OTIS, 1 de mayo de 2025.