

Amlodipine (Norvasc®)

Selected References:

- Ahn HK, et al. 2007. Exposure to amlodipine in the first trimester of pregnancy and during breastfeeding. *Hypertension in pregnancy*, 26(2):179-187.
- Aoki H, et al. 2018. Low Levels of Amlodipine in Breast Milk and Plasma. *Breastfeeding medicine*,13(9):622-626.
- Centers for Disease Control and Prevention. (2024). Health and economic benefits of high blood pressure interventions. Retrieved August 2024 from <https://www.cdc.gov/nccdphp/priorities/high-blood-pressure.html>.
- Faham DE, et al. 2019. Can Amlodipine Improve the Pre-ovulatory Follicle Blood Flow in Women with Polycystic Ovarian Syndrome?. *Journal of reproduction & infertility*, 20(2):89-94.
- Ishikawa T, et al. 2023. Risk of major congenital malformations associated with first-trimester antihypertensives, including amlodipine and methyldopa: A large claims database study 2010-2019. *Pregnancy hypertension*, 31:73-83.
- Magee LA, et al. 1996. The safety of calcium channel blockers in human pregnancy: a prospective, multicenter cohort study. *Am J Obstet Gynecol*, 174(3):823-828.
- Mito AA, et al. 2019. Safety of Amlodipine in Early Pregnancy. *Journal of the American Heart Association*, 8(15):1-7.
- Morgan JL, et al. 2018. Pharmacokinetics of amlodipine besylate at delivery and during lactation. *Pregnancy hypertension*, 11:77-80.
- Naito T, et al. 2015. Amlodipine passage into breast milk in lactating women with pregnancy-induced hypertension and its estimation of infant risk for breastfeeding. *Journal of human lactation*, 31(2):301-306.
- Rosbotham JL, et al. 1998. Painful subcutaneous fat necrosis of the newborn associated with intra-partum use of a calcium channel blocker. *Clinical and experimental dermatology*. 23(1):19-21.
- Szucs KA, et al. 2010. Maternal membranous glomerulonephritis and successful exclusive breastfeeding. *Breastfeeding Medicine*, 5(3):123-126.
- S. Food and Drug Administration. (2011). Norvasc (Amlodipine besylate) tablets label. Retrieved August 2024 from https://www.accessdata.fda.gov/drugsatfda_docs/label/2011/019787s047lbl.pdf.
- Vigil-De Gracia P, et al. 2014. Management of chronic hypertension during pregnancy with furosemide, amlodipine or aspirin: a pilot clinical trial. *The journal of maternal-fetal & neonatal medicine: the official journal of the European Association of Perinatal Medicine, the Federation of Asia and Oceania Perinatal Societies, the International Society of Perinatal Obstetricians*, 27(13): 1291-1294.
- Yin J, et al. 2022. Nifedipine or amlodipine? The choice for hypertension during pregnancy: a systematic review and meta-analysis. *Archives of Gynecology and Obstetrics*, 306(6):1891-1900.

¿Preguntas? Llame al 866.626.6847 | Texto 855.999.3525 | Correo electrónico o chat en [MotherToBaby.org](https://www.MotherToBaby.org) .

Descargo de responsabilidad: las hojas informativas de MotherToBaby están destinadas a fines de información general y no deben reemplazar los consejos de su proveedor de atención médica. MotherToBaby es un servicio de la Organización sin fines de lucro de Especialistas en Información de Teratología (OTIS). Copyright de OTIS, 1 de agosto de 2024.

Amlodipine (Norvasc®)

Selected References:

- Auffret M, et al. 2016. Misoprostol exposure during the first trimester of pregnancy: Is the malformation risk varying depending on the indication? *Eur J Obstet Gynecol Reprod Biol*, 207:188-192.
- Baev OR, et al. 2017. Outcomes of mifepristone usage for cervical ripening and induction of labour in full-term pregnancy. Randomized controlled trial. *Eur J Obstet Gynecol Reprod Biol*, 217:144-149.
- Brown A, et al. 2002. Daily low dose mifepristone has contraceptive potential by suppressing ovulation and menstruation: a double-blind randomised controlled trial of 2 and 5 mg per day for 120 days. *J Clin Endocrinol Metab*, 87:63-70.
- Bos-Thompson MA, et al. 2008. Mobius syndrome in a neonate after mifepristone and misoprostol elective abortion failure. *Ann Pharmacother*, 42(6):888-892.
- Chen A, et al. 2004. Mifepristone-induced early abortion and outcome of subsequent wanted pregnancy. *Am J Epidemiol*, 160(2):110-117.
- Gary MM, Harrison DJ. 2006. Analysis of severe adverse events related to the use of mifepristone as an abortifacient. *Ann Pharmacother*, 40:191-197.
- Glasier A, et al. 1992. Mifepristone (RU 486) compared with high-dose estrogen and progestogen for emergency postcoital contraception. *N Engl J Med*, 327:1041-1044.
- Juneja SC, Dodson MG. 1990. In vitro effect of RU 486 on sperm-egg interaction in mice. *Am J Obstet Gynecol*, 163:216-221.
- Lakha F, et al. 2007. A novel estrogen-free oral contraceptive pill for women: multicentre, double-blind, randomized controlled trial of mifepristone and progestogen-only pill (levonorgestrel). *Hum Reprod*, 22(9):2428-2436.
- Liao H, et al. 2011. Repeated medical abortions and the risk of preterm birth in the subsequent pregnancy. *Arch Gynecol Obstet*, 284(3):579-586.
- Lim BH, et al. 1990. Normal development after exposure to mifepristone in early pregnancy. *Lancet*, 336:257-258.
- Mifepristone Drug Label. 2023. Available at: <https://dailymed.nlm.nih.gov/dailymed/drugInfo.cfm?setid=b63fad9b-7f12-4400-9019-b0586054e534>.
- Peyron R, et al. 1993. Early termination of pregnancy with mifepristone (RU 486) and the orally active prostaglandin misoprostol. *N Engl J Med*, 328:1509-1513.
- Pons JC, et al. 1991. Development after exposure to mifepristone in early pregnancy. *Lancet*; 338:763.
- Saav I, et al. 2010. Medical abortion in lactating women—low levels of mifepristone in breast milk. *Acta Obstet Gynecol Scand*, 89(5):618-622.
- Sanchez-Criado JE, et al. 1990. A possible dual mechanism of the anovulatory action of antiprogesterone RU486 in the rat. *Biol Reprod*, 42:877-886.

- Shoupe D, et al. 1987. Effects of the antiprogesterone RU 486 in normal women. II. Administration in the late follicular phase. Am J Obstet Gynecol, 157:1421-1426.
- Sitruk-Ware R, Davey A, Sakiz E. 1998. Fetal malformations and failed medical termination of pregnancy. Lancet, 352:323.
- Swahn ML, et al. 1996. Contraception with anti-progesterone. Baillieres Clin Obstet Gynaecol, 10(1):43-53.
- Task force on postovulatory methods of fertility regulation. 1999. Comparison of three single doses of mifepristone as emergency contraception: a randomised trial. Lancet 353:607-702.
- van der Schoot P, et al. 1987. Effects of the progesterone antagonist RU486 on ovarian activity in the rat. Endocrinology, 121:1375-1382.
- Wolf JP. et al. 1990. Tolerance of perinidatory primate embryos to RU 486 exposure in vitro and in vivo. Contraception, 41:85-92.
- Yang YQ, Wu JT. 1990. RU 486 interferes with egg transport and retards the in vivo and in vitro development of mouse embryos. Contraception, 41:551-556.
- Zhu QX, et al. 2009. Mifepristone-induced abortion and placental complications in subsequent pregnancy. Hum Reprod, 24(2):315-319.

¿Preguntas? Llame al 866.626.6847 | Texto 855.999.3525 | Correo electrónico o chat en [MotherToBaby.org](https://www.MotherToBaby.org) .

Descargo de responsabilidad: las hojas informativas de MotherToBaby están destinadas a fines de información general y no deben reemplazar los consejos de su proveedor de atención médica. MotherToBaby es un servicio de la Organización sin fines de lucro de Especialistas en Información de Teratología (OTIS). Copyright de OTIS, 1 de agosto de 2024.

Amlodipine (Norvasc®)

Selected References:

- American College of Obstetricians and Gynecologists (ACOG). 2022/Apr. Preeclampsia and High Blood Pressure during Pregnancy. <https://www.acog.org/womens-health/faqs/preeclampsia-and-high-blood-pressure-during-pregnancy>
- Anderson PO, et al 2020. Drug treatment of Raynaud's phenomenon of the nipple. Breastfeed Med 15:686-8.
- Benoff S, et al. 1994. The effect of calcium ion channel blockers on sperm fertilization potential. Fertil Steril

62:606-17.

- Bortolus R, et al. 2000. Nifedipine administered in pregnancy: Effect on the development of children at 18 months. BJOG 107:792-794.
- Davis RL, et al 2011. Risks of congenital malformations and perinatal events among infants exposed to calcium channel and beta-blockers during pregnancy. Pharmacoepidemiol Drug Saf 20:13-145.
- Dublin S, et al. 2022. Maternal and neonatal outcomes of antihypertensive treatment in pregnancy: a retrospective cohort study. PLoS One 17(5):e0268284
- George R, et. 2022. Comparative efficacy and safety of oral nifedipine with other antihypertensive medications in the management of hypertensive disorders of pregnancy: a systematic review and meta-analysis of randomized controlled trials. J Hypertens 40(10):1876-1886.
- Houtzager BA, et al. 2006. Long-term follow up of children exposed in utero to nifedipine or ritodrine for the management of preterm labour. BJOG. 2006 Mar; 113(3):324-31.
- Magee LA, et al. 1996. The safety of calcium channel blockers in human pregnancy: A prospective, multicenter cohort study. Am J Obstet Gynecol 174:823-828.
- Malfar BN, et al. 2019. ABCG2 c.421C>A polymorphism alters nifedipine transport to breast milk in hypertensive breastfeeding women. Reprod Toxicol 85:1-5.
- Penny WJ, Lewis MJ. 1989. Nifedipine is excreted in human milk. Eur J Clin Pharmacol. 36(4):427-8.
- Tabacova SA, et al. 2002. Developmental abnormalities reported to FDA in association with nifedipine treatment in pregnancy. Teratology; 65:368.
- Taddio A, et al 1996. Is nifedipine use during labor and breast-feeding safe for the neonate? Clin Investig Med 19:S11. Abstract.
- Weber-Schoendorfer C, et al. 2008. The safety of calcium channel blockers during pregnancy: a prospective, multicenter, observational study. Reprod Toxicol 26(1): 24-30.
- Wu M, et al 2012. Raynaud’s phenomenon of the nipple. Obstet Gynecol. 119(2 Pt 2):447-9.

[¿Preguntas? Llame al 866.626.6847 | Texto 855.999.3525 | Correo electrnico o chat en MotherToBaby.org .](#)

Descargo de responsabilidad: las hojas informativas de MotherToBaby estn destinadas a fines de informacin general y no deben reemplazar los consejos de su proveedor de atencin mdica. MotherToBaby es un servicio de la Organizacin sin fines de lucro de Especialistas en Informacin de Teratologa (OTIS). Copyright de OTIS, 1 de agosto de 2024.

Amlodipine (Norvasc®)

Selected References:

- Aselton P, et al. 1985. First-trimester drug use and congenital disorders. *Obstet Gynecol*, 65(4):451-455.
- Cao Y, et al. 2021. Maternal use of cough medications during early pregnancy and selected birth defects: a US multisite, case-control study. *BMJ Open*, 11:e053604.
- Einarson A, et al. 2001. The safety of dextromethorphan in pregnancy: Results of a controlled study. *Chest*, 119(2):466-469.
- Heinonen OP, et al. 1977. *Birth Defects and Drugs in Pregnancy*. Littleton, Mass.: John Wright-PSG, page 382.
- Martinez-Frias ML, et al. 2001. Epidemiologic analysis of prenatal exposure to cough medicines containing dextromethorphan: no evidence of human teratogenicity. *Teratology*, 63(1):38-41.
- Shum S, et al. 2022. Infant dextromethorphan and dextropropriofen exposure via breast milk from mothers who are CYP2D6 extensive metabolizers. *J Clin Pharmacol*, 62(6):747-755.
- Ward KE. 2005. Can Robitussin DM be used to treat cough during pregnancy? *Med Health R I*, 88(3):99-100.

[¿Preguntas? Llame al 866.626.6847 | Texto 855.999.3525 | Correo electrónico o chat en MotherToBaby.org .](#)

Descargo de responsabilidad: las hojas informativas de MotherToBaby están destinadas a fines de información general y no deben reemplazar los consejos de su proveedor de atención médica. MotherToBaby es un servicio de la Organización sin fines de lucro de Especialistas en Información de Teratología (OTIS). Copyright de OTIS, 1 de agosto de 2024.

Amlodipine (Norvasc®)

Selected References

- Anderson PO, McGuire GG. 1989. Neonatal alprazolam withdrawal – possible effects of breastfeeding. *DICP*. 23:614. Letter.
- Andrade C. 2019. Gestational Exposure to Benzodiazepines, 1: The Risk of Spontaneous Abortion Examined

Through the Prism of Research Design. *J Clin Psychiatry*.;80(5):19f13076

- Barry WS, St. Clair SM. 1987. Exposure to benzodiazepines in utero. *Lancet*. 1:1436-7.
- Browne JL, Hauge KJ. 1986. A review of alprazolam withdrawal. *Drug Intell Clin Pharm*; 20(11):837-41.
- Eros E, et al. 2002. A population-based case-control teratologic study of nitrazepam, medazepam, tofisopam, alprazolam and clonazepam treatment during pregnancy. *Eur J Obstet Gynecol Reprod Biol*. 101:147-54.
- Freeman MP, et al. 2018. Obstetrical and neonatal outcomes after benzodiazepine exposure during pregnancy: Results from a prospective registry of women with psychiatric disorders. *Gen Hosp Psychiatry*. 53:73-79.
- Furugen A, et al. 2019. Quantification of eight benzodiazepines in human breastmilk and plasma by liquid-liquid extraction and liquid-chromatography tandem mass spectrometry: Application to evaluation of alprazolam transfer into breastmilk. *J Pharm Biomed Anal*. 168:83-93.
- García-Algar O, et al. 2007. Confirmation of gestational exposure to alprazolam by analysis of biological matrices in a newborn with neonatal sepsis. *Clin Toxicol (Phila)*. 45(3):295-8.
- Grigoriadis S, et al. 2019. Benzodiazepine Use During Pregnancy Alone or in Combination With an Antidepressant and Congenital Malformations: Systematic Review and Meta-Analysis. *J Clin Psychiatry*. 80(4):18r12412
- Ito S, et al. 1993. Prospective follow-up of adverse reactions in breastfed infants exposed to maternal medication. *Am J Obstet Gynecol*. 168:1393-9.
- Källén B, et al. 2013. The use of central nervous system active drugs during pregnancy. *Pharmaceuticals (Basel)*. 6(10):1221-86.
- Kelty E, et al. 2023. Safety of alprazolam use in pregnancy in Western Australia: A retrospective cohort study using linked health data. *J of Psychoactive Drugs*. 1-7.
- Lee H, et al. 2022. Pregnancy and Neonatal Outcomes After Exposure to Alprazolam in Pregnancy. *Front Pharmacol*. 25: 13:854562.
- Mazzilli R, et al. 2021. Psychotropic Drugs Levels in Seminal Fluid: A New Therapeutic Drug Monitoring Analysis?. *Front Endocrinol (Lausanne)*. 12:620936.
- Meng LC, et al. 2024. Benzodiazepine Use During Pregnancy and Risk of Miscarriage. *JAMA Psychiatry*. 81(4):366-373.
- Munjack DJ, Crocker B. 1986. Alprazolam-induced ejaculatory inhibition. *J Clin Psychopharmacol* 6:57-8.
- Ogawa Y, et al. 2018. Maternal exposure to benzodiazepine and risk of preterm birth and low birth weight: A case-control study using a claims database in Japan. *Asia Pac Psychiatry*. 2018 Sep;10(3):e12309
- Nishimura A, et al. 2021. Benzodiazepine Concentrations in the Breast Milk and Plasma of Nursing Mothers: Estimation of Relative Infant Dose. *Breastfeed Med*. 16(5): 424-432.
- Noh Y, et al. 2022. First-trimester exposure to benzodiazepines and risk of congenital malformations in offspring: A population-based cohort study in South Korea. *PLoS Med*. 2022;19(3):e1003945
- Nonacs R. 2020. "Benzodiazepines and Risk of Ectopic Pregnancy". MGH Center for Women's Mental Health. <https://womensmentalhealth.org/posts/benzodiazepine-ectopic/>. Psychiatric Disorder during Pregnancy
- Nonacs R. 2019. "Benzodiazepines During Early Pregnancy and risk of Miscarriage". MGH Center for Women's Mental Health. <https://womensmentalhealth.org/posts/benzodiazepine-during-early-pregnancy-and-risk-of-miscarriage-2/>. Anxiety Disorder, June. Pregnancy Loss, Pregnancy Outcome.
- Nonacs R. 2019. "Interpreting New Data on the Use of Benzodiazepines During Pregnancy. MGH Center for Women's Mental Health. <https://womensmentalhealth.org/posts/interpreting-new-data-on-the-use-of-benzodiazepines-during-pregnancy/>. December. Psychiatric Disorders during Pregnancy
- Oo CY, et al. 1995. Pharmacokinetics in lactating women: prediction of alprazolam transfer into milk. *Br J Clin Pharmacol*. 40:231-6.
- Petric D, et al. 2011. High doses alprazolam induced amenorrhoea and galactorrhoea. *Psychiatr Danub*. 23(1):123-4.
- Sheehy O, et al. 2019. Association Between Incident Exposure to Benzodiazepines in Early Pregnancy and Risk

of Spontaneous Abortion. JAMA Psychiatry. 76(9): 948-957.

- Shyken JM, et. Al. 2019. Benzodiazepines in Pregnancy. Clin Obstet Gynecol.;62(1):156-167
- St Clair SM, Schnirmer RG. 1992. First-trimester exposure to alprazolam. Obstet Gynecol. 80:843-846.
- Tinker SC, et al; National Birth Defects Prevention Study. 2019. Use of benzodiazepine medications during pregnancy and potential risk for birth defects, National Birth Defects Prevention Study, 1997-2011. Birth Defects Res; 111(10):613-620.
- Wall-Wieler et al. 2020. Benzodiazepine use before conception and risk of ectopic pregnancy. Human Reproduction, Vol.35, No.7, pp. 1685-1692.
- Wisner KL, Yonkers KA. 2019. Are Adverse Reproductive Outcomes Associated With the Illness or Its Treatment (or Both)?. JAMA Psychiatry. 2019;76(12):1317-1318
- Yamamoto K, et al. 2019. Pharmacokinetic assessment of alprazolam-induced neonatal abstinence syndrome using physiologically based pharmacokinetic model. Drug Metab Pharmacokinet. 34(6):400-402.

¿Preguntas? Llame al 866.626.6847 | Texto 855.999.3525 | Correo electrónico o chat en [MotherToBaby.org](https://www.MotherToBaby.org) .

Descargo de responsabilidad: las hojas informativas de MotherToBaby están destinadas a fines de información general y no deben reemplazar los consejos de su proveedor de atención médica. MotherToBaby es un servicio de la Organización sin fines de lucro de Especialistas en Información de Teratología (OTIS). Copyright de OTIS, 1 de agosto de 2024.