

Fluoxetine (Prozac®)

Selected References:

- Alwan S, et al. 2016. Safety of selective serotonin reuptake inhibitors in pregnancy: a review of current evidence. *CNS Drugs*, 30(6):499-515.
- Andersen JT, et al. 2014. Exposure to selective serotonin reuptake inhibitors in early pregnancy and the risk of miscarriage. *Obstet Gynecol*, 124:655-661.
- Bandoli G, et al. 2020. Prenatal antidepressant use and risk of adverse neonatal outcomes. *Pediatrics*, 146(1):e20192493.
- Berard A, et al. 2017. Antidepressant use during pregnancy and the risk of major congenital malformations in a cohort of depressed pregnant women: an updated analysis of the Quebec Pregnancy Cohort. *BMJ Open*, 7:e013372.
- Bonari L, et al. 2004. Perinatal risks of untreated depression during pregnancy. *Can J Psychiatry*, 49(11):726-735.
- Burch KJ and Wells BG. 1992. Fluoxetine/norfluoxetine concentrations in human milk. *Pediatrics*, 89:676-677.
- Chambers CD, et al. 1999. Weight gain in infants breastfed by mothers who take fluoxetine. *Pediatrics*, 104(5):11-15.
- Chambers C, et al. 2006. Selective serotonin-reuptake inhibitors and risk of persistent pulmonary hypertension of the newborn. *N Engl J Med*, 354(6):579-587.
- Desaunay P, Eude LG, Dreyfus M, Alexandre C, Fedrizzi S, Alexandre J, Uguz F, Guénolé F. Benefits and Risks of Antidepressant Drugs During Pregnancy: A Systematic Review of Meta-analyses. *Paediatr Drugs*. 2023 May;25(3):247-265. doi: 10.1007/s40272-023-00561-2. Epub 2023 Feb 28. PMID: 36853497.
- Diav-Citrin O, et al. 2008. Paroxetine and fluoxetine in pregnancy: a prospective, multicenter, controlled, observational study. *Br J Clin Pharmacol*, 66(5):695-705.
- Gao SY, et al. 2017. Fluoxetine and congenital malformations: a systematic review and meta-analysis of cohort studies. *Br J Clin Pharmacol*, 83(10):2134-2147.
- Goldstein DJ, Marvel DE. 1993. Psychotropic medications during pregnancy: risk to the fetus. *JAMA*, 270:2177.
- Goldstein DJ, et al. 1997. Effects of first-trimester fluoxetine exposure on the newborn. *Obstet Gynecol*, 89:713-8.
- Grigoriadis S, et al. 2013. The effect of prenatal antidepressant exposure on neonatal adaptation: a systematic review and meta-analysis. *J Clin Psychiatry*, 74(4):e309-20.
- Grigoriadis S, et al. 2019. Benzodiazepine use during pregnancy alone or in combination with an antidepressant and congenital malformations: systematic review and meta-analysis. *J Clin Psychiatry*, 80(4):18r12412.
- Huybrechts KF, et al. 2014. Antidepressant use in pregnancy and the risk of cardiac defects. *N Engl J Med*, 370:2397-2407.
- Huybrechts KF, et al. 2015. Antidepressant use late in pregnancy and risk of persistent pulmonary hypertension of the newborn. *JAMA*, 313(21):2142-2151.
- Isenberg KE. 1990. Excretion of fluoxetine in human breast milk. *J Clin Psychiatry*, 51:169.
- Jimenez-Solem E et al. 2012. Exposure to selective serotonin reuptake inhibitors and the risk of congenital malformations: a nationwide cohort study. *BMJ*, 2:e001148.
- Jordan S, et al. 2019. Antidepressant prescriptions, discontinuation, depression and perinatal outcomes, including breastfeeding: a population cohort analysis. *PLoS One*, 14(11):e0225133.
- Kaplan et al. 2017. Maternal SSRI discontinuation, use, psychiatric disorder and the risk of autism in children: a meta-analysis of cohort studies. *Br J Clin Pharmacol*, 83(12):2798-2806.
- Kieviat N, et al. 2015. Risk factors for poor neonatal adaptation after exposure to antidepressants in utero. *Acta Paediatr*, 104(4):384-391.

- Kristensen JH, et al. 1999. Distribution and excretion of fluoxetine and norfluoxetine in human milk. *Br J Clin Pharmacol*, 48(4):521-527.
- Levinson-Castiel R, et al. 2006. Neonatal abstinence syndrome after in utero exposure to selective serotonin reuptake inhibitors in term infants. *Arch Pediatr Adolesc Med*, 160:173-176.
- Louik C, et al, 2007. First-trimester use of selective serotonin-reuptake inhibitors and the risk of birth defects. *N Engl J Med*, 356:2675-2683.
- Lusskin SI, et al. 2018. Pharmacotherapy for Perinatal Depression. *Clin Obstet Gynecol*, 61(3):544-561.
- Masarwa R, et al. 2019. Prenatal exposure to selective serotonin reuptake inhibitors and risk for persistent pulmonary hypertension of the newborn: a systematic review, meta-analysis, and network meta-analysis. *Am J Obstet Gynecol*, 220(1):57.e1-57.e13.
- Morris R, Matthes J. 2015. Serotonin syndrome in a breast-fed neonate. *BMJ Case Rep*, doi:10.1136/bcr-2015-209418.
- Moses-Kolko, E.L. et al. 2005. Neonatal signs after late in utero exposure to serotonin reuptake inhibitors. Literature review and implications for clinical applications. *J Am Med Assoc*, 293: 2372-2383.
- Nulman I, et al. 1997. Neurodevelopment of children exposed in utero to antidepressant drugs. *NEJM*, 336(4):258-262.
- Nulman I, et al. 2002. Child development following exposure to tricyclic antidepressants or fluoxetine throughout fetal life: a prospective, controlled study. *Am J Psychiatry*, 159(11):1889-1895.
- Ornoy A. 2017. Neurobehavioral risks of SSRIs in pregnancy: Comparing human and animal data. *Reprod Toxicol*, 72:191-200.
- Pedersen LH, et al. 2009. Selective serotonin inhibitors in pregnancy and congenital malformations: population based cohort study. *BMJ*, 339:b3569.
- Rampono J, et al. 2009. Placental transfer of SSRI and SNRI antidepressants and effects on the neonate. *Pharmacopsychiatry*, 42(3):95-100.
- Ruchkin V, Martin A. 2005. SSRIs and the developing brain. *Lancet*, 365:451-453.
- Sanz E, et al. 2005. Selective serotonin reuptake inhibitors in pregnant women and neonatal withdrawal syndrome: a database analysis. *Lancet*, 365:482-487.
- Sjaarda LS et al. 2020. Urinary selective serotonin reuptake inhibitors across critical windows of pregnancy establishment: a prospective cohort study of fecundability and pregnancy loss. *Fertil Steril*, 114(6):1278-1287.
- Strain, SL. 1994. Fluoxetine-initiated ovulatory cycles in two clomiphene-resistant women. *J Am J Psychiatry*, 151(4):620.
- Salisbury AL, et al. 2016. The roles of maternal depression, serotonin reuptake inhibitor treatment, and concomitant benzodiazepine use on infant neurobehavioral functioning over the first postnatal month. *Am J Psychiatry*, 173(2):147-157.
- Sylvester C, et al. 2019. selective serotonin reuptake inhibitors and fertility: considerations for couples trying to conceive. *Harv Rev Psychiatry*, 27(2):108-118.
- Taddio A, Ito S, and Koren G. 1996. Excretion of fluoxetine and its metabolite, norfluoxetine, in human breastmilk. *J Clin Pharmacol*, 36(1):42-47.
- Wang S, et al. 2015. Selective serotonin reuptake inhibitors (SSRIs) and the risk of congenital heart defects: a meta-analysis of prospective cohort studies. *Journal of the American Heart Association*, 4(5)e001681.
- Wen SW, et al. 2006. Selective serotonin reuptake inhibitors and adverse pregnancy outcomes. *Am J Obstet Gynecol*, 194(4):961-966.
- Wisner KL, Avram MJ, George AL Jr, Abramova TV, Yang A, Caritis SN, Costantine MM, Stika CS. Concentrations of Fluoxetine Enantiomers Decline During Pregnancy and Increase After Birth. *J Clin Psychopharmacol*. 2024 Mar-Apr 01;44(2):100-106. doi: 10.1097/JCP.0000000000001821. PMID: 38421920; PMCID: PMC10906734.
- Yang F, et al. 2017. Risk of autism spectrum disorder in offspring following paternal use of selective serotonin reuptake inhibitors before conception: a population-based cohort study. *BMJ Open*, 7(12):e016368.
- Yang F, et al. 2018. Prenatal paternal selective serotonin reuptake inhibitors use and risk of ADHD in offspring. *Pediatrics*, 141(1):e20171081.

- Yonkers KA, et al. 2009. The management of depression during pregnancy: a report from the American Psychiatric Association and the American College of Obstetricians and Gynecologists. *Obstet Gynecol*, 114(3):703-713.
- Yoshida, K, et al. 1998. Fluoxetine in breastmilk and developmental outcome of breastfed infants. *Br J Psychiatry*, 172:175-178.
- Pregnant Women with Suspected or Confirmed Influenza. *Obstet Gyn*,132(4):e169-e173.

¿Preguntas? Llame al 866.626.6847 | Texto 855.999.3525 | Correo electrónico o chat en [MotherToBaby.org](https://www.MotherToBaby.org) .

Descargo de responsabilidad: las hojas informativas de MotherToBaby están destinadas a fines de información general y no deben reemplazar los consejos de su proveedor de atención médica. MotherToBaby es un servicio de la Organización sin fines de lucro de Especialistas en Información de Teratología (OTIS). Copyright de OTIS, 1 de agosto de 2024.

Fluoxetine (Prozac®)

Selected References:

- Almeida AR, et al. (2023). Challenges encountered by natural repellents: Since obtaining until the final product. *Pestic Biochem Physiol*.195:105538.
- Barr DB, et al. 2010. Pesticide concentrations in maternal and umbilical cord sera and their relation to birth outcomes in a population of pregnant women and newborns in New Jersey. *Sci Total Environ* 408(4):790-795.
- Byrne S. 2016. Consumer Reports. Mosquito Repellents That Best Protect Against Zika. Available at: <http://www.consumerreports.org/insect-repellents/mosquito-repellents-that-best-protect-against-zika/>
- Diaz JH. 2016. Chemical and plant-based insect repellents: efficacy, safety, and toxicity. *Wilderness & Environmental Medicine* 27(1):153-63.
- Dugas J, et al. 2010. Use of biocides and insect repellents and risk of hypospadias. *Occup Environ Med* 67:196-200.
- Repellents: Protection against Mosquitoes, Ticks and Other Arthropods. Sept 14, 2021. Available at: <https://www.epa.gov/insect-repellents>. Accessed July 7, 2022.
- Fradin MS et al. 2002. Comparative efficacy of insect repellents against mosquito bites. *New Eng J of Med* 347.1: 13-18.

- Goodyer, L. et al. 2018. Mosquito repellents for the traveller: does picaridin provide longer protection than DEET? *J Travel Med* 25(suppl_1):S10.
- Lupi E, et al. 2013. The efficacy of repellents against *Aedes*, *Anopheles*, *Culex* and *Ixodes* spp.—a literature review. *Travel Med Infect Dis* 11(6):374-411.
- McGready R, et al. 2001. Safety of the insect repellent N,N-diethyl-M-toluamide (DEET) in pregnancy. *Am J Trop Med Hyg.* 65(4):285-9.
- Nguyen Q D, et al. 2018. Insect repellents: an updated review for the clinician. *J of the Amer Acad of Derm.*
- Orders, M. 2021. Insect Repellents. *Med Lett Drugs Ther* 63(1628): 109-112.
- Segal TR, et al. 2017. Urinary concentrations of 3-(diethylcarbamoyl)benzoic acid (DCBA), a major metabolite of N,N-diethyl-m-toluamide (DEET) and semen parameters among men attending a fertility center. *Hum Reprod* 32(12):2532-2539.
- The American College of Obstetricians and Gynecologists (ACOG). 2019. Management of patients in the context of Zika virus. ACOG Committee Opinion, number 784. *Obstet Gynecol.* 134:e64.
- The U.S. Centers for Disease Control and Prevention (CDC). Prevent Mosquito Bites. Dec 2019. Available at: <https://www.cdc.gov/mosquitoes/prevention/?CDC> . Accessed August 2024.
- Wylie B., et al. 2016. Insect repellants during pregnancy in the era of the Zika Virus. *Obstetrics and Gynecology*; 128(5), 1111-1115.

¿Preguntas? Llame al 866.626.6847 | Texto 855.999.3525 | Correo electrónico o chat en [MotherToBaby.org](https://www.mothertobaby.org) .

Descargo de responsabilidad: las hojas informativas de MotherToBaby están destinadas a fines de información general y no deben reemplazar los consejos de su proveedor de atención médica. MotherToBaby es un servicio de la Organización sin fines de lucro de Especialistas en Información de Teratología (OTIS). Copyright de OTIS, 1 de agosto de 2024.

Fluoxetine (Prozac®)

Selected References:

- Amir LH, et al. 2006. A case-control study of mastitis: nasal carriage of *Staphylococcus* BMC Family Practice 7:57.
- Behari P, et al. 2004. Transmission of methicillin-resistant *Staphylococcus aureus* to preterm infants through

breast milk. *Infect Control Hosp Epidemiol* 25(9):778-780.

- Briggs G. 2005. *Drugs in Pregnancy and Lactation, a reference guide to fetal and neonatal risk*. 7th Ed. Baltimore, MD: Williams & Williams.
- Centers for Disease Control and Prevention (CDC). 2024. About Staph food poisoning. <https://www.cdc.gov/staph-food-poisoning/about/index.html> [Accessed 8/2024].
- Centers for Disease Control and Prevention (CDC). 2024. Preventing Methicillin-resistant Staphylococcus aureus (MRSA): Prevent MRSA in higher risk settings. https://www.cdc.gov/mrsa/prevention/index.html#cdc_prevention_when_traveling-prevent-mrsa-in-higher-risk-s-ettings [Accessed 8/2024].
- Centers for Disease Control and Prevention (CDC). 2024. Strategies to prevent hospital-onset Staphylococcus aureus bloodstream infections in acute care facilities. <https://www.cdc.gov/staphylococcus-aureus/hcp/prevent-in-acute-care-facilities/index.html> [Accessed 8/2024].
- De Rose, et al. 2023. Staphylococcal infections and neonatal skin: data from literature and suggestions for the clinical management from four challenging patients. *Antibiotics*. 12(4):632.
- Elston DM. 2007. Community acquired methicillin-resistant Staphylococcus aureus. *J Am Acad Dermatol* 56(1):1-16.
- Farsimadan M, Motamedifar M. 2020. Bacterial infection of the male reproductive system causing infertility. *J Reprod Immunol*. 142:103183.
- Frank A, et al. 1999. Community-acquired and clindamycin-susceptible methicillin-resistant Staphylococcus aureus in children. *Ped Inf Dis J* 18:993-1000.
- Gastelum DT, et al. 2005. Transmission of community-associated methicillin-resistant Staphylococcus aureus from breast milk in the neonatal intensive care unit. *Pediatr Infect Dis J*. 24(12):1122-1124. 2
- Goto H, et al. 2003. Susceptibilities of bacteria isolated from patients with lower respiratory infectious diseases to antibiotics. *Jpn J Antibiot*. 58(3):326-58.
- Kawada M, et al. 2003. Transmission of Staphylococcus aureus between healthy, lactating mothers and their infants by breastfeeding. *J Hum Lact* 19(4):411- 417.
- Kriebs JM. 2016. Staphylococcus Infections in Pregnancy: Maternal and Neonatal Risks. *J Perinat Neonatal Nurs*. 30(2):115-23.
- Laibl V, et al. 2005. Clinical Presentation of Community-Acquired Methicillin-Resistant Staphylococcus aureus in Pregnancy. *Obstet Gynecol* 106 (3):461- 5.
- Leshem E et al. 2012. Transmission of Staphylococcus aureus from mothers to newborns. *Pediatr Infect Dis J*. 2012 Apr;31(4):360-3.
- Lazenby GB, et al. 2012. Methicillin-resistant Staphylococcus aureus colonization among women admitted for preterm delivery. *Am J Obstet Gynecol*. 206(4):329.e1-5.
- Maglio D, et al. 2005. Simulation of antibiotic pharmacodynamic exposure for the empiric treatment of nosocomial bloodstream infections: a report from the OPTAMA program. *Clin Ther*. 27(7):1032-42.
- Piva S, Mariella J, et al 2021. Epidemiologic case investigation on the zoonotic transmission of Staphylococcus aureus infection from goat to veterinarians. *Zoonoses Public Health*. 2021 Sep;68(6):684-690.
- Price M, et al. 1998. Prevalence of methicillin-resistant Staphylococcus aureus in a dermatology outpatient population. *South Med J* 91:369-71.
- Saravolatz L, et al. 1982. Methicillin-resistant Staphylococcus aureus: epidemiologic observations during a community-acquired outbreak. *Ann Intern Med*. 96:11-16.
- Sheffield JS. 2013. Methicillin-resistant Staphylococcus aureus in obstetrics. *Am J Perinatol*. 30(2):125-9.
- Younger Meek, American Academy of Pediatrics, et al. 2022. Policy Statement: Breastfeeding and the Use of Human Milk. *Pediatrics*; 150 (1): e2022057988.

¿Preguntas? Llame al 866.626.6847 | Texto 855.999.3525 | Correo electrónico o chat en [MotherToBaby.org](https://www.MotherToBaby.org) .

Descargo de responsabilidad: las hojas informativas de MotherToBaby están destinadas a fines de información general y no deben reemplazar los consejos de su proveedor de atención médica. MotherToBaby es un servicio de la Organización sin fines de lucro de Especialistas en Información de Teratología (OTIS). Copyright de OTIS, 1 de agosto de 2024.

Fluoxetine (Prozac®)

- Agrawal M, et al. 2022. Antithyroid drug therapy in pregnancy and risk of congenital anomalies: Systematic review and meta-analysis. *Clinical endocrinology*, 96(6):857-868.
- Akmal A, Kung J. 2014. Propylthiouracil, and methimazole, and carbimazole-related hepatotoxicity. *Expert Opin Drug Saf*, 13(10):1397-1406.
- Alexander EK, et al. 2017. 2017 Guidelines of the American Thyroid Association for the Diagnosis and Management of Thyroid Disease During Pregnancy and the Postpartum. *Thyroid: official journal of the American Thyroid Association*, 27(3):315-389.
- American College of Obstetricians and Gynecology. 2020. Thyroid disease in pregnancy. *ACOG Practice Bulletin*, Number 223. *Obstet Gynecol*, 135(6):e261-e274.
- Andersen SL, et al. 2013. Birth Defects after early pregnancy use of antithyroid drugs: A Danish nationwide study. *J Clin Endocrinol Metab*, 98(11):4374-4381.
- Andersen SL, et al. 2017. Birth Defects after early pregnancy use of antithyroid drugs: A Swedish nationwide study. *Euro J Endocrinol*, 177(4):369-378.
- Andersen SL, Andersen S. 2020. Antithyroid drugs and birth defects. *Thyroid Res*, 13:11.
- Arata N, et al. 2012. Pregnancy outcomes of exposure to methimazole (POEM) study: an interim report. *Japanese journal of clinical medicine*, 70(11):1976-1982.
- Awosika AO, et al. 2023. Methimazole. *StatPearls* [Internet], Treasure Island (FL), available from: <https://www.ncbi.nlm.nih.gov/books/NBK545223/>
- Azizi F. 2003. Thyroid function in breast-fed infants is not affected by methimazole-induced maternal hypothyroidism: results of a retrospective study. *J Endocrinol Invest*, 26:301-304.
- Baid SK, Merke DP. 2007. Aplasia cutis congenita following in utero methimazole exposure. *J Pediatr Endocrinol Metab*, 20:585-586.
- Barbero P, et al. 2008. Choanal atresia associated with maternal hyperthyroidism treated with methimazole: a case-control study. *Am J Med Genet*, 146A(18):2390-2395.
- Cassina M, et al. 2012. Pharmacologic treatment of hyperthyroidism during pregnancy. *Birth Defects Res A Clin Mol Teratol*, 94(8):612-619.
- Chan GW, Mandel SJ. 2007. Therapy insight: management of Graves' disease during pregnancy. *Nat Clin Pract Endocrinol Metab*; 3(6):470-8.

- Chen CH, et al. 2011. Risk of adverse perinatal outcomes with antithyroid treatment during pregnancy: a nationwide population-based study. *BJOG*, 118:1365-1373.
- Clementi M, et al. 1999. Methimazole embryopathy: delineation of the phenotype. *Am J Med Genet*, 83:43-46.
- Committee on Drugs, American Academy of Pediatrics. 2001. The transfer of drugs and other chemicals into human breast milk. *Pediatrics*, 108:776-789.
- Cooper DS. 1987. Antithyroid drugs: to breast-feed or not to breast-feed. *Am J Obstet Gynecol*, 157:234-235.
- Diav-Citrin O, Ornoy A. 2002. Teratogen update: antithyroid drugs-methimazole, carbimazole, and propylthiouracil. *Teratology*, 65:38-44.
- Di Gianantonio E, et al. 2001. Adverse effects of prenatal methimazole exposure. *Teratology*, 64(5):262-266.
- Dumi M, et al. 2002. Choanal stenosis, hypothelia, deafness, recurrent dacryocystitis, neck fistulas, short stature, and microcephaly: report of a case. *Am J Med Genet*, 113:295-297.
- Dumitrascu MC, et al. 2021. Hyperthyroidism management during pregnancy and lactation (Review). *Exp Ther Med*, 22(3):960.
- Eisenstein Z, et al. 1992. Intellectual capacity of subjects exposed to methimazole or propylthiouracil in utero. *Eur J Pediatr*, 151:558-559.
- Ferraris S, et al. 2003. Malformations following methimazole exposure in utero: an open issue. *Birth Defects Res (Part A)*, 67:989-992.
- Francis T, et al. 2020. Safety of antithyroid drugs in pregnancy: update and therapy implications. *Expert Opin Drug Saf*, 19(5):565-576.
- Gianetti E, et al. 2015. Pregnancy outcome in women treated with methimazole or propylthiouracil during pregnancy. *J Endocrinol Invest*, 38(9):977-985.
- Greenberg F. 1987. Brief clinical report: Choanal atresia and athelia: Methimazole teratogenicity or a new syndrome? *Am J Med Genet*, 28:931-934.
- Gripp KW, et al. 2011. Grade 1 microtia, wide anterior fontanel and novel type trachea-esophageal fistula in methimazole embryopathy. *Am J Med Genet A*, 155A(3):526-533.
- Howley MM, et al. 2017. Thyroid medication use and birth defects in the National Birth Defects Prevention Study. *Birth Defects Res*, 109(18):1471-1481.
- Hudzik B, Zubelewicz-Szkodzinska B. 2016. Antithyroid drugs during breastfeeding. *Clin Endocrinol (Oxf)*, 85(6):827-830.
- Johnsson E, et al. 1997. Severe malformations in infant born to hyperthyroid woman on methimazole. *Lancet*, 350:1520.
- Karlsson FA, et al. 2002. Severe embryopathy and exposure to methimazole in early pregnancy. *J Clin Endocrinol Metab*, 87(2):947-949.
- Korelitz JJ, et al. 2013. Prevalence of thyrotoxicosis, antithyroid medication use, and complications among pregnant women in the United States. *Thyroid*, 23:758-765.
- Martin-Denavit T, et al. 2000. Ectodermal abnormalities associated with methimazole intrauterine exposure [letter]. *Am J Med Genet*, 94:338-340.
- Methimazole tablets, USP Prescribing Information. Par Pharmaceutical Companies, Inc. Spring Valley, NY 10977. Accessed May 2024. https://www.accessdata.fda.gov/drugsatfda_docs/label/2012/040350s016lbl.pdf
- Mitsuda N, et al. 1992. Risk factors for developmental disorders in infants born to women with Graves disease. *Obstet Gynecol*; 80(3 Pt 1):359-64.
- Momotani M, et al. 1984. Maternal hyperthyroidism and congenital malformation in the offspring. *Clin Endocrinol (Oxford)*, 20:695-700.
- Purnamasari D, et al. 2019. Gastroschisis Following Treatment with High-Dose Methimazole in Pregnancy: A Case Report. *Drug Saf Case Rep*, 6(1):5.
- Radetti G, et al. 2002. Foetal and neonatal thyroid disorders. *Minerva Pediatr*; 54(5):383-400.
- Rasmussen SA, et al. 2007. Maternal thyroid disease as a risk factor for craniosynostosis. *Obstetrics and gynecology*, 110(2 Pt 1):369-377.

- Romeo AF, Obican SG. 2020. Teratogen Update: Antithyroid Medications. Birth Defects Res, 112(15):1150-1170.
- Sargent KA, et al. 1994. Apparent scalp-ear-nipple (Findlay) syndrome in a neonate exposed to methimazole in-utero. Am J Hum Genet, 55:A312.
- Sato Y, et al. 2014. A case of fetal hyperthyroidism treated with maternal administration of methimazole. J Perinatol, 34(12):945-347.
- Seo GH, et al. 2018. Antithyroid drugs and congenital malformations. A nationwide Korean cohort study. Ann Intern Med, 168(6):405-413.
- Seoud M, et al. 2003. Gastrointestinal malformations in two infants born to women with hyperthyroidism untreated in the first trimester. Am J Perinatol, 20:59-62.
- Shepard TH, et al. 2002. Update on new developments in the study of human teratogens. Teratology, 65(4):153-161.
- Stagnaro-Green A, et al. 2011. Guidelines of the American Thyroid Association for the diagnosis and management of thyroid disease during pregnancy and postpartum. Thyroid, 21:1081-1125.
- Tegler L, Lindstrom B. 1980. Antithyroid drugs in milk. Lancet, 2:591.
- The WHO Working Group, Bennet PN (ed). 1988. Drugs and Human Lactation. Elsevier, Amsterdam, New York, Oxford, pp. 196-197.
- Tonacchera M, et al. 2020. Treatment of Graves' hyperthyroidism with thionamides: a position paper on indications and safety in pregnancy. J Endocrinol Invest, 43(2):257-265.
- Wilson LC, et al. 1998. Choanal atresia and hypothelia following methimazole exposure in utero: a second report. Am J Med Genet, 75:220-222.

¿Preguntas? Llame al 866.626.6847 | Texto 855.999.3525 | Correo electrónico o chat en [MotherToBaby.org](https://www.MotherToBaby.org) .

Descargo de responsabilidad: las hojas informativas de MotherToBaby están destinadas a fines de información general y no deben reemplazar los consejos de su proveedor de atención médica. MotherToBaby es un servicio de la Organización sin fines de lucro de Especialistas en Información de Teratología (OTIS). Copyright de OTIS, 1 de agosto de 2024.

Fluoxetine (Prozac®)

Selected References:

- Centers for Disease Control and Prevention. 2008. Prevention and control of influenza: Recommendations of the Advisory Committee on Immunization Practices (ACIP). MMWR 57(RR07):1-60.
- Centers for Disease Control and Prevention. 2024. Clinical Overview of Evaluating and Managing Patients Exposed to Birds Infected with Avian Influenza A Viruses of Public Health Concern. Available at: https://www.cdc.gov/bird-flu/hcp/clinicians-evaluating-patients/?CDC_AAref_Val=https://www.cdc.gov/flu/avianflu/clinicians-evaluating-patients.htm. Accessed 28 June 2024.
- Centers for Disease Control and Prevention. 2024. Current U.S. Bird Flu Situation in Humans. Available at: <https://www.cdc.gov/bird-flu/situation-summary/inhumans.html>. Accessed 28 June 2024.
- Centers for Disease Control and Prevention. 2024. Highly Pathogenic Avian Influenza A(H5N1) Virus in Animals: Interim Recommendations for Prevention, Monitoring, and Public Health Investigations. Available at: <https://www.cdc.gov/bird-flu/prevention/hpai-interim-recommendations.html>. Accessed 28 June 2024.
- Centers for Disease Control and Prevention. 2024. Prevention and Antiviral Treatment of Avian Influenza A Viruses in People. Available at: <https://www.cdc.gov/bird-flu/prevention/index.html>. Accessed 28 June 2024.
- Centers for Disease Control and Prevention. 2024. Reducing Risk for People Working with or Exposed to Animals. Available at: <https://www.cdc.gov/bird-flu/prevention/worker-protection-ppe.html>. Accessed 28 June 2024.
- Fiore AE et al. 2010. Prevention and control of influenza with vaccines: recommendations of the Advisory Committee on Immunization Practices (ACIP). MMWR Recomm Rep. 59(RR-8):1-62. Er ratum: Vol . 59, No. RR-8.
- Gu J, et al. 2007. H5N1 infection of respiratory tract and beyond: a molecular pathology study. Lancet 370:1137-1145.
- Le TV, et al. 2019. Fatal avian influenza A(H5N1) infection in a 36-week pregnant woman survived by her newborn in Sóc Trăng Province, Vietnam, 2012. Influenza Other Respir Viruses 13(3):292-297.
- Liu S, et al. 2016. Avian influenza virus in pregnancy. Rev Med Virol 26(4):268-284.
- Writing Committee of the Second World Health Organization Consultation on Clinical Aspects of Human Infection with Avian Influenza A (H5N1) Virus. 2008. Update on Avian Influenza A (H5N1) Virus Infection in Humans. N Engl J Med 358(3):261-273.
- Zaman K, et al. 2008. Effectiveness of maternal influenza immunization in mothers and infants. N Engl J Med 359(15):1555-64.

[¿Preguntas? Llame al 866.626.6847](#) | [Texto 855.999.3525](#) | [Correo electrónico o chat en MotherToBaby.org](#) .

Descargo de responsabilidad: las hojas informativas de MotherToBaby están destinadas a fines de información general y no deben reemplazar los consejos de su proveedor de atención médica. MotherToBaby es un servicio de la Organización sin fines de lucro de Especialistas en Información de Teratología (OTIS). Copyright de OTIS, 1 de agosto de 2024.