

Penicillin G

Selected References:

- Chu S, et al. 2015. Periconceptional and Gestational Exposure to Antibiotics and Childhood Asthma. PLoS One 10(10):e0140443
- Crider KS, et al. 2009. Antibacterial medication use during pregnancy and risk of birth defects: National Birth Defects Prevention Study. Arch Pediatr Adolesc Med. 163(11):978-985.
- Czeizel AE, et al. 1999. A population-based case-control teratological study of three parenteral penicillins G. Congenital Anomalies 39:117-126.
- Dencker BB, et al. 2002. Birth outcome of 1886 pregnancies after exposure to phenoxymethylpenicillin in utero. Clin Microbiol Infect 8:196-201.
- Gallagher, JS. 1988. Anaphylaxis in pregnancy. Obstet Gynecol 71:491-493.
- Greene H, et al. 1946. Excretion of penicillin in human milk following parturition. Am J Obstet Gynecol 51:732-733.
- Heinonen OP, et al. 1977. Birth Defects and Drugs in Pregnancy. Publishing Sciences Group: 299-313, 435.
- Jepsen P, et al. 2003. A population-based study of maternal use of amoxicillin and pregnancy outcome in Denmark. Br J Clin Pharmacol 55(2):216-221.
- Kosim H. 1959. Intrauterine fetal death as a result of anaphylactic reaction to penicillin in a pregnant woman. Dapim Refuiim 18:136-137.
- Meeraus WH, et al. 2015. Association between antibiotic prescribing in pregnancy and cerebral palsy or epilepsy in children born at term: a cohort study using the health improvement network. PLoS One 10(3): e0122034.
- Nahum GG, et al. 2006. Antibiotic use in pregnancy and lactation: what is and is not known about teratogenic and toxic risks. Obstet Gynecol 107(5):1120-38.
- Njotto LL, et al. 2023. Maternal and early-life exposure to antibiotics and the risk of autism and attention-deficit hyperactivity disorder in childhood: a Swedish population-based cohort study. Drug Saf. 46(5):467-478.
- Ortqvist AK, et al. 2014. Antibiotics in fetal and early life and subsequent childhood asthma: nationwide population based study with sibling analysis. BMJ. 349:g6979.
- Ravid R & Toaff R. 1972. On the possible teratogenicity of antibiotic drugs administered during pregnancy – a prospective study. Drugs and Fetal Development: 505-510.
- Simons & Schatz. 2012. Anaphylaxis during pregnancy. J Allergy Clin Immunol 130(3): 597-606.

¿Preguntas? Llame al 866.626.6847 | Texto 855.999.3525 | Correo electrónico o chat en MotherToBaby.org .

Descargo de responsabilidad: las hojas informativas de MotherToBaby están destinadas a fines de información general y no deben reemplazar los consejos de su proveedor de atención médica. MotherToBaby es un servicio de la Organización sin fines de lucro de Especialistas en Información de Teratología (OTIS). Copyright de OTIS, 1 de junio de 2024.

Penicillin G

Selected References:

- Agache I, et al. 2010. Risk factors and asthma phenotypes in children and adults with seasonal allergic rhinitis. *Phys Sportsmed* 38(4):81-86.
- Cao S, et al. 2020. Changes in children's asthma prevalence over two decades in Lanzhou: effects of socioeconomic, parental and household factors. *J Thorac Dis* 12(10):6365-6378.
- Centers for Disease Control and Prevention. 2020. General Information about Mold. Available from URL: <https://www.cdc.gov/mold-health/about/index.html>
- Centers for Disease Control and Prevention. 2004. Investigation of acute idiopathic pulmonary hemorrhage among infants – Massachusetts, December 2002-June 2003. *MMWR* 53:817-820.
- Centers for Disease Control and Prevention. 2020. Natural Disasters and Severe Weather. Mold after a Disaster. Available from URL: <https://www.cdc.gov/disasters/mold/>.
- Centers for Disease Control and Prevention. 2000. Update: pulmonary hemorrhage/hemosiderosis among infants – Cleveland, Ohio, 1993-1996. *MMWR* 49:180-184.
- DiPaolo JA, et al. 1967. Teratogenic response by hamsters, rats and mice to aflatoxin B1. *Nature* 215:638-9.
- Etzel RA, et al. 1998. Acute pulmonary hemorrhage in infants associated with exposure to *Stachybotrys atra* and other fungi. *Arch Pediatr Adolesc Med* 152:757-762.
- Gallant MJ, et al. 2020. Prenatal and early-life exposure to indoor air-polluting factors and allergic sensitization at 2 years of age. *Ann Allergy Asthma Immunol* 124(3):283-287.
- Hayes AW, et al. 1974. Teratogenic effects of ochratoxin A in mice. *Teratology* 9:93-7.
- Korpinen E. 1974. Studies on *Stachybotrys alternans*: effect of low doses of stachybotrys toxins on pregnancy of mice. *Acta Path Microbiol Scand* 82:457-464.
- Lee E, et al. 2020. Prenatal mold exposure is associated with development of atopic dermatitis in infants through allergic inflammation. *J Pediatr (Rio J)* 96:125-31.
- Loth EA, et al. 2015. Experimental Paracoccidioidomycosis in pregnant rats. *Rev Inst Med Trop San Paulo* 57(6): 515-518.
- Magoha H, et al. 2014. Association between aflatoxin M1 exposure through breast milk and growth impairment in infants from Northern Tanzania. *World Mycotoxin J* 7(3): 277-284.
- Magoha H, et al. 2014. Fumonisin B1 contamination in breast milk and its exposure in infants under 6 months of age in Rombo, Northern Tanzania. *Food Chem Toxicol* 74:112-116.
- Martyny JW, et al. 2005. Aerosolized sodium hypochlorite inhibits viability and allergenicity of mold on building materials. *J Allergy Clin Immunol* 116:630-635.
- Reddy CS, et al. 1981. Teratogenicity of secalonic acid D in mice. *J Toxicol Environ Health* 7:445-55.
- Strina A, et al. 2014. Risk factors for no-atopic asthma/wheeze in children and adolescents: a systematic review. *Emerg Themes Epidemiol* 11:5.

- US Environmental Protection Agency (EPA). 2024. Mold and Health. Available at URL: <https://www.epa.gov/mold/mold-and-health>
- US Environmental Protection Agency (EPA). 2018. Mold and Your Home. Available at URL: <https://www.epa.gov/mold/mold-and-your-home>.

¿Preguntas? Llame al 866.626.6847 | Texto 855.999.3525 | Correo electrónico o chat en [MotherToBaby.org](https://www.MotherToBaby.org) .

Descargo de responsabilidad: las hojas informativas de MotherToBaby están destinadas a fines de información general y no deben reemplazar los consejos de su proveedor de atención médica. MotherToBaby es un servicio de la Organización sin fines de lucro de Especialistas en Información de Teratología (OTIS). Copyright de OTIS, 1 de junio de 2024.

Penicillin G

Selected References:

- Alhomoud MA, et al. The Potential Preventive Effect of Pregnancy and Breastfeeding on Multiple Sclerosis. *Eur Neurol*. 2021;84(2):71-84.
- Amato MP and Portaccio E. 2015. Fertility, pregnancy and childbirth in patients with multiple sclerosis: impact of disease-modifying drugs. *CNS Drugs*. 29(3): 207-20.
- Andersen JB, et al. Pregnancy-Related and Perinatal Outcomes in Women With Multiple Sclerosis: A Nationwide Danish Cross-sectional Study. *Neurol Clin Pract*. 2021 Aug;11(4):280-290.
- Arafa A, et al. Does multiple sclerosis increase the risk of preeclampsia? A systematic review and meta-analysis. *Hypertens Pregnancy*. 2021 Aug;40(3):180-185.
- Ashtari F, et al. Investigating the interaction between fertility, pregnancy, and multiple sclerosis. *J Educ Health Promot*. 2021 Jun 30;10:220.
- Berenguer-Ruiz L, et al. 2019. Relapses and obstetric outcomes in women with multiple sclerosis planning pregnancy. *J Neurol* 266(10):2512-2517.
- Bove R. 2016. Women's Issues in Multiple Sclerosis. *Semin Neurol*. 36(2):154-62.
- Bsteh G, et al. 2020. Pregnancy and multiple sclerosis in the DMT era: A cohort study in Western Australia. *Mult Scler*. 26(1): 69-78.
- Carta A, et al. Maternal multiple sclerosis is not a risk factor for neurodevelopmental disorders in offspring. *Mult*

Scler J Exp Transl Clin. 2021 May 28;7(2).

- Coyle PK. 2016. Management of women with multiple sclerosis through pregnancy and after childbirth. *Ther Adv Neurol Disord.* May;9(3):198-210.
- Cuello JP, et al. 2017. Multiple sclerosis and pregnancy: a single-centre prospective comparative study. *Neurologia.* 32(2):92-98.
- D'Amico E, et al. Male fertility in relapsing-remitting multiple sclerosis patients treated with natalizumab and ocrelizumab: A prospective case-control study. *Mult Scler.* 2021 Dec;27(14):2284-2287.
- Eid K, et al. Perinatal Depression and Anxiety in Women With Multiple Sclerosis: A Population-Based Cohort Study. *Neurology.* 2021 Jun 8;96(23):e2789-e2800.
- Fragoso YD, et al. 2013. The effects of long-term exposure to disease-modifying drugs during pregnancy in multiple sclerosis, *Clin Neurol Neurosurg.* Feb;115(2): 154-9.
- Houtchens MK, et al. 2018. Pregnancy rates and outcomes in women with and without MS in the United States. *Neurology* 2018;91:e1559-69.
- Hughes SE, et al. 2014. Predictors and dynamics of postpartum relapses in women with multiple sclerosis. *Mult Scler* 20(6) 739-746.
- Jokubaitis VG, et al; MS Base Study Group. 2016. Predictors of long-term disability accrual in relapse-onset multiple sclerosis. *Ann Neurol.* 80(1):89-100.
- Lamaita R, et al. Multiple Sclerosis in Pregnancy and its Role in Female Fertility: A Systematic Review. *JBRA Assist Reprod.* 2021 Jul 21;25(3):493-499.
- Langer-Gould A. 2019. Pregnancy and family planning in multiple sclerosis. *Continuum* 25(3):773-792.
- Lu E, et al. 2014. Birth outcomes of pregnancies fathered by men with multiple sclerosis. *Mult Scler* Feb;20(9):1260-1264.
- Mahlanza TD, et al. Prospective growth and developmental outcomes in infants born to mothers with multiple sclerosis. *Mult Scler.* 2021 Jan;27(1):79-89.
- Massarotti C, et al. Effect of Multiple Sclerosis and Its Treatments on Male Fertility: Cues for Future Research. *J Clin Med.* 2021 Nov 19;10(22):5401.
- Moccia M, et al. 2023. Fertility, pregnancy and childbirth in women with multiple sclerosis: a population-based study from 2018 to 2020. *Journal of Neurology, Neurosurgery & Psychiatry,* 94:689-697.
- Neuteboom RF, et al. 2012. Pregnancy in multiple sclerosis: clinical and self-report scales. *J Neurol.* 259(2):311-7.
- Paidas PJ, et al. 2012. Pregnancy and multiple sclerosis (MS): A beneficial association. Possible therapeutic application of embryo-specific Pre-implantation Factor (PIF*). *Am J Reprod Immunol* 68(6):456-64.
- Pecori C, et al. 2014. Paternal therapy with disease modifying drugs in multiple sclerosis and pregnancy outcomes: a prospective observational multicentric study. *BMC Neurol.* 14:114.
- Sadovnick D. et al. 2023. The Canadian Multiple Sclerosis Pregnancy Study: First-trimester miscarriages in women with multiple sclerosis. *Multiple Sclerosis Journal,* 29(3), 407-414.
- Safarinejad MR. 2008. Evaluation of endocrine profile, hypothalamic-pituitary-testis axis and semen quality in multiple sclerosis. *J Neuroendocrinol.* 20(12):1368-1375.
- Villaverde-Gonzalez R, et al. 2020. Discontinuation of disease-modifying treatments in multiple sclerosis to plan a pregnancy: A retrospective registry study. *Mult Scler Relat Disord.* 46:102518.
- Voskuhl R, Momtazee C. 2017. Pregnancy: Effect on Multiple Sclerosis, Treatment Considerations, and Breastfeeding. *Neurotherapeutics.* 14(4):974-984.
- Weber-Schoendorfer C and Schaefer C. 2009. Multiple sclerosis, immunomodulators, and pregnancy outcome: a prospective observational study. *Mult Scler* 15(9):1037-1042.
- Zanghi A, et al. 2020. Pregnancy and the postpartum period in women with relapsing-remitting multiple sclerosis treated with old and new disease-modifying treatments: A real-world multicenter experience. *Front Neurol* 11:105.
- Ziemssen T, et al. 2001. Risk-benefit assessment of glatiramer acetate in multiple sclerosis. *Drug Saf.* 24(13):979-990.

¿Preguntas? Llame al 866.626.6847 | Texto 855.999.3525 | Correo electrónico o chat en [MotherToBaby.org](https://www.MotherToBaby.org) .

Descargo de responsabilidad: las hojas informativas de MotherToBaby están destinadas a fines de información general y no deben reemplazar los consejos de su proveedor de atención médica. MotherToBaby es un servicio de la Organización sin fines de lucro de Especialistas en Información de Teratología (OTIS). Copyright de OTIS, 1 de junio de 2024.

Penicillin G

Selected References:

- Abdel-Aleem H, et al. 2003. The pharmacokinetics of the prostaglandin E1 analogue misoprostol in plasma and colostrum after postpartum oral administration. *Eur J Obstet Gynecol Reprod Biol*; 108(1):25-8.
- Abdelshafy A, et al. 2019. Sublingual vs vaginal misoprostol for completion of first trimester missed abortion: a randomised controlled trial. *Eur J Contracept Reprod Health Care* 12: 1-6.
- Ameri A, et al. 2024. Effect of misoprostol versus oxytocin on delivery outcomes after labour induction in pregnant women: A systematic review and meta-analysis of randomized controlled trials. *Eur J Obstet Gynecol Reprod Biol*. 292:75-88.
- Auffret M, et al. 2016. Misoprostol exposure during the first trimester of pregnancy: Is the malformation risk varying depending on the indication? *Eur J Obstet Gynecol Reprod Biol*; 207:188-192.
- Bernard N, et al. 2013. Continuation of pregnancy after first-trimester exposure to mifepristone: an observational prospective study. *BJOG*; 120:568-575.
- Bord I, et al. 2014. Misoprostol treatment for early pregnancy failure does not impair future fertility. *Gynecol Endocrinol*; 30(4):316-9.
- Brasil R, et al. 2000. Misoprostol and congenital anomalies. *Pharmacoepidemiol Drug Saf*; 9(5):401-3.
- Brown SE, et al. 2001. Vaginal misoprostol enhances intrauterine insemination. *Hum Reprod* 2001; 16(1):96-101.
- Coelho KE, et al. 2000. Misoprostol embryotoxicity: clinical evaluation of fifteen patients with arthrogryposis. *Am J Med Genet*; 95(4):297-301.
- da Silva Dal Pizzol T, et al. 2006. Prenatal exposure to misoprostol and congenital anomalies: systematic review and meta-analysis. *Reprod Toxicol*; 22(4):666-71.
- Dal Pizzol Tda S, et al. 2008. Exposure to misoprostol and hormones during pregnancy and risk of congenital anomalies. *Cad Saude Publica*; 24(6):1447-53.
- Genest DR, et al. 1999. Terminal transverse limb defects with tethering and omphalocele in a 17 week fetus following first trimester misoprostol exposure. *Clin Dysmorphol*; 8(1):53-8.
- Gonzalez CH, et al. 1993. Limb deficiency with or without Möbius sequence in seven Brazilian children associated with misoprostol use in the first trimester of pregnancy. *Am J Med Genet*; 47(1):59-64.

- Gonzalez CH, et al. 1998. Congenital abnormalities in Brazilian children associated with misoprostol misuse in first trimester of pregnancy. *Lancet*; 351(9116):1624-7.
- Holmes LB, et al. 2018. Malformations attributed to the process of vascular disruption. *Birth Defects Res*; 110(2):98-107.
- Kandahari N, et al. 2023. Fetal heart rate patterns and the incidence of adverse events after oral misoprostol administration for cervical ripening among low-risk pregnancies. *J Matern Fetal Neonatal Med*. 36(1):2199344.
- Kim C, et al. 2017. Medical treatments for incomplete miscarriage. *Cochrane Database Syst Rev*; 1(1):CD007223.
- Orioli IM, Castilla EE. 2000. Epidemiological assessment of misoprostol teratogenicity. *BJOG*; 107(4):519-23.
- Ozbasli E, et al. 2022. Labor induction with intravaginal misoprostol versus spontaneous labor: maternal and neonatal outcomes. *Biomed Res Int*. 2022:2826927.
- Pastuszek AL, et al. 1998. Use of misoprostol during pregnancy and Möbius' syndrome in infants. *N Engl J Med*; 338(26):1881-5.
- Patel F, Cusack J. 2019. Möbius sequence with central hypoventilation in a neonate after failed elective medical termination of pregnancy. *Arch Dis Child Fetal Neonatal Ed*; 104(1):F49.
- Pfizer Laboratories Div Pfizer Inc. Last updated July 9, 2021. Cytotec drug label. Source: National Library of Medicine. Available at <https://dailymed.nlm.nih.gov/dailymed/drugInfo.cfm?setid=4ab12da7-5731-4e06-bf1c-bc3f2e711f12>.
- Schuler L, et al. 1999. Pregnancy outcome after exposure to misoprostol in Brazil: a prospective controlled study. *Reprod Toxicol*; 13:147-151.
- Shimizu T, et al. 1992. Prostaglandin E1, E2, and F2 alpha in human milk and plasma. *Biol Neonate*; 61:222-5.
- Song J. 2000. Use of misoprostol in obstetrics and gynecology. *Obstet Gynecol Surv*; 55(8):503-10.
- van Look PF, von Hertzen H. 1995. Misoprostol and birth defects. *BMJ*; 310(6972):128.
- Vargas FR, et al. 2000. Prenatal exposure to misoprostol and vascular disruption defects: a case-control study. *Am J Med Genet*; 95(4):302-6.
- Vauzelle C, et al. 2013. Birth defects after exposure to misoprostol in the first trimester of pregnancy: Prospective follow-up study. *Reprod Toxicol*; 36:98-103.
- Vendramini-Pittoli S, et al. 2013. Clinical findings in children with congenital anomalies and misoprostol intrauterine exposure: a study of 38 cases. *J Pediatr Genet*. 2013 Dec;2(4):173-80.
- Vogel D, et al. 2004. Misoprostol versus methylethylgometrine: pharmacokinetics in human milk. *Am J Obstet Gynecol*; 191:2168-73.
- Yip SK, et al. 2000. Misoprostol's effect on uterine arterial blood flow and fetal heart rate in early pregnancy. *Obstet Gynecol*; 95(2):232-5.

¿Preguntas? Llame al 866.626.6847 | Texto 855.999.3525 | Correo electrónico o chat en MotherToBaby.org .

Descargo de responsabilidad: las hojas informativas de MotherToBaby están destinadas a fines de información general y no deben reemplazar los consejos de su proveedor de atención médica. MotherToBaby es un servicio de la Organización sin fines de lucro de Especialistas en Información de Teratología (OTIS). Copyright de OTIS, 1 de junio de 2024.

Penicillin G

Selected References:

- Carmichael SL, et.al. 2005. Maternal progestin intake and risk of hypospadias. Archives of Pediatrics & Adolescent Medicine, 159(10):957-962.
- Check JH, et al. 1986. The risk of fetal anomalies as a result of progesterone therapy during pregnancy. Fertil Steril, 45:575-577.
- Committee on Drugs. 2001. The transfer of drugs and other chemicals into human milk. Pediatrics, 108(3):776-789.
- American College of Obstetricians and Gynecologists' Committee on Practice Bulletins-Obstetrics. 2021. rPrediction and prevention of spontaneous preterm birth: ACOG Practice Bulletin, Number 234. Obstet Gynecol, 138(2):e65-e90.
- Devall AJ, et al. 2021. Progestogens for preventing miscarriage: A network meta-analysis. Cochrane Database Sys Rev, 4(4):CD013792.
- Duds I, et al. 2006. Population-based case-control teratogenic study of hydroxyprogesterone treatment during pregnancy. Congenit Anom (Kyoto), 46:194-198.
- Fawzy M, et al. 2008. Treatment options and pregnancy outcome in women with idiopathic recurrent miscarriage: a randomized placebo-controlled study. Arch Gynecol Obstet, 278(1):33-38.
- Heinonen OP, et al. 1977. Birth Defects and Drugs in Pregnancy. Littleton, Mass.: John Wright-PSG, pp 389, 391-392, 394, 443, 478, 497.
- Heinonen OP, et al. 1977. Cardiovascular birth defects and antenatal exposure to female sex hormones. N Engl J Med, 296:67-60.
- Massai R, et al. 2005. Extended use of a progesterone-releasing vaginal ring in nursing women: a phase II clinical trial. Contraception, 72:352-357.
- Michaelis J, et al. 1983. Prospective study of suspected associations between certain drugs administered during early pregnancy and congenital malformations. Teratology, 27:57-64.
- Norman JE, et al. 2009. Progesterone for the prevention of preterm birth in twin pregnancy (STOPPIT): a randomised, double-blind, placebo-controlled study and meta-analysis. Lancet, 373(9680):2034-2040.
- Practice Committee of the American Society for Reproductive Medicine. 2008. Progesterone supplementation during the luteal phase and in early pregnancy in the treatment of infertility: an educational bulletin. Fertility and Sterility, 89(4):789-792.
- Practice Committee of the American Society for Reproductive Medicine. 2012. Evaluation and treatment of recurrent pregnancy loss: a committee opinion. Fertility and Sterility, 98(5):1103-1111.
- RamaRao S, et al. 2013. Progesterone vaginal ring: Introducing a contraceptive to meet the needs of breastfeeding women. Contraception, 88(5):591-598.
- Roy M, et al. 2020. Progesterone vaginal ring as a new contraceptive option for lactating mothers: Evidence from a multicenter non-randomized comparative clinical trial in India. Contraception, 102(3):159-167.

- Silver RI, et al. 1999. In vitro fertilization is associated with an increased risk of hypospadias. J Urology, 161(6):1954-1957.

¿Preguntas? Llame al 866.626.6847 | Texto 855.999.3525 | Correo electrónico o chat en MotherToBaby.org .

Descargo de responsabilidad: las hojas informativas de MotherToBaby están destinadas a fines de información general y no deben reemplazar los consejos de su proveedor de atención médica. MotherToBaby es un servicio de la Organización sin fines de lucro de Especialistas en Información de Teratología (OTIS). Copyright de OTIS, 1 de junio de 2024.