

Carbamazepine

Selected References:

- Antonucci R, et al. 2018. Maternal carbamazepine therapy and unusual adverse effects in a breastfed infant. *Breastfeed Med* 13(2):155-157.
- Baker GA, et al. 2015. IQ at 6 years after in utero exposure to antiepileptic drugs: a controlled cohort study. *Neurology* 84(4):382-90.
- Bech BH, et al. 2014. Use of antiepileptic drugs during pregnancy and risk of spontaneous abortion and stillbirth: population based cohort study. *BMJ* 349:g5159
- Blotiere PO, et al. 2020. Risk of early neurodevelopmental outcomes associated with prenatal exposure to the antiepileptic drugs most commonly used during pregnancy: a French nationwide population-based cohort study. *BMJ Open*. 7;10(6):e034829.
- Campbell E, et al. 2014. Malformation risks of antiepileptic drug monotherapies in pregnancy: updated results from the UK and Ireland Epilepsy and Pregnancy Registers. *J Neurol Neurosurg Psychiatry* Sep;85(9):1029-34.
- Canger R, et al. 1999. Malformations in offspring of women with epilepsy: a prospective study. *Epilepsia* 40(9):1231-1236.
- Davanzo R, et al. 2013. *Italian Journal of Pediatrics* 39:50-61.
- Deshmukh U, et al. 2016. Behavioral outcomes in children exposed prenatally to lamotrigine, valproate, or carbamazepine. *Neurotoxicol Teratol* 54:5-14.
- Fried S, et al. 2004. Malformation rates in children of women with untreated epilepsy: a meta-analysis. *Drug Saf* 27(3):197-202.
- Gaily E, et al. 2004. Normal intelligence in children with prenatal exposure to carbamazepine. *Neurology* 62:28-32.
- Gladstone DJ, et al. 1992. Course of pregnancy and fetal outcome following maternal exposure to carbamazepine and phenytoin: a prospective study. *Reprod Toxicol* 6:257-61.
- Harden CL. 2008. Antiepileptic drug teratogenesis: what are the risks for congenital malformations and adverse cognitive outcomes? *Int Rev Neurobiol* 83:205-13.
- Hernandez-Diaz S, et al. 2000. Folic acid antagonists during pregnancy and the risk of birth defects. *N Engl J Med* 343(22):1608-1614.
- Huber-Mollema Y, et al. 2020. Neurocognition after prenatal levetiracetam, lamotrigine, carbamazepine, or valproate exposure. *J Neurol*. 267(6):1724-1736.
- Husebye E, et al. 2020. Language impairment in children aged 5 and 8 years after antiepileptic drug exposure in tuero - the Norwegian Mother and Child Cohort Study. *European Journal of Neurology* 27.3:667-675.
- Jones KL, et al. 1989. Patterns of malformations in the children treated with carbamazepine during pregnancy. *N Engl J Med* 320(25):1661-66.
- Kallen AJB. 1994. Maternal carbamazepine and infant spina bifida. *Reprod Toxicol* 8(3):203-205.
- Meador KJ, et al. 2009. Cognitive function at 3 years of age after fetal exposure to antiepileptic drugs. *N Engl J Med* 360(16):1597-1605.
- Margulis A, et al. 2019. Relation of in-utero exposure to antiepileptic drugs to pregnancy during and size at birth. *PLoS One*. Aug; 5;14(8):e0214180.
- Meador KJ, et al. 2014. Breastfeeding in children of women taking antiepileptic drugs cognitive outcomes at age 6 years. *JAMA Pediatr* Aug;168(8):729-36.
- Morrell M. 1996. The new antiepileptic drugs and women: efficacy, reproductive health, pregnancy and fetal outcome. *Epilepsia* 37(Suppl. 6):S34-S44.
- Nulman I, et al. 1997. Findings in children exposed in utero to phenytoin and carbamazepine monotherapy: independent effects of epilepsy and medications. *Am J Med Genet* 68:18-24.

- O'Brien MD and Gilmour-White SK. 2005. Management of epilepsy in women treated with carbamazepine during pregnancy. *Postgrad Med J* 81(955):278-285.
- Ornoy A and Cohen E. Outcome of children born to epileptic mothers treated with carbamazepine during pregnancy. *Arc Dis Child* 75:517-20
- Patel N, et al. 2018. Mood-stabilizing anticonvulsants, spina bifida, and folate supplementation: commentary. *J Clin Psychopharmacol* 38(1):7-10.
- Rosa FW. 1991. Spina bifida in infants of women treated with carbamazepine during pregnancy. *N Engl J Med* 324(10):674-677.
- Samren EB, et al. 1999. Antiepileptic drug regimens and major congenital abnormalities in the offspring. *Ann Neurol* 46(5):739-746.
- Scolnik D, et al. 1994. Neurodevelopment if children exposed in utero to phenytoin and carbamazepine monotherapy. *JAMA* 271(10):767-770.
- Tomson T and Barrino D. Teratogenic effects of antiepileptic drugs. *Seizure* 17(2):166-171.
- Tomson T and Klein P. 2015. Fine-tuning risk assessment with antiepileptic drug use in pregnancy. *Neurology*. 84(4):339-40.
- Tomson T, et al. 2015. Antiepileptic drugs and intrauterine death: A prospective observational study from EURAP. *Neurology* Aug 18;85(7):580-8.
- Tomson T, et al. 2018. Comparative risk of major congenital malformations with eight different antiepileptic drugs: a prospective cohort study of the EURAP registry. *Lancet Neurol* 17(6):530-8.
- Vajda F. 2014. Epilepsy: Effects of exposure to antiepileptic drugs during development. *Nat Rev Neurol*.10:11-2.
- Vajda F, et al. 2018. Anti-epileptic drug exposure and risk of foetal death in utero. *Acta Neurol Scand* Jan;137(1):20-23.
- Wallace H, et al. 1998. Age-specific incidence and prevalence rates of treated epilepsy in an unselected population of 2,052,922 and age-specific fertility rates of women with epilepsy. *Lancet* 352:1970-73.
- Weston J, et al. 2016. Monotherapy treatment of epilepsy in pregnancy: congenital malformation outcomes in the child. *Cochrane Database Syst Rev*.11:Cd010224.
- Wide K, et al. 2000. Psychomotor development and minor anomalies in children exposed to antiepileptic drugs in utero: a prospective population-based study. *Dev Med Child Neurol* 42:87-92.
- Wiggs K. et al. 2020. Anti-seizure medication use during pregnancy and risk of ASD and ADHD in children. *Neurology*. [Published online ahead of print October 27, 2020] Aoki FY, et al. 2013. The use of antiviral drugs for influenza: A foundation document for practitioners. *Can J Infect Dis Med Microbiol*. 24(Suppl C) :1-15.

¿Preguntas? Llame al 866.626.6847 | Texto 855.999.3525 | Correo electrónico o chat en [MotherToBaby.org](https://www.MotherToBaby.org) .

Descargo de responsabilidad: las hojas informativas de MotherToBaby están destinadas a fines de información general y no deben reemplazar los consejos de su proveedor de atención médica. MotherToBaby es un servicio de la Organización sin fines de lucro de Especialistas en Información de Teratología (OTIS). Copyright de OTIS, 1 de noviembre de 2020.

Carbamazepine

Selected References:

- Aporta RR, et al. 1998. Alglucerase enzyme replacement therapy used safely and effectively throughout the whole pregnancy of a Gaucher disease patient. *Haematologica*. 83:852-3.
- Amory, JK, et al. 2007. Miglustat has no apparent effect on spermatogenesis in normal men. *Human Reproduction*, **22**(3), 702-707.
- Dornelles AD, et al. 2014. Breastfeeding in Gaucher disease: is enzyme replacement therapy safe? *Clin Ther*.36:990-1.
- Elstein Y, et al. 2004. Pregnancies in Gaucher disease: a 5-year study. *Am J Obstet Gynecol*. 190(2):435-41.
- Elstein D et al. 2014. Outcome of pregnancies in women receiving velaglucerase alfa for Gaucher disease. *J Obstet Gynaecol Res*.40(4):968-975.
- Gary, Sam E. et al. Recent Advances in the Diagnosis and Management of Gaucher Disease. *Expert Review of Endocrinology & Metabolism*. 13(2): 107-18
- Giannubilo SR, et al. 2015. Replacement therapy for Gaucher disease during pregnancy: A case report. *J Reprod Infertil* 16(1): 53-57.
- Granovsky-Grisaru, S et al. 2011. The management of pregnancy in Gaucher disease. *Eur J Obstet Gynecol Reprod Biol*. 156: (1) 3-8.
- Komninaka V, et al. 2020. Outcomes of pregnancies in patients with Gaucher Disease: The experience of a center of excellence on rare metabolic Disease-Gaucher Disease, in Greece. *Eur J Obstet Gynecol Reprod Biol*. 254:181-187.
- Korkmazer E, et al. 2015. Pregnancy and lactation in a patient with Gaucher disease receiving enzyme replacement therapy: Case report. *Turkey J Clin Obstet Gynecol*. 25:224-6.
- Lau H, et al. 2018. Reported outcomes of 453 pregnancies in patients with Gaucher disease: An analysis from the Gaucher outcome survey. *Blood Cells Mol Dis*. 68:226-231.
- Mamopoulos A M et al. 2009. Gaucher disease and pregnancy. *J Obstet Gynaecol*. 29: 240-242.
- Murphy E. 2015. Pregnancy in women with inherited metabolic disease. *Obstet Med*. 8(2): 61-67.
- Paskulin L, et al. Breastfeeding in patients with Gaucher disease: Is taliglucerase alfa safe? *Molecular Genetics and Metabolism Reports*, **18**, 30-31.
- Rosenbaum H. 2015. Management of women with Gaucher disease in the reproductive age. *Thromb Res*. 135 Suppl 1:S49-51.
- Roy, A., et al. 2006. Shaping the sperm head: an ER enzyme leaves its mark. *Journal of Clinical Investigation*, 116(11), 2860-2863.
- Sekijima Y, et al. 2010. Successful pregnancy and lactation outcome in a patient with Gaucher disease receiving enzyme replacement therapy, and the subsequent distribution and excretion of Imiglucerase in human breast milk. *Clin Ther*. 32(12): 2048-2052.
- Sherer Y, et al. 2002. Successful suc outcome in a patient with Gaucher's disease and antiphospholipid syndrome. *Ann Hematol*. 81:161-3.
- Stirnemann J, et al. A Review of Gaucher Disease Pathophysiology, Clinical Presentation and Treatments. *International Journal of Molecular Sciences*, 18(2), 441.
- Weinreb, N. J. 2008. Imiglucerase and its use for the treatment of Gaucher's disease. *Expert Opinion on Pharmacotherapy*, 9(11), 1987-2000.
- Zimran A, et al. 2009. The female Gaucher patient: the impact of enzyme replacement therapy around key

reproductive events. Blood Cells Mol Dis. 43:264-288.

¿Preguntas? Llame al 866.626.6847 | Texto 855.999.3525 | Correo electrónico o chat en [MotherToBaby.org](https://www.MotherToBaby.org) .

Descargo de responsabilidad: las hojas informativas de MotherToBaby están destinadas a fines de información general y no deben reemplazar los consejos de su proveedor de atención médica. MotherToBaby es un servicio de la Organización sin fines de lucro de Especialistas en Información de Teratología (OTIS). Copyright de OTIS, 1 de noviembre de 2020.

Carbamazepine

Selected References:

- Berle JO, et al. 2004. Breastfeeding during maternal antidepressant treatment with serotonin reuptake inhibitors: infant exposure, clinical symptoms, and cytochrome P450 genotypes. J Clin Psychiatry 65:1228-34. PMID: 15367050
- Brunel P, et al. 1994. [Follow-up of 151 pregnant women exposed to antidepressant treatment (MAOI excluded) during organogenesis.] Therapie 49:117-122.
- Eggermont E. 1973. Withdrawal symptoms in neonate associated with maternal imipramine therapy. Lancet 2:680.
- Misri S & Sivertz K. 1991. Tricyclic drugs in pregnancy and lactation: a preliminary report. Int J Psychiatry Med 21(2):157-71.
- Mitchell JE and Popkin MK: Antidepressant drug therapy and sexual dysfunction in men: a review. J Clin Psychopharm 3:76-79, 1983.
- Nulman I, et al. 1997. Neurodevelopment of children exposed in utero to antidepressant drugs. N Engl J Med 336:258-62.
- Overo KF, et al. 1997. Interaction of perphenazine with the kinetics of nortriptyline. Acta Pharmacol Toxicol; 40:97-105.
- Shearer WT, et al. 1972. Urinary retention in a neonate secondary to maternal ingestion of nortriptyline. J Pediatr 81:570-2.
- Schoretsanitis S, et al. 2020. The impact of pregnancy on the pharmacokinetics of antidepressants: a systematic critical review and meta-analysis. Expert Opin Drug Metab Toxicol; 16(5):431-440.

- US Preventive Services Task Force, Curry SJ, et al. 2019. Interventions to Prevent Perinatal Depression: US Preventive Services Task Force Recommendation Statement. JAMA 321(6):580-587.
- Webster PA. 1973. Withdrawal symptoms in neonates associated with maternal antidepressant therapy. Lancet 2(7824):318-9.
- Weissman AM, et al. Pooled analysis of antidepressant levels in lactating mothers, breast milk, and nursing infants. Am J Psychiatry 161:1066-78. PMID: 15169695
- Wisner KL, et al. 2002. Postpartum depression. N Engl J Med. 347:194-9. PMID: 12124409.

¿Preguntas? Llame al 866.626.6847 | Texto 855.999.3525 | Correo electrónico o chat en [MotherToBaby.org](https://www.MotherToBaby.org) .

Descargo de responsabilidad: las hojas informativas de MotherToBaby están destinadas a fines de información general y no deben reemplazar los consejos de su proveedor de atención médica. MotherToBaby es un servicio de la Organización sin fines de lucro de Especialistas en Información de Teratología (OTIS). Copyright de OTIS, 1 de noviembre de 2020.

Carbamazepine

Selected References

- Alfaraj SH, et al. 2019. Middle east respiratory syndrome coronavirus (MERS-CoV) infection during pregnancy: report of two cases & review of the literature. J Microbiol Immunol Infect 52(3):501-503.
- Alserehi H, et al. 2016. Impact of middle east respiratory syndrome coronavirus (MERS-CoV) on pregnancy and perinatal outcome. BMC Infect Dis 16:105.
- Assiri A, et al. 2016. Middle east respiratory syndrome coronavirus infection during pregnancy: a report of 5 cases from Saudi Arabia. Clin Infect Dis 1;63(7):951-3.
- Centers for Disease Control and Prevention. 2020. 2019 Novel Coronavirus: Interim Guidance for Healthcare Professionals. Available at URL: <https://www.cdc.gov/coronavirus/2019-ncov/hcp/clinical-criteria.html>. [Accessed 1/2020].
- Centers for Disease Control and Prevention. 2020. Coronavirus: Prevention and Treatment. Available at URL: <https://www.cdc.gov/coronavirus/about/prevention.html>. [Accessed 1/2020].
- Centers for Disease Control and Prevention. 2019. Coronavirus: Symptoms and Diagnosis. Available at URL: <https://www.cdc.gov/coronavirus/about/symptoms.html>. [Accessed 1/2020].

- Centers for Disease Control and Prevention. 2019. Coronavirus: Transmission. Available at URL: <https://www.cdc.gov/coronavirus/about/transmission.html>. [Accessed 1/2020].
- Jeong SY, et al. 2017. MERS-CoV infection in a pregnant woman in Korea. J Korean Med Sci 32(10):1717-1720.
- Malik A, et al. 2013. Middle east respiratory syndrome coronavirus during pregnancy, Abu Dhabi, United Arab Emirates, 2013. Emerg Infect Dis 22(3):515-7.
- Payne DC, et al. 2014. Stillbirth during infection with middle east respiratory syndrome coronavirus. J Infect Dis 15;209(12):1870-2.
- Shek CC, et al. 2003. Infants born to mothers with severe acute respiratory syndrome. Pediatrics 112(4):e254.
- Wong SF, et al. 2004. Pregnancy and perinatal outcomes of women with severe acute respiratory syndrome. Am J Obstet Gynecol 191(1):292-7.

¿Preguntas? Llame al 866.626.6847 | Texto 855.999.3525 | Correo electrónico o chat en [MotherToBaby.org](https://www.MotherToBaby.org) .

Descargo de responsabilidad: las hojas informativas de MotherToBaby están destinadas a fines de información general y no deben reemplazar los consejos de su proveedor de atención médica. MotherToBaby es un servicio de la Organización sin fines de lucro de Especialistas en Información de Teratología (OTIS). Copyright de OTIS, 1 de noviembre de 2020.

Carbamazepine

Selected References

- Andrejko KL, et al. 2019. The safety of atovaquone-proguanil for the prevention and treatment of malaria in pregnancy: A systemic review. Travel Med Infect Dis. 27:20-26.
- 2020. Antimalarial recommendations. <https://wwwnc.cdc.gov/travel/yellowbook/2020/preparing-international-travelers/yellow-fever-vaccine-and-malaria-prophylaxis-information-by-country>
- 2018. Malaria and breastfeeding. <https://www.cdc.gov/breastfeeding/breastfeeding-special-circumstances/maternal-or-infant-illnesses/malaria.html>
- 2020. Pregnant Travelers. <https://wwwnc.cdc.gov/travel/yellowbook/2020/family-travel/pregnant-travelers>
- 2019. Treatment of malaria: Guidelines for Clinicians-Alternatives for pregnant women.

https://www.cdc.gov/malaria/diagnosis_treatment/clinicians3.html

- 2011. Update: New Recommendations for Mefloquine Use in Pregnancy. https://www.cdc.gov/malaria/new_info/2011/mefloquine_pregnancy.html
- Edstein, M.D., et al. 1986. Excretion of chloroquine, dapson and pyrimethamine in human milk. Br J Clin Pharmacol. 22(6):733-735.
- Edstein, M.D., et al. 1988. Excretion of mefloquine in human breast milk. Chemotherapy. 34(3):165-169.
- Fried M and Duffy PE. 2017. Malaria during pregnancy. Cold Spring Harb Perspect Med. 7(6):a025551.
- Gomes C, et al. 2016. Clinical and non-clinical safety of artemisinin derivatives in pregnancy. Reprod Toxicol. 65:194-203.
- Hart, C.W. and R.F. Naunton. 1964. The Ototoxicity of Chloroquine Phosphate. Arch Otolaryngol. 80:407-12.
- Moore KA, et al. 2017. Quantification of the association between malaria in pregnancy and stillbirth: a systemic review and meta-analysis. Lancet Glob Health. 5(11):e1101-e1112.
- Saito M, et al. 2018. Antimalarial drugs for treating and preventing malaria in pregnant and lactating women. Expert Opin Drug Saf. 17(11):1129-1144.
- Takem EN and D'Alessandro U. 2013. Malaria in pregnancy. Mediterr J Hematol Infect Dis. 5(1): e2013010.
- Ullberg, S., Lindquist, N.G. and Sjostrand, S.E. 1970. Accumulation of chorioretinotoxic drugs in the foetal eye. Nature. 227: 1257.

¿Preguntas? Llame al 866.626.6847 | Texto 855.999.3525 | Correo electrónico o chat en MotherToBaby.org .

Descargo de responsabilidad: las hojas informativas de MotherToBaby están destinadas a fines de información general y no deben reemplazar los consejos de su proveedor de atención médica. MotherToBaby es un servicio de la Organización sin fines de lucro de Especialistas en Información de Teratología (OTIS). Copyright de OTIS, 1 de noviembre de 2020.