Antimalarial Medication

Selected References

- Andrejko KL, et al. 2019. The safety of atovaquone-proguanil for the prevention and treatment of malaria in pregnancy: A systemic review. Travel Med Infect Dis. 27:20-26.
- 2020. Antimalarial recommendations. https://wwwnc.cdc.gov/travel/yellowbook/2020/preparing-international-travelers/yellow-fever-vaccine-and-malaria-prophylaxis-information-by-country
- 2018. Malaria and breastfeeding. https://www.cdc.gov/breastfeeding/breastfeeding-special-circumstances/maternal-or-infant-illnesses/malaria.html
- 2020. Pregnant Travelers. https://wwwnc.cdc.gov/travel/yellowbook/2020/family-travel/pregnant-travelers
- 2019. Treatment of malaria: Guidelines for Clinicians-Alternatives for pregnant women. https://www.cdc.gov/malaria/diagnosis_treatment/clinicians3.html
- 2011. Update: New Recommendations for Mefloquine Use in Pregnancy. https://www.cdc.gov/malaria/new_info/2011/mefloquine_pregnancy.html
- Edstein, M.D., et al. 1986. Excretion of chloroquine, dapsone and pyrimethamine in human milk. Br J Clin Pharmacol. 22(6):733-735.
- Edstein, M.D., et al. 1988. Excretion of mefloquine in human breast milk. Chemotherapy. 34(3):165-169.
- Fried M and Duffy PE. 2017. Malaria during pregnancy. Cold Spring Harb Perspect Med. 7(6):a025551.
- Gomes C, et al. 2016. Clinical and non-clinical safety of artemisinin derivatives in pregnancy. Reprod Toxicol. 65:194-203.
- Hart, C.W. and R.F. Naunton. 1964. The Ototoxicity of Chloroquine Phosphate. Arch Otolaryngol. 80:407-12.
- Moore KA, et al. 2017. Quantification of the association between malaria in pregnancy and stillbirth: a systemic review and meta-analysis. Lancet Glob Health. 5(11):e1101-e1112.
- Saito M, et al. 2018. Antimalarial drugs for treating and preventing malaria in pregnant and lactating women. Expert Opin Drug Saf. 17(11):1129-1144.
- Takem EN and D'Alessandro U. 2013. Malaria in pregnancy. Mediterr J Hematol Infect Dis. 5(1): e2013010.
- Ullberg, S., Lindquist, N.G. and Sjostrand, S.E. 1970. Accumulation of chorioretinotoxic drugs in the foetal eye. Nature. 227: 1257.

¿Preguntas? Llame al 866.626.6847 | Texto 855.999.3525 | Correo electrónico o chat en MotherToBaby.org .

Descargo de responsabilidad: las hojas informativas de MotherToBaby están destinadas a fines de información general y no deben reemplazar los consejos de su proveedor de atención médica. MotherToBaby es un servicio de la Organización sin fines de lucro de Especialistas en Información de Teratología (OTIS). Copyright de OTIS, 1 de octubre de 2019.

Antimalarial Medication

Selected References:

- Ban L, West J, Gibson JE, et al. First trimester exposure to anxiolytic and hypnotic drugs and the risks of major congenital anomalies: a United Kingdom population-based cohort study. PLoS ONE. 2014;9(6):e100996.
- Barry WS, et al. SM. 1987. Exposure to benzodiazepines in utero. Lancet 1:1436-37.
- Bellantuono C, Tofani S, Di sciascio G, Santone G. Benzodiazepine exposure in pregnancy and risk of major malformations: a critical overview. Gen Hosp Psychiatry. 2013;35(1):3-8.
- Brandlistuen RE, et al. 2017. Association of prenatal exposure to benzodiazepines and child internalizing problems: A sibling-controlled cohort study. PLoS ONE 12(7): e0181042.
- Calderon-Margalit R, et al. 2009. Risk of preterm delivery and other adverse perinatal outcomes in relation to maternal use of psychotropic medications during pregnancy. Am J Obstet Gynecol. 201(6):579.e1-8.
- Czeizel AE. 1988. Lack of evidence of teratogenicity of benzodiazepine drugs in Hungary. Reprod Toxicol 1:183-88.
- Czeizel AE, Toth M 1998. Birth weight, gestational age and medications during pregnancy. Int J Obstet Gynaecol Obstet 60:245-49.
- Eros E, et al. 2002. A population-based case-control teratologic study of nitrazepam, medazepam, tofisopam, alprazolam, and clonazepam treatment during pregnancy. Eur J Obstet Gynecol Reprod Biol 101:147-54.
- Kargas GA et al 1985 Perinatal mortality due to interaction of diphenhydramine and temazepam. N Eng J Med 313:1417-18
- Laegreid L, et al.1992. The effect of benzodiazepines on the fetus and the newborn. Neuropediatrics 23:18-23.
- Laegreid L, et al.1992. Neurodevelopment in late infancy after prenatal exposure to benzodiazepines—a prospective study. Neuropediatrics 23:60-67.
- McAllister-Williams RH et al. 2017. British Association for Psychopharmacology consensus guidance on the use of psychotropic mediation preconception, in pregnancy and postpartum. J Psychopharmacol 31:519-52.
- McElhatton PR, 1994. The effects of benzodiazepine use during pregnancy and lactation. Reprod Toxicol 8(6):461-75.
- Ornoy A, et al.1998. Is benzodiazepine use during pregnancy really teratogenic? Reprod Toxicol 12:511-5.
- Sanchis A, et al. 1991. Adverse effects of maternal lorazepam on neonates. DICP Ann Pharmacother 25(10):1137-38.
- Shiono PH, et al. 1984. Oral clefts and diazepam use during pregnancy. N Engl J Med 311:919-20.
- Weber LWD. 1985. Benzodiazepines in pregnancy—academical debate or teratogenic risk? Biol Res Pregnancy 6(4):151-67.
- Iqbal MM, Sobhan T, Ryals T. Effects of commonly used benzodiazepines on the fetus, the neonate, and the nursing infant. Psychiatr Serv. 2002;53(1):39-49.
- Wikner BN, et al. 2007. Use of benzodiazepines and benzodiazepine receptor agonists during pregnancy:

maternal characteristics. Pharmcoepidemiol Drug Saf 16(9):988-994.

- Wikner BN, et al. 2007. Use of benzodiazepines and benzodiazepine receptor agonists during pregnancy: neonatal outcome and congenital malformations Pharmacoepidemiol Drug Saf 16(11):1203-1210.

¿Preguntas? Llame al 866.626.6847 | Texto 855.999.3525 | Correo electrónico o chat en MotherToBaby.org .

Descargo de responsabilidad: las hojas informativas de MotherToBaby están destinadas a fines de información general y no deben reemplazar los consejos de su proveedor de atención médica. MotherToBaby es un servicio de la Organización sin fines de lucro de Especialistas en Información de Teratología (OTIS). Copyright de OTIS, 1 de octubre de 2019.