

Miconazole | Clotrimazole

Selected References:

- Butler DC, et al. 2014. Safety of dermatologic medications in pregnancy and lactation: Part II. Lactation. J Am Acad Dermatol, 70(3):417 e1-10.
- Carter TC, et al. 2008. Antifungal drugs and the risk of selected birth defects. Am J Obstet Gyn, 198:191- 193.
- Czeizel AE, et al. 2004. Population-based case-control teratologic study of topical miconazole. Congenit Anom, 44:41-45.
- Daniel S, et al. 2018. Vaginal antimycotics and the risk for spontaneous abortions. Am J Obstet Gynecol, 218(6):601.e1-601.e7.
- Giavini E, Menegola E. 2010. Are azole fungicides a teratogenic risk for human conceptus? Toxicol Lett, 198(2):106-111.
- Kazy Z, et al. 2005. The possible association between the combination of vaginal metronidazole and miconazole treatment and poly-syndactyly population-based case-control teratologic study. Reprod Toxicol, 20:89-94.
- Mendling W, Brasch J. 2012. Guidelines vulvovaginal candidosis (2010) of the German Society for Gynecology and Obstetrics, the Working Group for Infections and Infectimmunology in Gynecology and Obstetrics, the German Society of Dermatology, the Board of German Dermatologists and German speaking Mycological Society. Mycoses, Jul (55) Suppl 3:1-13.
- Murase JE, et al. 2014. Safety of dermatologic medications in pregnancy and lactation: Part 1 Pregnancy. J Am Acad Dermatol, 70(3):401.e1-14.
- Rotem R, et al. 2018. Risk of major congenital malformations following first-trimester exposure to vaginal azoles used for treating vulvovaginal candidiasis: a population-based retrospective cohort study. BJOG, 125(12):1550-1556.
- Soong D and Einarson A. 2009. Vaginal yeast infections during pregnancy. Can Fam Physician, 55(3):255-256.
- Stevens RE, et al. 2002. Bioavailability study of a 1200 mg miconazole nitrate vaginal ovule in healthy female adults. J Clin Pharmacol, 42(1):52-60.
- Tiboni GM et al. 2008. Teratogenic effects in mouse fetuses subjected to the concurrent in utero exposure to miconazole and metronidazole. Reprod Toxicol, 26(3-4):254-61.

Questions? Call 866.626.6847 | Text 855.999.3525 | Email or Chat at [MotherToBaby.org](https://www.MotherToBaby.org).

Disclaimer: MotherToBaby Fact Sheets are meant for general information purposes and should not replace the advice of your health care provider. MotherToBaby is a service of the non-profit Organization of Teratology Information Specialists (OTIS). Copyright by OTIS, December 1, 2021.

Miconazole | Clotrimazole

Selected References

- Allen RW. 2012. Metoclopramide—a safe anti-emetic? [letter] S Afr Med J; 77: 219, 1990.
- Anderka M, et al. 2012. Medications used to treat nausea and vomiting of pregnancy and the risk of selected birth defects. Birth Defects Res (Part A); 94:22-30.
- Andersen AN, Tabor A. 1982. Prl, TSH, GH and LH responses to metoclopramide and breastfeeding in normal and hyperprolactinaemic women. Acta Endocrinol (Copenh); 100:177-83.
- Balikci A, Balibey H. 2012. [Postpartum depression due to use of metoclopramide: A case report]. Anatolian J Clin Invest; 6:258-60.
- Bérard A, et al. 2019. New Evidence for Concern Over the Risk of Birth Defects from Medications for Nausea and Vomiting of Pregnancy. J Clin Epidemiol; 116: 39-48.
- Berkovitch M, et al. 2002. Metoclopramide for nausea and vomiting of pregnancy: a prospective multicenter international study. Am J Perinatol; 19:311-6.
- Çekmez Y, et al. 2016. Does metoclopramide exposure alter endometrial receptivity and decrease pregnancy rates? J Matern Fetal Neonatal Med 29(16): 2703-6
- Dastgerdi E, et al. 2011. Effect of metoclopramide on increased milk production in mothers of preterm infants. Iran J Obstet Gynecol Infertil; 14:32-6.
- Fife S, et al. 2011. Metoclopramide to augment lactation, does it work? A randomized trial. J Matern Fetal Neonatal Med; 24:1317-20.
- Finnis WA, et al. 1976. Metoclopramide hydrochloride and galactorrhea. Can Med Assoc J; 115:845.
- Foong, S. C, et al. 2020. Oral galactagogues (natural therapies or drugs) for increasing breast milk production in mothers of non-hospitalised term infants. The Cochrane database of systematic reviews, 5(5), CD011505.
- Ingram J, et al. 2012. Metoclopramide or domperidone for increasing maternal breast milk output: a randomised controlled trial. Arch Dis Child Fetal Neonatal Ed; 97:F241-5.
- Kauppila A, et al. 1981. Metoclopramide increases prolactin release and milk secretion in puerperium without stimulating the secretion of thyrotropin and thyroid hormones. J Clin Endocrinol Metab; 52:436-9.
- Kauppila A, et al. 1983. Metoclopramide and breast feeding: transfer into milk and the newborn. Eur J Clin Pharmacol; 25:819-23.
- Kauppila A, et al. 1985. Metoclopramide and breast feeding: efficacy and anterior pituitary responses of the mother and the child. Eur J Obstet Gynecol Reprod Biol; 19:19-22.
- Lewis PJ, et al. 1980. Controlled trial of metoclopramide in the initiation of breast feeding. Br J Clin Pharmacol; 9:217-9.
- Matok I, et al. 2009. The Safety of Metoclopramide Use in the First Trimester of Pregnancy. N Engl J Med; 360:2528-2535.
- Milo R, et al. 1989. Acute intermittent porphyria in pregnancy. Obstet Gynecol 73:450-2.
- Nageotte MP, et al. 1996. Droperidol and diphenhydramine in the management of hyperemesis gravidarum. Am J Obstet Gynecol; 174:1801-1805.
- Negro, A, et al. 2021. Unrecognised pheochromocytoma in pregnancy discovered through metoclopramide-triggered hypertensive emergency. Blood pressure, 30(5), 322–326.
- Pasternak B, et al. 2013. Metoclopramide in pregnancy and risk of major congenital malformations and fetal death. JAMA. 310(15):1601-11.
- Sakha R, Behbahan AG. 2008. Training for perfect breastfeeding or metoclopramide: which one can promote

lactation in nursing mothers? Breastfeed Med; 3:120-3.

- Shen Q, et al. 2021. Efficacy and safety of domperidone and metoclopramide in breastfeeding: A systematic review and meta-analysis. Breastfeed Med. 16:516-29.
- Shenhav S, et al. 1997. Acute intermittent porphyria precipitated by hyperemesis and metoclopramide treatment in pregnancy. Acta Obstet Gynecol Scand;76:484-5.
- Suarez, E. A et al. 2021. Ondansetron use in early pregnancy and the risk of miscarriage. Pharmacoepidemiology and drug safety, 30(2), 103-113.
- Sun, L, et al. 2021. Use of metoclopramide in the first trimester and risk of major congenital malformations: A systematic review and meta-analysis. PloS one, 16(9), e0257584.
- Tabrizi SO, et al. 2017. The effect of metoclopramide on prolactin levels in breastfeeding mothers: A systematic review and meta-analysis. Int J Pediatr (Mashhad). 5:5827-38.
- Winterfeld U, et al. 2012. Management of deficient lactation in Switzerland and Canada: A survey of midwives' current practices. Breastfeed Med. 2012;7:317-8.

Questions? Call 866.626.6847 | Text 855.999.3525 | Email or Chat at [MotherToBaby.org](https://www.mothertobaby.org).

Disclaimer: MotherToBaby Fact Sheets are meant for general information purposes and should not replace the advice of your health care provider. MotherToBaby is a service of the non-profit Organization of Teratology Information Specialists (OTIS). Copyright by OTIS, December 1, 2021.

Miconazole | Clotrimazole

Selected References:

- American Academy of Dermatology. Indoor tanning. Available at <https://www.aad.org/media/stats/prevention-and-care>
- Bareford D, Cumberbatch M, Derrick Tovey L. 1984. Plasma discolouration due to sun-tanning aids. Vox Sanguinis, 46(3):180-182.
- Beaulieu RA, et al. 2013. Canthaxanthin retinopathy with visual loss: A case report and review. Case Rep Ophthalmol Med, Article ID 40901.
- European Commission. 2010. Scientific Committee on Consumer Safety. Opinion on dihydroxyacetone. Available at https://ec.europa.eu/health/sites/default/files/scientific_committees/consumer_safety/docs/sccs_o_048.pdf

- Lapunzina P. 1996. Ultraviolet light-related neural tube defects? Am J Med Genet, 67:106.
- Meadows M. 2003. Don't be in the dark about tanning. FDA Consumer Magazine, 37:6.
- United States Food and Drug Administration. 2018. Sunless tanners and bronzers. Available at <https://www.fda.gov/Cosmetics/ProductsIngredients/Products/ucm134064.htm>
- United States Food and Drug Administration. 2005. Tanning Pills. Available at <https://www.fda.gov/cosmetics/cosmetic-products/tanning-pills>
- Yourick JJ, et al. 2004. Fate of chemicals in skin after dermal application: Does the in vitro skin reservoir affect the estimate of systemic absorption? Toxicol Appl Pharmacol, 195:309-320.

Questions? Call 866.626.6847 | Text 855.999.3525 | Email or Chat at [MotherToBaby.org](https://www.MotherToBaby.org).

Disclaimer: MotherToBaby Fact Sheets are meant for general information purposes and should not replace the advice of your health care provider. MotherToBaby is a service of the non-profit Organization of Teratology Information Specialists (OTIS). Copyright by OTIS, December 1, 2021.

Miconazole | Clotrimazole

Selected References:

- Aleck KA & Bartley DL. 1997. Multiple malformation syndrome following fluconazole use in pregnancy: report of an additional patient. Am J Med Genet 72:253-6.
- Alsaad AM, et al. 2015. Exposure to fluconazole and risk of congenital malformations in the offspring: a systematic review and meta-analysis. Reprod Toxicol 52: 78-82.
- Bérard A, et al. 2019. Associations between low- and high-dose oral fluconazole and pregnancy outcomes: 3 nested case-control studies. CMA J 2019;191: E179-E187.
- Budani, M. C., et al. 2021.. Maternal use of fluconazole and congenital malformations in the progeny: A meta-analysis of the literature. Reproductive toxicology, 100:42-51.
- Diflucan® Drug Label. 2024. Available at: https://www.accessdata.fda.gov/drugsatfda_docs/label/2024/019949s072lbl.pdf. [Accessed 8/2025].
- Carey JC, et al. 2009. Determination of human teratogenicity by the astute clinician method: review of illustrative agents and a proposal of guidelines. Birth Defects Res A Clin Mol Teratol. 85(1):63-8.
- Centers for Disease Control and Prevention (CDC). 2021. Vulvovaginal Candidiasis (VVC) STI Treatment

Guidelines. Available at: <https://www.cdc.gov/std/treatment-guidelines/candidiasis.htm>

- el-Medany AH, Hagar HH. 2002. Effect of fluconazole on fertility of male rabbits. *Arzneimittelforschung*. 52:636-40.
- Force RW. 1995. Fluconazole concentrations in breast milk. *Pediatr Infect Dis J*. 14:235-6.
- Howley MM, et al, the National Birth Defects Prevention Study. 2016. Fluconazole use and birth defects in the National Birth Defects Prevention Study. *Am J Obstet Gynecol* 214:657.e1-9.
- Inman W, et al. 1994. Safety of fluconazole in the treatment of vaginal candidiasis. A prescription-event monitoring study, with special reference to the outcome of pregnancy. *Eur J Clin Pharmacol* 46:115-8.
- Jick SS. 1999. Pregnancy outcomes after maternal exposure to fluconazole. *Pharmacotherapy* 19:221-2.
- Kaplan YC, et al. 2015. Fluconazole use during breastfeeding. *Can Fam Phys*. 61:875-6.
- Latour M, et al. 2024. Risk of congenital malformations and miscarriages following maternal use of oral fluconazole during the first trimester of pregnancy: a systematic review and meta-analysis. *Eur J Epidemiol*. 39(12):1325-1340.
- Lee BE, et al. 1992. Congenital malformations in an infant born to a woman treated with fluconazole. *Pediatr Infect Dis J* 11:1062-4.
- Liu D, et al. 2020. Fetal outcomes after maternal exposure to oral antifungal agents during pregnancy: A systematic review and meta-analysis. *Int J Gynaecol Obstet* 148(1): 6-13.
- Lopez-Rangel E & Van Allen MI. 2005. Prenatal exposure to fluconazole: an identifiable dysmorphic phenotype. *Birth Defects Res A Clin Mol Teratol* 73:919-23.
- Mastroiacovo P, et al. 1996. Prospective assessment of pregnancy outcomes after first-trimester exposure to fluconazole. *Am J Obstet Gynecol* 175:1645-50.
- Mølgaard-Nielsen D, et al. 2013. Use of oral fluconazole during pregnancy and the risk of birth defects. *N Engl J Med* 369:830-9.
- Mølgaard-Nielsen D, et al. 2016. Association between use of oral fluconazole during pregnancy and risk of spontaneous abortion and still birth. *JAMA* 315(1):58-67.
- Moorhead AM, et al. 2011. A prospective study of fluconazole treatment for breast and nipple thrush. *Breastfeed Rev* 19:25-9.
- Nørgaard M, et al. 2008. Maternal use of fluconazole and risk of congenital malformations: a Danish population-based cohort study. *J Antimicrob Chemother* 62:172-6.
- Pasternak B, et al. 2018. Oral fluconazole in pregnancy and risk of stillbirth and neonatal death. *JAMA*. 319(22):2333-2335.
- Pursley TJ, et al. 1996. Fluconazole-induced congenital anomalies in three infants. *Clin Infect Dis* 22:336-40.
- Sorensen HT, et al. 1999. Risk of malformations and other outcomes in children exposed to fluconazole in utero. *Br J Clin Pharmacol*. 48(2):234-8.
- US Food and Drug Administration (FDA). 2019. FDA Drug Safety Communication: FDA to review study examining use of oral fluconazole (Diflucan) in pregnancy. <https://www.fda.gov/Drugs/DrugSafety/ucm497482.htm>.
- Zhang Z, et al. 2019. The safety of oral fluconazole during the first trimester of pregnancy: a systematic review and meta-analysis. *BJOG*. Aug 24. doi: 10.1111/1471-0528.15913.
- Zhu Y, et al. 2020. Oral fluconazole use in the first trimester and risk of congenital malformations: population-based cohort study. *BMJ* 369: m1494.

Questions? Call 866.626.6847 | Text 855.999.3525 | Email or Chat at [MotherToBaby.org](https://www.MotherToBaby.org).

Disclaimer: MotherToBaby Fact Sheets are meant for general information purposes and should not replace the advice of your health care provider. MotherToBaby is a service of the non-profit Organization of Teratology Information Specialists (OTIS). Copyright by OTIS, December 1, 2021.

Miconazole | Clotrimazole

Selected References:

- Amer MR, et al. 2015. Safety of Popular Herbal Supplements in Lactating Women. *J Hum Lact.* 31(3):348-53.
- Ashar B H and Rowland-Seymour A. 2008, Advising Patients Who Use Dietary Supplements. *Am J Med* 121(2):91-7.
- Ciganda C and Laborde A. 2003, Herbal infusions used for induced abortion. *J Toxicol Clin Toxicol* 41(3):235-239.
- Dante G et al. 2013, Herb remedies during pregnancy: a systematic review of controlled clinical trials. *J Maternal-Fetal and Neonatal Med* 26(3): 306-312.
- Dante G et al. 2014, Herbal therapies in pregnancy: what works? *Curr Opin Obstet Gynecol* 26:83-91.
- Frawley J et al. 2015, Women's Use and Self-Prescription of Herbal Medicine during Pregnancy: An Examination of 1,835 Pregnant Women. *Women's Health Issues* 25-4, 396-402.
- Lei HL, et al. 2015. Relationship between risk factors for infertility in women and lead, cadmium, and arsenic blood levels: a cross-sectional study from Taiwan. *BMC Public Health.* 15:1220.
- Smeriglio A, et al. 2014, Herbal Products in Pregnancy: Experimental Studies and Clinical Reports. *Phytother Res* 28: 1107-1116.
- Trabace L, et al. 2015. "Natural" relief of pregnancy-related symptoms and neonatal outcomes: above all do no harm. *J Ethnopharmacol.* 174:396-402.
- Wang CC, et al. 2013, Pregnancy Outcomes, Embryonic and Fetal Development in Maternal Exposure to Chinese Medicines. *Birth Defects Res (Part C)* 99:275-291.

Questions? Call 866.626.6847 | Text 855.999.3525 | Email or Chat at [MotherToBaby.org](https://www.MotherToBaby.org).

Disclaimer: MotherToBaby Fact Sheets are meant for general information purposes and should not replace the advice of your health care provider. MotherToBaby is a service of the non-profit Organization of Teratology Information Specialists (OTIS). Copyright by OTIS, December 1, 2021.