

Guselkumab (TREMFA®)

Selected References:

- Anderson PO. 2021. Monoclonal antibodies during breastfeeding. *Breastfeed Med.* 16(8): 591-593.
- DERNONCOURT A., et al. 2023. Fetal and Neonatal Adverse Drug Reactions Associated with Biologics Taken During Pregnancy by Women with Autoimmune Diseases: Insights from an Analysis of the World Health Organization Pharmacovigilance Database (VigiBase®). *BioDrugs.* 37(1):73-87.
- Jeong YD, et al. 2025. Biologics Use for Psoriasis during Pregnancy and Its Related Adverse Outcomes in Pregnant Women and Newborns: Findings from WHO Pharmacovigilance Study. *Int Arch Allergy Immunol.* 186(6):579-593.
- Kimball AB. 2020. Pregnancy outcomes in women exposed to guselkumab: Experience from the clinical development program. *J Am Acad Dermatol.* 83(6):AB27.
- Lin CB, Geldhof A, Ballina MR, Patel H, Fakharzadeh S, Li H. Pregnancy outcomes in women exposed to guselkumab: Review of cases reported to the manufacturer's global safety database. *BJD* 2024;191[Suppl 3]:iii38-iii39 https://academic.oup.com/bjd/article/191/Supplement_3/ljae360.077/7916181
- Mahadevan U, et al. 2025. Global Consensus Statement on the Management of Pregnancy in Inflammatory Bowel Disease. *Clin Gastroenterol Hepatol.* 23(11S):S1-S60.
- McMullan P et al. 2024. Safety of dermatologic medications in pregnancy and lactation: An Update-Part I: Pregnancy. *Journal of the American Academy of Dermatology.*
- Owczarek W, et al. 2020. The use of biological drugs in psoriasis patients prior to pregnancy, during pregnancy and lactation: a review of current clinical guidelines. *Postepy Dermatol Alergol.* 37(6):821-830.
- Tremfya® Prescribing Information. Available online at <http://www.janssenlabels.com/package-insert/product-monograph/prescribing-information/TREMFA-pi.pdf>. Accessed on May 28, 2024.
- Wolfe C et al., 2024. A Retrospective Review of Pregnancies in our Psoriasis Biologics Cohort. *Clinical and Experimental Dermatology.* 11ae106.
- Yeung J, et al. 2020. Management of Plaque Psoriasis With Biologic Therapies in Women of Child-Bearing Potential Consensus Paper. *J Cutan Med Surg.* 24(1_suppl):3S-14S.

问题？致电 866.626.6847 | 短信 855.999.3525 | 在 [MotherToBaby.org](https://www.MotherToBaby.org) 上发送电子邮件或聊天。

Disclaimer: MotherToBaby Fact Sheets are meant for general information purposes and should not replace the advice of your health care provider. MotherToBaby is a service of the non-profit Organization of Teratology Information Specialists (OTIS). Copyright by OTIS, 2026年6月1日。

Guselkumab (TREMFA®)

Selected References:

- Aronne LJ. 1998. Obesity. *Womens Health Issues* 82(1):161- 181.
- Chang JJ, Lathi RB, Kim SH. 2020. A retrospective study examining phentermine on preconception weight loss and pregnancy outcomes. *Endocrine Practice*;26(9):990-996. <https://doi.org/10.4158/EP-2019-0609>
- Food and Drug Administration. 2012. Prescribing information for ADIPEX-P®. Available at https://www.accessdata.fda.gov/drugsatfda_docs/label/2012/085128s065lbl.pdf . Accessed 21 July 2026.
- Food and Drug Administration. 2013. Prescribing information for SUPRENZATM. Available at https://www.accessdata.fda.gov/drugsatfda_docs/label/2013/202088s005lbl.pdf. Accessed 21 July 2026.
- Food and Drug Administration. 2023. Prescribing information for Qsymia®. Available at <https://qsymia.com/patient/include/media/pdf/prescribing-information.pdf>. Accessed 21 July 2026.
- Hale TW. 2008. *Medications and Mothers' Milk*, 13th ed. Amarillo, TX: Hale Publishing.
- Johnson KA, et al. 1998. Pregnancy outcome of women exposed to Fen/Phen [abstract]. Organization of Teratology Information Specialists Annual Meeting, June 1998.
- Jones KL, et al. 2002. Pregnancy outcomes after first trimester exposure to phentermine/fenfluramine. *Teratology* 65:125-130.
- No authors listed. 2013. Topiramate + phentermine. An excessively dangerous appetite-suppressant combination. *Prescribe Int* 22(136):61-4.
- Robert E, et al. 1995. Neural tube defects and maternal weight reduction in early pregnancy. *Reprod Toxicol* 9(1):57-59.
- Silverstone, T. 1982. *Drugs and Appetite*. New York: Academic Press.
- Stein AD, et al. 1995. Third-trimester pregnancy weight gain and intrauterine growth: The Dutch Famine Birth Cohort Study. *Hum Biol* 67(1):135-150.
- Winick M. 1989. *Nutrition, Pregnancy, and Early Infancy*. Baltimore: Williams & Wilkins.

问题？致电 866.626.6847 | 短信 855.999.3525 | 在 [MotherToBaby.org](https://www.MotherToBaby.org) 上发送电子邮件或聊天。

Disclaimer: MotherToBaby Fact Sheets are meant for general information purposes and should not replace the advice of your health care provider. MotherToBaby is a service of the non-profit Organization of Teratology Information Specialists (OTIS). Copyright by OTIS, 2026年6月1日。

Guselkumab (TREMFA®)

Selected References:

- American College of Obstetricians and Gynecologists Committee on Genetics. 2020. Management of women with phenylalanine hydroxylase deficiency (phenylketonuria). *Obstet Gynec* 135(4): e167-e-170.
- Alabdulrazzaq F, Koren G. 2012. Topical corticosteroid use during pregnancy. *Can Fam Physician* 58(6): 643-644.
- Alhussien AH, et al. 2018. Safety of intranasal corticosteroid sprays during pregnancy: an updated review. *Eur Arch Otorhinolaryngol* 275(2): 325-333.
- Battista MC, et al. 2016. Maternal inhaled fluticasone propionate intake during pregnancy is detected in neonatal cord blood. *Bioanalysis*, 8(14): 1441-1450.
- Bjørn AMB, et al. 2015. Use of inhaled and oral corticosteroids in pregnancy and the risk of malformations or miscarriage. *Basic Clin Pharmacol Toxicol* 116(4): 308-314.
- Blais L, et al. 2009. High doses of inhaled corticosteroids during the first trimester of pregnancy and congenital malformations. *J Allergy Clin Immunol*, 124(6): 1229-1234.e4.
- Charlton RA, et al. 2015. Safety of fluticasone propionate prescribed for asthma during pregnancy: A UK population-based cohort study. *J Allergy Clin Immunol Pract* 3(5): 772-9.e3.
- Clifton VL, et al. 2006. Effect of inhaled glucocorticoid treatment on placental 11 β -hydroxysteroid dehydrogenase type 2 activity and neonatal birthweight in pregnancies complicated by asthma. *Aust N Z J Obstet Gynaecol* 46(2): 136-140.
- Cossette B, et al. 2014. Relative perinatal safety of salmeterol vs formoterol and fluticasone vs budesonide use during pregnancy. *Ann Allergy Asthma Immunol* 112(5): 459-464.
- Dombrowski MP, et al. 2008. ACOG practice bulletin: clinical management guidelines for obstetrician-gynecologists number 90, February 2008: asthma in pregnancy. *Obstet Gynecol*, 111(2 Pt 1): 457-464.
- Edwards M J, et.al. 2003. Case-control study of cleft lip or palate after maternal use of topical corticosteroids during pregnancy. *Am J Med Genet* 120A(4): 459-463.
- Ellegård EK, et al. 2001. Fluticasone propionate aqueous nasal spray in pregnancy rhinitis. *Clin Otolaryngol Allied Sci* 26(5): 394-400.
- Källén B, Otterblad Olausson P. 2007. Use of anti-asthmatic drugs during pregnancy. 3. Congenital malformations in the infants. *Eur J of Clin Pharmacol*, 63(4): 383-388.
- Middleton PG ,et al. 2020. ERS/TSANZ Task Force Statement on the management of reproduction and pregnancy in women with airways diseases. *Eur Respir J* 55(2): 1901208.
- Mygind N, et al. 2001. Mode of action of intranasal corticosteroids. *J Allergy Clin Immunol* 108(1 Suppl): S16-25.
- Park-Wyllie L, et.al. 2000. Birth defects after maternal exposure to corticosteroids: prospective cohort study and meta-analysis of epidemiological studies. *Teratol*, 62(6): 385-392.
- Pradat P, et al. 2003. First trimester exposure to corticosteroids and oral clefts. *Birth Defects Res A Clin Mol Teratol* 67(12): 968-970.

- Rahimi R, et al. 2006. Meta-analysis finds use of inhaled corticosteroids during pregnancy safe: a systematic meta-analysis review. Hum Exp Toxicol 25(8): 447-452.
- Robijn AL, et al. 2019. Inhaled corticosteroid use during pregnancy among women with asthma: A systematic review and meta-analysis. Clin Exp Allergy 49(11): 1403-1417.
- Rocklin R. 2011. Asthma, asthma medications and their effects on maternal/fetal outcomes during pregnancy. Reprod Toxicol 32(2): 150.
- Rodríguez-Pinilla E, Martínez-Frías ML. 1998. Corticosteroids during pregnancy and oral clefts: a case-control study. Teratol, 58(1): 2-5.
- Tegethoff M, et.al. 2012. Inhaled glucocorticoids during pregnancy and offspring pediatric diseases: a national cohort study. Am J Respir Crit Care Med 185(5): 557-563.
- Van Zutphen AR, et al. 2015. Maternal asthma medication use during pregnancy and risk of congenital heart defects: Asthma Medication Use and Congenital Heart Defects. Birth Defects Res A Clin Mol Teratol 103(11): 951-961.
- Zaidi S, et al. 2019. Fetal concentrations of budesonide and fluticasone propionate: A study in mice. AAPS J 21(4): 53.

问题？致电 866.626.6847 | 短信 855.999.3525 | 在 [MotherToBaby.org](https://www.MotherToBaby.org) 上发送电子邮件或聊天。

Disclaimer: MotherToBaby Fact Sheets are meant for general information purposes and should not replace the advice of your health care provider. MotherToBaby is a service of the non-profit Organization of Teratology Information Specialists (OTIS). Copyright by OTIS, 2026年6月1日.

Guselkumab (TREMFA®)

Selected References:

- ANI Pharmaceuticals. 2024. Fenoprofen product labeling. Available at: <https://dailymed.nlm.nih.gov/dailymed/drugInfo.cfm>. Accessed 16 June 2026.
- Choi E-Y, et al. 2023. Neonatal and maternal adverse outcomes and exposure to nonsteroidal anti-inflammatory drugs during early pregnancy in South Korea: a nationwide cohort study. PLoS Med, 20(2):e1004183.
- Dawood MY. 1993. Nonsteroidal antiinflammatory drugs and reproduction. Am J Obstet Gynecol, 169(5):1255-1265.

- Daniel S, et al. 2012. Major Malformations Following Exposure to Nonsteroidal Antiinflammatory Drugs During the First Trimester of Pregnancy. J Rheumatol 39(11) 2163-2169.
- Daniel S, et al. 2014. Fetal exposure to nonsteroidal anti-inflammatory drugs and spontaneous abortion. Can Med Assoc J 186(5):E177-E182.
- Daniel S, et al. 2015. NSAIDs and spontaneous abortions – true effect or an indication bias? Br J Clin Pharmacol, 80(4):750-754.
- Dathe K, et al. 2018. No evidence of adverse pregnancy outcome after exposure to ibuprofen in the first trimester—Evaluation of the national Embryotox cohort. Reproductive Toxicology, 79: 32-38.
- Ericson A and Kallen BA. 2001. Nonsteroidal anti-inflammatory drugs in early pregnancy. Reprod Toxicol, 15:371-
- Janssen NM and Genta MS. 2000. The effects of immunosuppressive and anti-inflammatory medication on fertility, pregnancy, and lactation. Arch Intern Med, 160:610-619.
- Nezvalova-Henriksen K et al. 2013. Effects of ibuprofen, diclofenac, naproxen, and piroxicam on the course of pregnancy and pregnancy outcome: a prospective study. BJOG, 120(8):948-959.
- Nielsen GL, et al. 2001. Risk of adverse birth outcome and miscarriage in pregnant users of non-steroidal anti-inflammatory drugs: population based observational study and case-control study. BMJ, 322(7281):266-270.
- Nielsen GL, et al. 2004. Danish group reanalyses miscarriage in NSAID users. BMJ, 328(7431):109.
- U.S. Food and Drug Administration. 2020. Nonsteroidal Anti-Inflammatory Drugs (NSAIDs): Drug Safety Communication – Avoid Use of NSAIDs in Pregnancy at 20 Weeks or Later. Available at: <https://www.fda.gov/safety/medical-product-safety-information/nonsteroidal-anti-inflammatory-drugs-nsaids-drug-safety-communication-avoid-use-nsaids-pregnancy-20>. Accessed 16 June 2026.

问题？致电 866.626.6847 | 短信 855.999.3525 | 在 [MotherToBaby.org](https://www.mothertobaby.org) 上发送电子邮件或聊天。

Disclaimer: MotherToBaby Fact Sheets are meant for general information purposes and should not replace the advice of your health care provider. MotherToBaby is a service of the non-profit Organization of Teratology Information Specialists (OTIS). Copyright by OTIS, 2026年6月1日.

Guselkumab (TREMFA®)

Selected References:

- American College of Obstetricians and Gynecologists (ACOG). 2019. ACOG Practice Bulletin No. 203 Summary: Chronic Hypertension in Pregnancy. Obstet Gynecol; 133(1): 215-219.
- Davis RL, et al. 2011. Risks of congenital malformations and perinatal events among infants exposed to calcium channel and beta-blockers during pregnancy. Pharmacoevid Drug Saf; 20:138-145.
- Kubota K, et al. 2023. Alpha/beta- and beta-blocker exposure in pregnancy and the risk of neonatal hypoglycemia and small for gestational age. Circ J; 87: 569-577.
- Lennestall R, et al. 2009. Maternal use of antihypertensive drugs in early pregnancy and delivery outcome, notably the presence of congenital heart defects in the infants. Eur J Clin Pharmacol; 65(6): 615-625.
- McCowan LM, et al. 1996. Perinatal morbidity in chronic hypertension. Br J Obstet Gynecol; 103:123-129.
- Ray JG, et al. 2001. McMaster outcome study of hypertension in pregnancy. Early Hum Dev; 64:129-143.
- Rey E, Couturier A. 1994. The prognosis of pregnancy in women with chronic hypertension. Am J Obst Gynecol; 181:410-416.
- Sibai BM, et al. 2000. Preterm delivery in women with pregestational diabetes or chronic hypertension relative to women with uncomplicated pregnancies. The National Institute of Child Health and Human Development – Fetal Medicine Units Network. Am J Obst Gynecol; 183:1520-1524.
- Tanaka K, et al. 2016. Beta-blockers and fetal growth restriction in pregnant women with cardiovascular disease. Circ J; 80: 2221-2226.
- Waylis Therapeutics LLC. 2025. Coreg Product Label. Available at: <https://dailymed.nlm.nih.gov/dailymed/fda/fdaDrugXsl.cfm>. Accessed 12 June 2026.
- Yakoob MY, et al. 2013. The risk of congenital malformations associated with exposures to beta-blockers early in pregnancy: A meta-analysis. Hypertension; 62(2): 375-381.

问题？致电 866.626.6847 | 短信 855.999.3525 | 在 [MotherToBaby.org](https://www.MotherToBaby.org) 上发送电子邮件或聊天。

Disclaimer: MotherToBaby Fact Sheets are meant for general information purposes and should not replace the advice of your health care provider. MotherToBaby is a service of the non-profit Organization of Teratology Information Specialists (OTIS). Copyright by OTIS, 2026年6月1日。